Index to Volume 35

*Author index**

A

Abbott WM (*see* Dattilo et al). 2002;35:1137-44

Abel DB, Beebe HG, Dadashtian MM, Morton MC, Moynahan M, Smith LJ, Weinberg SL, Workshop Steering Committee. Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop. 2002;35:1022-8

Absi T (*see* Thompson et al). 2002;35:403-4 (Invited comment)

AbuRahma AF, Hannay RS, Khan JH, Robinson PA, Hudson JK, Davis EA. Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results. 2002;35:125-30

AbuRahma AF, Hopkins ES, Wulu JT Jr, Cook CC. Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts. 2002;35:307-15

AbuRahma AF. Regarding "Prospective randomized study of carotid endarterectomy with PTFE versus collagen impregnated Dacron (Hemashield) patching: perioperative (30-day) results." 2002;35:405 (Letter)

Adam DJ, Haggart PC, Ludlam CA, Bradbury AW. Hemostatic markers before operation in patients with acutely symptomatic nonruptured and ruptured infrarenal abdominal aortic aneurysm. 2002;35:661-5

Adiseshiah M (*see* Veith et al). 2002;35:1029-35

Ahn SS (*see* Ro et al). 2002;35:382-6

Ahn SS (*see* Wieslander et al). 2002;35:1218-25

Akasaka N (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)

Akhtar M (*see* Chekanov et al). 2002;35:554-62

Alcocer F (*see* Jordan et al). 2002;35:16-22

Allan PL (*see* MacKenzie et al). 2002;35:718-22, 1197-203

Allen JS (*see* Huynh et al). 2002;35:648-53

Amin A (*see* Tiwari et al). 2002;35:831 (Letter)

Amor M (*see* Veith et al). 2002;35:1029-35

Anagnostopoulos PV, Shepard AD, Pipinos II, Raman SBK, Chaudhry PA, Mishima T, Morita H, Suzuki G. Hemostatic alterations associated with supraceliac aortic cross-clamping. 2002;35:100-8

Angle N (*see* Pross et al). 2002;35:1253-9

Annabi B, Shédid D, Ghosn P, Kenigsberg RL, Desrosiers RR, Bojanowsi MW, Beaulieu É, Nassif E, Moudjian R, Béliveau R. Differential regulation of matrix metalloproteinase activities in abdominal aortic aneurysms. 2002;35:539-46

Anttila V (*see* Biancari et al). 2002;35:87-93

Araim O, Ballantyne J, Waterhouse AL, Sumpio BE. Inhibition of vascular smooth muscle cell proliferation with red wine and red wine polyphenols. 2002;35:1226-32

Archie JP Jr. Long-term geometric stability of saphenous vein patched carotid endarterectomy. 2002;35:131-6

Arena G (*see* Cinà et al). 2002;35:422-9

Arko FR (*see* Buckley et al). 2002;35:316-23

Arko FR (*see* Wolf et al). 2002;35:882-6

Armstrong PJ, Johanning JM, Calton WC Jr, Delatore JR, Franklin DP, Han DC, Carey DJ, Elmore JR. Differential gene expression in human abdominal aorta: aneurysmal versus occlusive disease. 2002;35:346-55

Arora S, Pomposelli F, LoGerfo FW, Veves A. Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization. 2002;35:501-5

Asada H (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)

Ascher E, Markevich N, Hingorani AP, Kallakuri S, Gunduz Y. Internal carotid artery flow volume measurement and other intraoperative duplex scanning parameters as predictors of stroke after carotid endarterectomy. 2002;35:439-44

Ascher E, Markevich N, Hingorani AP, Kallakuri S. Pseudo-occlusions of the internal carotid artery: a rationale for treatment on the basis of a modified carotid duplex scan protocol. 2002;35:340-5

Ascher E (*see* Sidawy et al). 2002;35:603-10

Assadnia S (*see* Blebea et al). 2002;35:532-8

Assessment of Carotid Stenosis by Comparison with Endarterectomy Plaque Trial (ACSCEPT) Investigators (*see* Troyer et al). 2002;35:741-7

Atkins M (*see* Buckley et al). 2002;35:316-23

Atnip RG (*see* Blebea et al). 2002;35:532-8

Austin P (*see* Tu Jet al). 2002;35:624-5 (Letter reply)

Axelrod DA, Diwan A, Stanley JC, Jacobs LA, Henke PK, Greenfield LJ, Wakefield TW, Upchurch GR Jr. Cost of routine screening for carotid and lower extremity occlusive disease in patients with abdominal aortic aneurysms. 2002; 35:754-8

Axelrod DA, Upchurch GR Jr, DeMonner S, Stanley JC, Khuri S, Daley J, Henderson WG, Hayward R. Perioperative cardiovascular risk stratification of patients with diabetes who undergo elective major vascular surgery. 2002;35:894-901

Azuma N (*see* Koshiko et al). 2002;35:779-85

Azuma N (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)

B

Bacchetta M (*see* Comerota et al). 2002;35:930-6

Back MR (*see* Bandyk et al). 2002;35:269-77

Baguneid MS, Walker MG, Hamilton G, Seifalian AM. Regarding "A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures." 2002;35:626-7 (Letter reply)

Bahnini A (*see* Kieffer et al). 2002;35:262-8

Ballantyne J (*see* Araim et al). 2002;35:1226-32

Ballotta E, Toniato A, Giau GD. Regarding "Eversion technique increases the risk for post-carotid endarterectomy hypertension." 2002;35:1069-70 (Letter)

Bandyk DF, Johnson BL, Kirkpatrick AF, Novotney ML, Back MR, Schmacht DC. Surgical sympathectomy for reflex sympathetic dystrophy syndromes. 2002;35:269-77

Barker CF (*see* Carpenter et al). 2002;35:222-8

Barker CF (*see* Fairman et al). 2002;35:679-85

Barros D'Sa AAB (*see* Harkin et al). 2002;35:1264-73

Baum RA, Carpenter JP, Golden MA, Velazquez OC, Clark TWI, Stavropoulous SW, Cope C, Fairman RM. Treatment of type 2 endoleaks after endovascular repair of abdominal aortic aneurysms: comparison of transarterial and translumbar techniques. 2002;35:23-9. Correction 2002;35:852

Baum RA (*see* Carpenter et al). 2002;35:222-8

Baum RA (*see* Fairman et al). 2002;35:679-85

Baum RA (*see* Veith et al). 2002;35:1029-35

Baxter BT (*see* Prall et al). 2002;35:923-9

Beaulieu É (*see* Annabi et al). 2002;35:539-46

*January, pp. 1-198; February, pp. 199-412; March, pp. 413-630; April, pp. 631-836; May, pp. 837-1072; June, pp. 1073-1350.

Becker F (*see* Jazayeri et al). 2002;35:999-1002 (Case rep.)
Becker GJ, Kovacs M, Mathison MN. Transluminal repair of abdominal aortic aneurysm: a call for selective use, careful surveillance, new device design, and systematic study of transrenal fixation. 2002;35:611-15
Becker GJ (*see* Cowan et al). 2002;35:805-7 (Case rep.)
Becker S (*see* Conners et al). 2002;35:286-91
Bedi A (*see* Henke et al). 2002;35:902-9
Beebe HG (*see* Abel et al). 2002;35:1022-8
Beebe HG (*see* Kritpracha et al). 2002;35:874-81
Beglaibter N, Berlatzky Y, Zamir O, Spira RM, Freund HR. Retroperitoneoscopic lumbar sympathectomy. 2002;35: 815-17
Belham P (*see* Payne et al). 2002;35:1204-9
Béliveau R (*see* Annabi et al). 2002;35:539-46
Belkin M. Secondary infrainguinal bypass surgery: a continuing challenge. 2002;35:1020-1 (Invited comment)
Belkin M (*see* Chew et al). 2002;35:1085-92
Belkin M (*see* Gangadharan et al). 2002;35:1100-6
Belkin M (*see* Reed et al). 2002;35:48-55
Bell PR (*see* Goodall et al). 2002;35:937-42
Bendick PJ (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Benedetto BJ, Madden RL, Kurbanov A, Lipkowitz GS. A novel technique designed to minimize the morbidity of failure of arteriovenous access in hemodialysis patients. 2002;35: 1013-15 (Tech. note)
Benjamin ME (*see* Neschis et al). 2002;35:400-2 (Case rep.)
Bentzon J (*see* Gronholdt et al). 2002;35:137-45
Berceli SA (*see* Jimenez et al). 2002;35:1078-84
Berceli SA (*see* Lee et al). 2002;35:1289-91 (Tech. note)
Berg R (*see* Khoury et al). 2002;35:517-21
Bergamini TM, Rachel ES, Kinney EV, Jung MT, Kaebnick HW, Mitchell RA. External iliac artery-to-internal iliac artery endograft: a novel approach to preserve pelvic inflow in aortoiliac stent grafting. 2002;35:120-4
Bergan JJ (*see* Caggiati and Bergan). 2002;35:172-5
Bergelin RO (*see* Meissner et al). 2002;35:278-85
Berger A. Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery." 2002;35:624-5 (Letter)
Berguer R. Presidential address: at the count of two. 2002;35:199-202
Berlatzky Y (*see* Beglaibter et al). 2002;35:815-17
Berman J (*see* Tashjian et al). 2002;35:691-3
Bernhard VM, Mitchell RS, Matsumura JS, Brewster DC, Decker M, Lamparello P, Raithel D, Collin J. Ruptured abdominal aortic aneurysm after endovascular repair. 2002; 35:1155-62
Bernhard VM (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Bernstein LP (*see* Schneider et al). 2002;35:1114-22
Berrino F (*see* Ciardullo et al). 2002;35:829-30 (Letter reply)
Besarab A (*see* Sidawy et al). 2002;35:603-10
Bethge S (*see* Proebstle et al). 2002;35:729-36
Beven EG (*see* Hertzer et al). 2002;35:1145-54
Bhandari G (*see* Ouriel and Bhandari). 2002;35:181-2 (Letter reply)
Biancari F, Ylönen K, Anttila V, Juvonen J, Romsi P, Satta J, Juvonen T. Durability of open repair of infrarenal abdominal aortic aneurysm: a 15-year follow-up study. 2002;35:87-93
Bigotti G (*see* Rulli et al). 2002;35:168-71 (Case rep.)
Blankensteijn JD (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Blankensteijn JD (*see* Veith et al). 2002;35:1029-35
Blebea J, Vu JH, Assadnia S, McLaughlin PJ, Atnip RG, Zagon IS. Differential effects of vascular growth factors on arterial and venous angiogenesis. 2002;35:532-8
Bobryshev YV, Lord RSA. Expression of heat shock protein-70 by dendritic cells in the arterial intima and its potential significance in atherogenesis. 2002;35:368-75
Bohannon WT, Hodgson KJ, Parra JR, Mattos MA, Karch LA, Ramsey DE, Solis MM, McLafferty RB. Endovascular management of iliac limb occlusion of bifurcated aortic endografts. 2002;35:584-8 (Case rep.)
Bojanowsi MW (*see* Annabi et al). 2002;35:539-46
Bonn J (*see* Cowan et al). 2002;35:805-7 (Case rep.)
Boudghène FP (*see* Deux et al). 2002;35:973-81
Bower TC (*see* Park et al). 2002;35:445-52, 853-9
Bower TC (*see* Rasmussen et al). 2002;35:246-53
Boyer M (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Bradbury AW (*see* Adam et al). 2002;35:661-5
Bradbury AW (*see* MacKenzie et al). 2002;35:718-22, 1197-203
Braffman MN (*see* Schindler et al). 2002;35:569-72 (Case rep.)
Brener BJ, Faries P, Connelly T, Sefranek V, Hertz S, Kirksey L, Hollier L, Marin ML. An in situ adjustable endovascular graft for the treatment of abdominal aortic aneurysms. 2002;35: 114-19
Brener BJ (*see* Faries et al). 2002;35:1123-8
Brenot R (*see* Jazayeri et al). 2002;35:999-1002 (Case rep.)
Brewster DC (*see* Bernhard et al). 2002;35:1155-62
Brewster DC (*see* Cambria et al). 2002;35:1129-36
Brewster DC (*see* Dattilo et al). 2002;35:1137-44
Briggs VL (*see* Faries et al). 2002;35:868-73, 1123-8
Brunner-LaRocca HP (*see* Vogt et al). 2002;35:80-6
Buckley CJ, Arko FR, Lee S, Mettauer M, Little D, Atkins M, Manning LG, Patterson DE. Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting. 2002;35:316-23
Burch J (*see* Estes et al). 2002;35:180 (Letter reply)
Burdon TA (*see* Fann et al). 2002;35:811-14 (Case rep.)
Burks JA Jr, Faries PL, Gravereaux EC, Hollier LH, Marin ML. Endovascular repair of abdominal aortic aneurysms: stent-graft fixation across the visceral arteries. 2002;35:109-13
Burks JA Jr (*see* Faries et al). 2002;35:868-73, 1123-8
Burns P (*see* MacKenzie et al). 2002;35:718-22
Bush HL (*see* Korn et al). 2002;35:950-7
Bush RL (*see* Lin et al). 2002;35:592-4 (Tech. note)
Butany J. Regarding "Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease." 2002;35: 820-2 (Invited comment)
Buth J, Marrewijk CJV, Harris PL, Hop WCJ, Riambau V, Laheij RJF. Outcome of endovascular abdominal aortic aneurysm repair in patients with conditions considered unfit for an open procedure: a report on the EUROSTAR experience. 2002;35: 211-21
Buth J (*see* Marrewijk et al). 2002;35:461-73
Buth J (*see* Veith et al). 2002;35:1029-35

C

Caggiati A, Bergan JJ. The saphenous vein: derivation of its name and its relevant anatomy. 2002;35:172-5
Caldwell MP (*see* Tretinyak et al). 2002;35:982-7
Caldwell S, Sykes T, Mosquera D. Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm." 2002;35:408 (Letter)
Calisti A (*see* Speziale et al). 2002;35:1306-7 (Letter)

Calligaro KD (*see* Schindler et al). 2002;35:569-72 (Case rep.)
Calton WC Jr (*see* Armstrong et al). 2002;35:346-55
Cambria RA (*see* Lorelli et al). 2002;35:916-22
Cambria RA (*see* Santilli et al). 2002;35:666-71
Cambria RP, Brewster DC, Lauterbach SR, Kaufman JL, Geller S, Fan CM, Greenfield A, Hilgenberg A, Clouse WD. Evolving experience with thoracic aortic stent graft repair. 2002;35: 1129-36
Cambria RP. Regarding "Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography." 2002;35:1295-6 (Invited comment)
Cambria RP (*see* Dattilo et al). 2002;35:1137-44
Campbell FC (*see* Harkin et al). 2002;35:1264-73
Cao P, Verzini F, Zannetti S, Rango PD, Parlani G, Lupattelli L, Maselli A. Device migration after endoluminal abdominal aortic aneurysm repair: analysis of 113 cases with a minimum follow-up period of 2 years. 2002;35:229-35
Carabasi RA (*see* Cowan et al). 2002;35:805-7 (Case rep.)
Carey DJ (*see* Armstrong et al). 2002;35:346-55
Carpenter JP, Baum RA, Barker CF, Golden MA, Velazquez OC, Mitchell ME, Fairman RM. Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair. 2002;35:222-8
Carpenter JP. Regarding "The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan." 2002;35:595-7 (Invited comment)
Carpenter JP (*see* Baum et al). 2002;35:23-9. Correction 2002;35: 852
Carpenter JP (*see* Fairman et al). 2002;35:679-85
Carr JA (*see* Cho et al). 2002;35:453-60
Carroccio A (*see* Faries et al). 2002;35:868-73, 1123-8
Carter G (*see* Sternbergh et al). 2002;35:482-6
Carter KA (*see* Parent et al). 2002;35:474-81, 686-90
Cassada DC, Tribble CG, Long SM, Laubach VE, Kaza AK, Linden J, Nguyen BN, Rieger JM, Fiser SM, Kron IL, Kern JA. Adenosine A_{2A} analogue ATL-146e reduces systemic tumor necrosing factor-α and spinal cord capillary platelet-endothelial cell adhesion molecule-1 expression after spinal cord ischemia. 2002;35:994-8
Castronuovo JJ Jr, Price RM. The sequence of gene expression in cultured human saphenous vein after injury. 2002;35: 146-51
Castronuovo JJ Jr, Smith TJ, Price RM. Validation of an in vitro model of human saphenous vein hyperplasia. 2002;35: 152-7
Cefaro GA (*see* Rulli et al). 2002;35:168-71 (Case rep.)
Centa ID (*see* Goëau-Brissonnière et al). 2002;35:1260-3
Chae KS (*see* Faries et al). 2002;35:1123-8
Chaikof E. Hear no evil, see no evil, speak no evil: postmarket monitoring, underreporting, and estimating the prevalence of endograft-related adverse events. 2002;35:1299-300 (Invited comment)
Chaikof E (*see* Makaroun et al). 2002;35:203-10
Chaikof EL, Blankensteijn JD, Harris PL, White GH, Zarins CK, Bernhard VM, Matsumura JS, May J, Veith FJ, Fillinger MF, Rutherford RB, Kent KC. Reporting standards for endovascular aortic aneurysm repair. 2002;35:1048-59
Chaikof EL, Fillinger MF, Matsumura JS, Rutherford RB, White GH, Blankensteijn JD, Bernhard VM, Harris PL, Kent KC, May J, Veith FJ, Zarins CK. Identifying and grading factors that modify the outcome of endovascular aortic aneurysm repair. 2002;35:1060-6
Chaikof EL (*see* Lin et al). 2002;35:592-4 (Tech. note)
Chaillou P (*see* Gouëffic et al). 2002;35:1003-5 (Case rep.)
Chakhtoura EY (*see* Hobson et al). 2002;35:435-8
Chakhtura EY (*see* Lal et al). 2002;35:1210-17
Chalmer RTA (*see* Driscoll and Chalmer). 2002;35:627 (Letter)
Champagne BJ (*see* Kreienberg et al). 2002;35:299-306
Chandler WL (*see* Meissner et al). 2002;35:278-85
Chang BB (*see* Darling et al). 2002;35:773-8
Chang BB (*see* Kreienberg et al). 2002;35:299-306
Chaudhry PA (*see* Anagnostopoulos et al). 2002;35:100-8
Cheanvechai V (*see* Neschis et al). 2002;35:400-2 (Case rep.)
Chekanov VS, Mortada ME, Tchekanov GV, Maternowski MA, Eisenstein R, Pello N, Krum D, Akhtar M. Pathologic and histologic results of electrical impulses in a rabbit model of atherosclerosis: 24-hour versus 8-hour regimen. 2002;35: 554-62
Chen MN (*see* Raffetto et al). 2002;35:1093-9
Cheng KS (*see* Tiwari et al). 2002;35:831 (Letter)
Cherr GS, Edwards MS, Craven TE, Levy PJ, Ligush J Jr, Geary RL, Plonk GW Jr, Hansen KJ. Survival of young patients after abdominal aortic aneurysm repair. 2002;35:94-9
Cherr GS, Hansen KJ, Craven TE, Edwards MS, Ligush J Jr, Levy PJ, Freedman BI, Dean RH. Surgical management of atherosclerotic renovascular disease. 2002;35:236-45
Cherry KJ Jr (*see* Noel et al). 2002;35:847-52
Cherry KJ Jr (*see* Park et al). 2002;35:445-52, 853-9
Cherry KJ Jr (*see* Rasmussen et al). 2002;35:246-53
Chew DKW, Owens CD, Belkin M, Donaldson MC, Whittemore AD, Mannick JA, Conte MS. Bypass in the absence of ipsilateral greater saphenous vein: safety and superiority of the contralateral greater saphenous vein. 2002;35:1085-92
Chew DKW (*see* Gangadharan et al). 2002;35:1100-6
Cheynel N (*see* Jazayeri et al). 2002;35:999-1002 (Case rep.)
Chiba K (*see* Koshiko et al). 2002;35:779-85
Chiou AC (*see* Ebaugh et al). 2002;35:828-9 (Letter reply), 1068-9 (Letter reply)
Chiras J (*see* Kieffer et al). 2002;35:262-8
Cho JS, Carr JA, Jacobsen G, Shepard AD, Nypaver TJ, Reddy DJ. Long-term outcome after mesenteric artery reconstruction: a 37-year experience. 2002;35:453-60
Cho JS (*see* Martelli et al). 2002;35:547-53
Chronos N (*see* Comerota et al). 2002;35:930-6
Chua HK (*see* Park et al). 2002;35:853-9
Chua J (*see* Culver et al). 2002;35:576-9 (Case rep.)
Chuter TAM (*see* Veith et al). 2002;35:1029-35
Ciardullo AV, Panico S, Iannuzzi A, Rubba P, Berrino F. Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women." 2002;35:829-30 (Letter reply)
Cinà CS, Safar HA, Laganà A, Arena G, Clase CM. Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review. 2002;35:422-9
Cinà CS (*see* Safar et al). 2002;35:737-40
Cipriano PR (*see* Wolf et al). 2002;35:580-3 (Case rep.)
Claeys LGY, Matamoros R. Anaerobic cellulitis as the result of Clostridium perfringens: a rare cause of vascular access graft infection. 2002;35:1287-8 (Case rep.)
Clagett GP (*see* Jackson et al). 2002;35:292-8
Clagett GP (*see* Rosen et al). 2002;35:376-81
Clair DG (*see* O'Hara et al). 2002;35:324-32

Clair DG (*see* Sarac et al). 2002;35:748-53
Clará A (*see* Planas et al). 2002;35:506-9
Clark ET (*see* Rodriguez et al). 2002;35:573-5 (Case rep.)
Clark RC (*see* Park et al). 2002;35:853-9
Clark TWI (*see* Baum et al). 2002;35:23-9. Correction 2002;35:852
Clase CM (*see* Cinà et al). 2002;35:422-9
Cleveland TJ (*see* Macdonald et al). 2002;35:966-72
Clouse WD (*see* Cambria et al). 2002;35:1129-36
Clyne J (*see* Lorelli et al). 2002;35:916-22
Cogbill TH (*see* Monaghan and Cogbill). 2002;35:1284-6 (Case rep.)
Coggia M (*see* Goëau-Brissonnière et al). 2002;35:1260-3
Cohen JR (*see* Halpern et al). 2002;35:792-7
Colaiuta E (*see* Khoury et al). 2002;35:517-21
Collin J (*see* Bernhard et al). 2002;35:1155-62
Collins AE (*see* Pross et al). 2002;35:1253-9
Collins EG (*see* Langbein et al). 2002;35:887-93
Comerota AJ, Throm RC, Miller KA, Henry T, Chronos N, Laird J, Sequeira R, Kent CK, Bacchetta M, Goldman C, Salenius JP, Schmieder FA, Pilsudski R. Naked plasmid DNA encoding fibroblast growth factor type 1 for the treatment of end-stage unreconstructible lower extremity ischemia: preliminary results of a phase I trial. 2002;35:930-6
Conklin BS (*see* Lin et al). 2002;35:592-4 (Tech. note)
Connelly T (*see* Brener et al). 2002;35:114-19
Connelly TL (*see* Faries et al). 2002;35:1123-8
Conners MS III, Becker S, Guzman RJ, Passman MA, Pierce R, Kelly T, Naslund TC. Duplex scan-directed placement of inferior vena cava filters: a five-year institutional experience. 2002;35:286-91
Conte MS (*see* Chew et al). 2002;35:1085-92
Conte MS (*see* Gangadharan et al). 2002;35:1100-6
Conte MS (*see* Reed et al). 2002;35:48-55
Contreras C (*see* Planas et al). 2002;35:506-9
Cook CC (*see* AbuRahma et al). 2002;35:307-15
Cook JW, Malinow MR, Moneta GL, Taylor LM, Orloff SL. Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia. 2002;35:158-65
Cooley DA. Regarding "Eversion technique increases the risk for post-carotid endarterectomy hypertension." 2002;35:1070 (Letter)
Cope C (*see* Baum et al). 2002;35:23-9. Correction 2002;35:852
Corbey MJ (*see* Kritpracha et al). 2002;35:874-81
Corless CL (*see* Pavcnik et al). 2002;35:598-602
Cormier E (*see* Kieffer et al). 2002;35:262-8
Cosargent A (*see* Gouëffic et al). 2002;35:1003-5 (Case rep.)
Coselli JS, LeMaire SA, Köksoy C, Schmittling ZC, Curling PE. Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial. 2002;35:631-9
Coselli JS (*see* LeMaire et al). 2002;35:1171-8
Cowan S, Kahn MB, Bonn J, Becker GJ, DiMuzio P, Leichter R, Carabasi RA. Superior mesenteric artery pseudoaneurysm successfully treated with polytetrafluoroethylene covered stent. 2002;35:805-7 (Case rep.)
Craven TE (*see* Cherr et al). 2002;35:94-9, 236-45
Criado FJ, Lingelbach JM, Ledesma DF, Lucas PR. Carotid artery stenting in a vascular surgery practice. 2002;35:430-4
Cronenwett JL Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery." 2002;35:624-5 (Letter reply)
Cronenwett JL (*see* Nelson et al). 2002;35:1107-13
Crowther M (*see* Goodall et al). 2002;35:937-42
Culver DA, Chua J, Rehm SJ, Whitlow P, Hertzer NR. Arterial infection and *Staphylococcus aureus* bacteremia after transfemoral cannulation for percutaneous carotid angioplasty and stenting. 2002;35:576-9 (Case rep.)
Curling PE (*see* Coselli et al). 2002;35:631-9

D

Dadashtian MM (*see* Abel et al). 2002;35:1022-8
D'Alecy LG (*see* Knipp et al). 2002;35:363-7
Daley J (*see* Axelrod et al). 2002;35:894-901
Dalman RL (*see* Fann et al). 2002;35:811-14 (Case rep.)
d'Angelo G (*see* Deux et al). 2002;35:973-81
Daniel PF (*see* McDaniel et al). 2002;35:723-8
Danielsson G (*see* Thörne et al). 2002;35:759-65
Danielsson P (*see* Thörne et al). 2002;35:759-65
Dardik H, Wengerter K, Qin F, Pangilinan A, Silvestri F, Wolodiger F, Kahn M, Sussman B, Ibrahim IM. Comparative decades of experience with glutaraldehyde-tanned human umbilical cord vein graft for lower limb revascularization: an analysis of 1275 cases. 2002;35:64-71
Darling RC III, Roddy SP, Chang BB, Paty PSK, Kreienberg PB, Maharaj D, Shah DM. Long-term results of revised infrainguinal arterial reconstructions. 2002;35:773-8
Darling RC III (*see* Kreienberg et al). 2002;35:299-306
Dashwood MR (*see* Tsui et al). 2002;35:356-62
Dattilo JB, Brewster DC, Fan CM, Geller SC, Cambria RP, LaMuraglia GM, Greenfield AJ, Lauterbach SR, Abbott WM. Clinical failures of endovascular abdominal aortic aneurysm repair; incidence, causes, and management. 2002;35:1137-44
d'Audiffret AC (*see* Santilli et al). 2002;35:666-71
d'Audiffret AC (*see* Tretinyak et al). 2002;35:982-7
David M (*see* Jazayeri et al). 2002;35:999-1002 (Case rep.)
Davies MG (*see* Sternbach et al). 2002;35:333-9
Davis EA (*see* AbuRahma et al). 2002;35:125-30
D'Ayala M (*see* Toursarkissian et al). 2002;35:494-500
Dean RH (*see* Cherr et al). 2002;35:236-45
Decker M (*see* Bernhard et al). 2002;35:1155-62
Deitch JS (*see* Korn et al). 2002;35:950-7
Delatore JR (*see* Armstrong et al). 2002;35:346-55
DeMasi RJ (*see* Parent et al). 2002;35:474-81, 686-90
DeMonner S (*see* Axelrod et al). 2002;35:894-901
DePalma RG (*see* Merchant et al). 2002;35:1190-6
Desrosiers RR (*see* Annabi et al). 2002;35:539-46
Deux JF, Prigent-Richard S, d'Angelo G, Feldman LJ, Puvion E, Logeart-Avramoglou D, Pellé A, Boudghène FP, Michel JB, Letourneur D. A chemically modified dextran inhibits smooth muscle growth in vitro and intimal in stent hyperplasia in vitro. 2002;35:973-81
Devidas M (*see* Rectenwald et al). 2002;35:640-7
Devine C, McCollum C. Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial." 2002;35:623 (Letter reply)
Diehl J (*see* Schindler et al). 2002;35:569-72 (Case rep.)
Diethrich EB (*see* Thompson et al). 2002;35:181-2 (Letter), 387-91, 1163-70
Dietzek A (*see* Mehta et al). 2002;35:1069-70 (Letter reply)
Dietzek AM (*see* Mehta et al). 2002;35:1070 (Letter reply)
DiMugno L (*see* Thompson et al). 2002;35:387-91, 1163-70

DiMuzio P (*see* Cowan et al). 2002;35:805-7 (Case rep.)
DiSalle RS (*see* Kritpracha et al). 2002;35:874-81
Diwan A (*see* Axelrod et al). 2002;35:754-8
Donaldson MC (*see* Chew et al). 2002;35:1085-92
Donaldson MC (*see* Gangadharan et al). 2002;35:1100-6
Donaldson MC (*see* Reed et al). 2002;35:48-55
Doobay B (*see* Safar et al). 2002;35:737-40
Dorweiler B, Neufang A, Kreitner KF, Schmiedt W, Oelert H. Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus. 2002;35:766-72
Dougherty MJ (*see* Schindler et al). 2002;35:569-72 (Case rep.)
Driscoll PJ, Chalmer RTA. The use of a nerve stimulator in difficult carotid surgery. 2002;35:627 (Letter)
Droste JS (*see* Schneider et al). 2002;35:1114-22
D'Sa AABB (*see* Harkin et al). 2002;35:1264-73
Dupas B (*see* Gouëffic et al). 2002;35.1003-5 (Case rep.)
Duran E (*see* Sunar and Duran). 2002;35:1068 (Letter)
Durán WN (*see* Lal et al). 2002;35:1210-17
Durham JR (*see* Rodriguez et al). 2002;35:573-5 (Case rep.)

E

Eagleton MJ, (*see* Upchurch et al). 2002;35:860-7
Eagleton MJ (*see* Knipp et al). 2002;35:363-7
Ebaugh JL, Chiou AC, Morasch MD, Matsumura JS, Pearce WH. Regarding "Bedside vena cava filter placement guided with intravascular ultrasound." 2002;35:828-9 (Letter reply), 1068-9 (Letter reply)
Eberhardt RT (*see* Raffetto et al). 2002;35:1093-9
Edwards JM. Regarding "Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results." 2002;35:176-7 (Invited comment)
Edwards JM (*see* Landry et al). 2002;35:56-63
Edwards JM (*see* Nicoloff et al). 2002;35:38-47
Edwards LC (*see* Langbein et al). 2002;35:887-93
Edwards MS (*see* Cherr et al). 2002;35:94-9, 236-45
Eisenstein R (*see* Chekanov et al). 2002;35:554-62
Eklof B (*see* Lurie et al). 2002;35:522-6, 713-17
Eklof B (*see* Ogawa et al). 2002;35:527-31
Elenbaas T (*see* Jacobs et al). 2002;35:30-7
Elmore JR (*see* Armstrong et al). 2002;35:346-55
England M (*see* Estes et al). 2002;35:180 (Letter reply)
Esato K (*see* Harada et al). 2002;35:786-91
Espinola-Klein C (*see* Proebstle et al). 2002;35:729-36
Estes JM, Halin N, Kwoun M, Burch J, England M, Mackey WC. Regarding "The carotid artery as alterntive access for endoluminal aortic aneurysm repair." 2002;35:180 (Letter reply)
Estrera AL (*see* Huynh et al). 2002;35:648-53
Evans G (*see* Safar et al). 2002;35:737-40

F

Fabre D (*see* Goëau-Brissonnière et al). 2002;35:1260-3
Fairman RM, Carpenter JP, Baum RA, Larson RA, Golden MA, Barker CF, Mitchell ME, Velazquez OC. Potential impact of therapeutic warfarin treatment on type II endoleaks and sac shrinkage rates on midterm follow-up examination. 2002;35:679-85
Fairman RM (*see* Baum et al). 2002;35:23-9. Correction 2002;35:852
Fairman RM (*see* Carpenter et al). 2002;35:222-8
Fairman RM (*see* Veith et al). 2002;35:1029-35
Falk E (*see* Grønholdt et al). 2002;35:137-45
Falk J (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Fan CM (*see* Cambria et al). 2002;35:1129-36
Fan CM (*see* Dattilo et al). 2002;35:1137-44
Fann JI, Samuels S, Slonim S, Burdon TA, Dalman RL. Treatment of abdominal aortic anastomotic pseudoaneurysm with percutaneous coil embolization. 2002;35:811-14 (Case rep.)
Farber MA (*see* McDaniel et al). 2002;35:723-8
Faries P (*see* Brener et al). 2002;35:114-19
Faries PL, Brener BJ, Connelly TL, Katzen BT, Briggs VL, Burks JA Jr, Gravereaux EC, Carroccio A, Morrissey NJ, Teodorescu V, Won J, Sparacino S, Chae KS, Hollier LH, Marin ML. A multicenter experience with the Talent endovascular graft for the treatment of abdominal aortic aneurysms. 2002;35:1123-8
Faries PL, Briggs VL, Rhee JY, Burks JA Jr, Gravereaux EC, Carroccio A, Morrissey NJ, Teodorescu V, Hollier LH, Marin ML. Failure of endovascular aortoaortic tube grafts: a plea for preferential use of bifurcated grafts. 2002;35:868-73
Faries PL (*see* Burks et al). 2002;35:109-13
Farinon AM (*see* Rulli et al). 2002;35:168-71 (Case rep.)
Farooq MM (*see* Pross et al). 2002;35:1253-9
Faust GR (*see* Halpern et al). 2002;35:792-7
Feezor RJ, Huber TS, Welborn MB III, Schell SR. Duodenal perforation with an inferior vena cava filter: an unusual cause of abdominal pain. 2002;35:1010-12 (Case rep.)
Feldman LJ (*see* Deux et al). 2002;35:973-81
Filbey D (*see* Tsui et al). 2002;35:356-62
Fillinger MF (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Fillinger MF (*see* Nelson et al). 2002;35:1107-13
Fiorani P (*see* Speziale et al). 2002;35:1306-7 (Letter)
Fischer A (*see* Marty et al). 2002;35:487-93
Fiser SM (*see* Cassada et al). 2002;35:994-8
Fisher WS (*see* Jordan et al). 2002;35:16-22
Fleckten B (*see* Prall et al). 2002;35:923-9
Flinn WR (*see* Neschis et al). 2002;35:400-2 (Case rep.)
Flynn L (*see* Khoury et al). 2002;35:517-21
Flynn TC (*see* Jimenez et al). 2002;35:1078-84
Fogarty TJ (*see* Wolf et al). 2002;35:580-3 (Case rep.), 882-6
Ford JW (*see* Knipp et al). 2002;35:363-7
Fox CJ (*see* Lorelli et al). 2002;35:916-22
Franklin DP (*see* Armstrong et al). 2002;35:346-55
Freedman BI (*see* Cherr et al). 2002;35:236-45
Freischlag JA (*see* Pross et al). 2002;35:1253-9
Freund HR (*see* Beglaibter et al). 2002;35:815-17
Friedman SG. Regarding "Early results of infragenicular revascularization based solely on duplex arteriography." 2002;35:830 (Letter)
Fukui S (*see* Kieffer et al). 2002;35:262-8

G

Gahtan V, Olson ET, Sumpio BE. Molecular biology: a brief overview. 2002;35:563-8
Gaines PA (*see* Macdonald et al). 2002;35:966-72
Gallet B (*see* Eung et al). 2002;35:1280-3 (Case rep.)
Galt SW (*see* Sarfati et al). 2002;35:589-91 (Case rep.)
Gangadharan SP, Reed AB, Chew DKW, Conte MS, Belkin M, Whittemore AD, Donaldson MC. Initial experience with minimally invasive in situ bypass procedure with blind valvulotomy. 2002;35:1100-6
Gasol A (*see* Planas et al). 2002;35:506-9

Gaxotte VD (*see* Thompson et al). 2002;35:1163-70
Gayle RG (*see* Parent et al). 2002;35:474-81, 686-90
Geary RL (*see* Cherr et al). 2002;35:94-9
Gelabert HA (*see* Pross et al). 2002;35:1253-9
Geller S (*see* Cambria et al). 2002;35:1129-36
Geller SC (*see* Dattilo et al). 2002;35:1137-44
Ghosn P (*see* Annabi et al). 2002;35:539-46
Giau GD (*see* Ballotta et al). 2002;35:1069-70 (Letter)
Gibbons GW (*see* Raffetto et al). 2002;35:1093-9
Gilling-Smith G (*see* Veith et al). 2002;35:1029-35
Glover JL (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Gloviczki P (*see* Martelli et al). 2002;35:547-53
Gloviczki P (*see* Noel et al). 2002;35:847-52
Gloviczki P (*see* Park et al). 2002;35:445-52, 853-9
Gloviczki P (*see* Rasmussen et al). 2002;35:246-53
Godziachvili V (*see* Parent et al). 2002;35:474-81, 686-90
Goëau-Brissonnière OA, Fabre D, Leflon-Guibout V, Centa ID, Nicolas-Chanoine MH, Coggia M. Comparison of the resistance to infection of rifampin-bonded gelatin-sealed and silver/collagen-coated polyester prostheses. 2002;35:1260-3
Goh K (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)
Golan JF (*see* Schneider et al). 2002;35:1114-22
Golden MA (*see* Baum et al). 2002;35:23-9. Correction 2002;35:852
Golden MA (*see* Carpenter et al). 2002;35:222-8
Golden MA (*see* Fairman et al). 2002;35:679-85
Goldman C (*see* Comerota et al). 2002;35:930-6
Goldstein J (*see* Hobson et al). 2002;35:435-8
Goldstone J. Cardiovascular workforce in the 21st century. 2002;35:1301-2 (Invited comment)
Goldstone J (*see* Noel et al). 2002;35:847-52
Goodall AH (*see* Payne et al). 2002;35:1204-9
Goodall S, Crowther M, Bell PR, Thompson MM. The association between venous structural alterations and biomechanical weakness in patients with abdominal aortic aneurysms. 2002;35:937-42
Gooding GAW. Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access." 2002;35:181 (Letter)
Gotlieb AI (*see* Lee and Gotlieb). 2002;35:1242-52
Gouëffic Y, Cosargent A, Dupas B, Heymann MF, Chaillou P, Patra P. Superior mesenteric artery dissection: case report. 2002;35:1003-5 (Case rep.)
Graaf FVD (*see* Roumen-Klappe et al). 2002;35:701-6
Gradman WS. Regarding "Bypass graft to the midpopliteal artery with a combined anterior and posterior approach." 2002;35:1068 (Letter reply)
Gravereaux EC (*see* Burks et al). 2002;35:109-13
Gravereaux EC (*see* Faries et al). 2002;35:868-73, 1123-8
Gray R (*see* Sidawy et al). 2002;35:603-10
Green RM (*see* Sternbach et al). 2002;35:333-9
Greene K (*see* Khoury et al). 2002;35:517-21
Greenfield A (*see* Cambria et al). 2002;35:1129-36
Greenfield AJ (*see* Dattilo et al). 2002;35:1137-44
Greenfield LJ (*see* Axelrod et al). 2002;35:754-8
Greenfield LJ (*see* Henke et al). 2002;35:902-9
Greenfield LJ (*see* Knipp et al). 2002;35:363-7
Greenfield LJ (*see* Upchurch et al). 2002;35:860-7
Gregory RT (*see* Parent et al). 2002;35:474-81, 686-90
Gregory RT (*see* Sidawy et al). 2002;35:603-10
Grigoryants V (*see* Upchurch et al). 2002;35:860-7
Grønholdt MLM, Nordestgaard BG, Bentzon J, Wiebe BM, Zhou J, Falk E, Sillesen H. Macrophages are associated with lipid-rich carotid artery plaques, echolucency on B-mode imaging, and elevated plasma lipid levels. 2002;35:137-45
Gunduz Y (*see* Ascher et al). 2002;35:439-44
Guzman RJ (*see* Conners et al). 2002;35:286-91

H

Haenen JH, Janssen MCH, Wollersheim H, Hof MAV, Rooij MJMD, Langen HV, Skotnicki SH, Thien T. The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis. 2002;35:1184-9
Haggart PC (*see* Adam et al). 2002;35:661-5
Halin N (*see* Estes et al). 2002;35:180 (Letter reply)
Hallett JW Jr (*see* Park et al). 2002;35:445-52, 853-9
Hallett JW Jr (*see* Rasmussen et al). 2002;35:246-53, 988-93
Halpern VJ, Mathrumbutham M, LaGraize C, Rao SK, Faust GR, Cohen JR. Reduced protease inhibitory capacity in patients with abdominal aortic aneurysms is reversed with surgical repair. 2002;35:792-7
Hamakana S (*see* Matsumoto et al). 2002;35:654-60
Hameed M (*see* Lal et al). 2002;35:1210-17
Hamilton G (*see* Baguneid et al). 2002;35:626-7 (Letter reply)
Hamilton G (*see* Tiwari et al). 2002;35:827-8 (Letter), 831 (Letter)
Han DC (*see* Armstrong et al). 2002;35:346-55
Hance KA, Tataria M, Ziporin SJ, Lee JK, Thompson RW. Monocyte chemotactic activity in human abdominal aortic aneurysms: role of elastin degradation peptides and the 67-kD cell surface elastin receptor. 2002;35:254-61
Hannay RS (*see* AbuRahma et al). 2002;35:125-30
Hans SSH (*see* Tuma and Hans). 2002;35:798-800 (Case rep.)
Hansen KJ (*see* Cherr et al). 2002;35:94-9, 236-45
Harada M, Takenaka H, Ikenaga S, Zhang H, Zempo N, Esato K, Nagano T, Taiji M, Noguchi H. Hepatocyte growth factor prevents intimal hyperplasia in rabbit carotid expanded polytetrafluoroethylene grafting. 2002;35:786-91
Harkin DW, Barros D'Sa AAB, McCallion K, Hoper M, Campbell FC. Ischemic preconditioning before lower limb ischemia—reperfusion protects against acute lung injury. 2002;35:1264-73
Harmsen WS (*see* Park et al). 2002;35:445-52, 853-9
Harold K (*see* Sing et al). 2002;35:1068-9 (Letter)
Harris EJ Jr. Endovascular obliteration of saphenous reflux: a perspective. 2002;35:1292-4 (Invited comment)
Harris EJ Jr (*see* Wolf et al). 2002;35:882-6
Harris J (*see* May et al). 2002;35:180 (Letter)
Harris PL (*see* Buth et al). 2002;35:211-21
Harris PL (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Harris PL (*see* Marrewijk et al). 2002;35:461-73
Harris PL (*see* Veith et al). 2002;35:1029-35
Harrison A (*see* Toursarkissian et al). 2002;35:494-500
Haser PB (*see* Hobson et al). 2002;35:435-8
Haser PB (*see* Lal et al). 2002;35:1210-17
Hata T (*see* Matsumoto et al). 2002;35:654-60
Haukipuro K (*see* Rautio et al). 2002;35:958-65
Hayashi K (*see* Sueyoshi et al). 2002;35:1179-83
Hayes PD (*see* Payne et al). 2002;35:1204-9
Hayoz D (*see* Marty et al). 2002;35:487-93
Hayward R (*see* Axelrod et al). 2002;35:894-901
Healey CT (*see* Ricci et al). 2002;35:1274-6 (Case rep.)

Heijer MD (*see* Roumen-Klappe et al). 2002;35:701-6
Heikkinen T (*see* Rautio et al). 2002;35:958-65
Heller JA (*see* Korn et al). 2002;35:950-7
Henderson WG (*see* Axelrod et al). 2002;35:894-901
Heniford BT (*see* Sing et al). 2002;35:1068-9 (Letter)
Henke PK, Proctor MC, Zajkowski PJ, Bedi A, Upchurch GR Jr, Wakefield TW, Jacobs LA, Greenfield LJ, Stanley JC. Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction. 2002;35:902-9
Henke PK (*see* Axelrod et al). 2002;35:754-8
Henke PK (*see* Knipp et al). 2002;35:363-7
Henke PK (*see* Upchurch et al). 2002;35:860-7
Henry M (*see* Sidawy et al). 2002;35:603-10
Henry T (*see* Comerota et al). 2002;35:930-6
Hertz S (*see* Brener et al). 2002;35:114-19
Hertzer NR, Mascha EJ, Karafa MT, O'Hara PJ, Krajewski LP, Beven EG. Open infrarenal abdominal aortic aneurysm repair: the Cleveland Clinic experience from 1989 to 1998. 2002;35:1145-54
Hertzer NR (*see* Culver et al). 2002;35:576-9 (Case rep.)
Hertzer NR (*see* O'Hara et al). 2002;35:324-32
Hertzer NR (*see* Sarac et al). 2002;35:748-53
Heyman MR (*see* Neschis et al). 2002;35:400-2 (Case rep.)
Heymann MF (*see* Gouëffic et al). 2002;35:1003-5 (Case rep.)
Hilgenberg A (*see* Cambria et al). 2002;35:1129-36
Hill BB (*see* Wolf et al). 2002;35:580-3 (Case rep.), 882-6
Hill JC (*see* Karkos et al). 2002;35:943-9
Hinchliffe R. Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms." 2002;35:625-6 (Letter)
Hingorani AP (*see* Ascher et al). 2002;35:340-5, 439-44
Hirose H (*see* Takagi et al). 2002;35:801-4 (Case rep.)
Hobson RW II. The American Association for Vascular Surgery: advocate for independence. 2002;35:1-7
Hobson RW II, Lal BK, Chakhtoura EY, Goldstein J, Kubicka R, Haser PB, Padberg FT Jr, Pappas PJ, Jamil Z. Carotid artery closure for endarterectomy does not influence results of angioplasty-stenting for restenosis. 2002;35:435-8
Hobson RW II (*see* Lal et al). 2002;35:1210-17
Hodges TC (*see* Hung et al). 2002;35:1280-3 (Case rep.)
Hodgson KJ (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
Hodgson KJ (*see* Veith et al). 2002;35:1029-35
Hof MAV (*see* Haenen et al). 2002;35:1184-9
Hollier L (*see* Brener et al). 2002;35:114-19
Hollier LH (*see* Burks et al). 2002;35:109-13
Hollier LH (*see* Faries et al). 2002;35:868-73, 1123-8
Hollis S (*see* Karkos et al). 2002;35:943-9
Homocysteine and Progression of Atherosclerosis Study Investigators (*see* Nicoloff et al). 2002;35:38-47
Hop WCJ (*see* Buth et al). 2002;35:211-21
Hoper M (*see* Harkin et al). 2002;35:1264-73
Hopkins ES (*see* AbuRahma et al). 2002;35:307-15
Hopkinson BR (*see* Veith et al). 2002;35:1029-35
Huang CC (*see* Wieslander et al). 2002;35:1218-25
Huber TS (*see* Feezor et al). 2002;35:1010-12 (Case rep.)
Huber TS (*see* Jimenez et al). 2002;35:1078-84
Huber TS (*see* Lee et al). 2002;35:1289-91 (Tech. note)
Huber TS (*see* Rectenwald et al). 2002;35:640-7
Hudson JK (*see* AbuRahma et al). 2002;35:125-30
Hughes R (*see* Karkos et al). 2002;35:943-9
Hultgren R, Olofsson P, Wahlberg E. Sex-related differences in outcome after vascular interventions for lower limb ischemia. 2002;35:510-16
Hung B, Gallet B, Hodges TC. Ipsilateral femoral vein compression: a contraindication to thrombin injection of femoral pseudoaneurysms. 2002;35:1280-3 (Case rep.)
Hurni M (*see* Segesser et al). 2002;35:623 (Letter)
Huynh TTT, Miller CC III, Estrera AL, Sheinbaum R, Allen JS, Safi HJ. Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair. 2002;35:648-53

I

Iannuzzi A (*see* Ciardullo et al). 2002;35:829-30 (Letter reply)
Ibrahim IM (*see* Dardik et al). 2002;35:64-71
Ikenaga S (*see* Harada et al). 2002;35:786-91
Illig KA (*see* Sternbach et al). 2002;35:333-9
Ilstrup D (*see* Park et al). 2002;35:445-52
Imada T (*see* Sueyoshi et al). 2002;35:1179-83
Inaba M (*see* Koshiko et al). 2002;35:779-85
Inaba M (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)
Inoue S, Koyama H, Miyata T, Shigematsu H. Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease. 2002;35:672-8
Ishikawa M (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Ishimaru S (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Ito M (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Itokazu M (*see* Takagi et al). 2002;35:801-4 (Case rep.)
Ivancev K (*see* Veith et al). 2002;35:1029-35
Iwata H (*see* Takagi et al). 2002;35:801-4 (Case rep.)

J

Jackson MR, Johnson WC, Williford WO, Valentine RJ, Clagett GP. The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial. 2002;35:292-8
Jackson MR (*see* Rosen et al). 2002;35:376-81
Jacobs DG (*see* Sing et al). 2002;35:1068-9 (Letter)
Jacobs LA (*see* Axelrod et al). 2002;35:754-8
Jacobs LA (*see* Henke et al). 2002;35:902-9
Jacobs LA (*see* Knipp et al). 2002;35:363-7
Jacobs LA (*see* Upchurch et al). 2002;35:860-7
Jacobs MJ, Mol BAD, Elenbaas T, Mess WH, Kalkman CJ, Schurink GW, Mochtar B. Spinal cord blood supply in patients with thoracoabdominal aortic aneurysms. 2002;35:30-7
Jacobsen G (*see* Cho et al). 2002;35:453-60
Jagroop IA (*see* Mikhailidis and Jagroop). 2002;35:405-6 (Letter)
Jahromi A (*see* Safar et al). 2002;35:737-40
Jamil Z (*see* Hobson et al). 2002;35:435-8
Jamil Z (*see* Lal et al). 2002;35:1210-17
Janssen MCH (*see* Haenen et al). 2002;35:1184-9
Jazayeri S, Tatou E, Cheynel N, Becker F, Brenot R, David M. A spontaneous rupture of the external iliac vein revealed as a phlegmasia cerulea dolens with acute lower limb ischemia: case report and review of the literature. 2002;35:999-1002 (Case rep.)
Jean-Claude JM (*see* Lorelli et al). 2002;35:916-22
Jenkins G (*see* Park et al). 2002;35:853-9
Jenkins G (*see* Rasmussen et al). 2002;35:246-53
Jenkins M (*see* Tiwari et al). 2002;35:831 (Letter)
Jimenez JG, Huber TS, Ozaki CK, Flynn TC, Berceli SA, Lee WA, Seeger JM. Durability of antegrade synthetic aortomes-

enteric bypass for chronic mesenteric ischemia. 2002;35: 1078-84
Johanning JM (*see* Armstrong et al). 2002;35:346-55
Johansen KH (*see* Noel et al). 2002;35:847-52
Johnson BL (*see* Bandyk et al). 2002;35:269-77
Johnson KW (*see* Tu Jet al). 2002;35:624-5 (Letter reply)
Johnson WC, Williford WO. Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study. 2002;35:413-21
Johnson WC (*see* Jackson et al). 2002;35:292-8
Johnston KW, Rutherford RB. Policy on declaring conditions of funding for research studies. 2002;35:197
Johnston KW (*see* Rutherford and Johnston). 2002;35:1036-40 (Editorial)
Johnston KW (*see* Veith and Johnston). 2002;35:183 (Editorial)
Jones CE (*see* Wong et al). 2002;35:1006-9 (Case rep.)
Jones CI (*see* Payne et al). 2002;35:1204-9
Jones JW. Abdominal aortic aneurysm in death row inmate. 2002; 35:621-2
Jones JW, McCullough LB. Futility and surgical intervention. 2002;35:1305
Jones JW, McCullough LB. Refusal of life-saving treatment in the aged. 2002;35:1067
Jones JW, McCullough LB. Surgeon-industry relationships: ethically responsible management of conflicts of interest. 2002;35: 825-6
Jones JW, McCullough LB. A surgeon's obligations when performing new procedures. 2002;35:409-10
Jones JW, McCullough LB. When to refer to another surgeon. 2002;35:192
Jonung T (*see* Thörne et al). 2002;35:759-65
Jordan WD Jr, Alcocer F, Wirthlin DJ, Fisher WS, Warren JA, McDowell HA Jr, Whitley WD. High-risk carotid endarterectomy: challenges for carotid stent protocols. 2002;35: 16-22
Jung MT (*see* Bergamini et al). 2002;35:120-4
Juvonen J (*see* Biancari et al). 2002;35:87-93
Juvonen T (*see* Biancari et al). 2002;35:87-93
Juvonen T (*see* Rautio et al). 2002;35:958-65

K

Kabnick LS (*see* Merchant et al). 2002;35:1190-6
Kaebnick HW (*see* Bergamini et al). 2002;35:120-4
Kahn M (*see* Dardik et al). 2002;35:64-71
Kahn MB (*see* Cowan et al). 2002;35:805-7 (Case rep.)
Kakkos SK, Nicolaides AN. Regarding "The saphenous vein: derivation of its name and its relevant anatomy." 2002;35:1307 (Letter)
Kalkman CJ (*see* Jacobs et al). 2002;35:30-7
Kallakuri S (*see* Ascher et al). 2002;35:340-5, 439-44
Kantor RM (*see* Ro et al). 2002;35:382-6
Karafa MT (*see* Hertzer et al). 2002;35:1145-54
Karafa MT (*see* Sarac et al). 2002;35:748-53
Karch LA (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
Kargl A (*see* Proebstle et al). 2002;35:729-36
Karjalainen P (*see* Rautio et al). 2002;35:958-65
Karkos CD, Thomson GJL, Hughes R, Hollis S, Hill JC, Mukhopadhyay US. Prediction of cardiac risk before abdominal aortic reconstruction: comparison of a revised Goldman Cardiac Risk Index and radioisotope ejection fraction. 2002;35:943-9
Karlsson MG (*see* Tsui et al). 2002;35:356-62
Kasirajan K. Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting." 2002;35: 407-8 (Letter)
Katzen BT (*see* Faries et al). 2002;35:1123-8
Katzen BT (*see* Veith et al). 2002;35:1029-35
Kaufman JL. Regarding "The 50th anniversary of abdominal aortic reconstruction." 2002;35:623-4 (Letter)
Kaufman JL (*see* Cambria et al). 2002;35:1129-36
Kaufman JL (*see* Tashjian et al). 2002;35:691-3
Kawaguchi S (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Kaza AK (*see* Cassada et al). 2002;35:994-8
Kazemi K (*see* Safar et al). 2002;35:737-40
Keagy BA (*see* McDaniel et al). 2002;35:723-8
Kehrer C (*see* Knipp et al). 2002;35:363-7
Keith DS, Markey B, Schiedler M. Successful long-term stenting of an atypical descending aortic coarctation. 2002;35:166-7 (Case rep.)
Keller FS (*see* Pavenik et al). 2002;35:598-602
Kelly T (*see* Conners et al). 2002;35:286-91
Kenigsberg RL (*see* Annabi et al). 2002;35:539-46
Kent CK (*see* Comerota et al). 2002;35:930-6
Kent KC (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Kent KC (*see* Korn et al). 2002;35:950-7
Kent KC (*see* Sidawy et al). 2002;35:603-10
Kerlan RK (*see* Pak et al). 2002;35:808-10 (Case rep.)
Kern JA (*see* Cassada et al). 2002;35:994-8
Khan JH (*see* AbuRahma et al). 2002;35:125-30
Khoury M, Rebecca A, Greene K, Rama K, Colaiuta E, Flynn L, Berg R. Duplex scanning-guided thrombin injection for the treatment of iatrogenic pseudoaneurysms. 2002;35:517-21
Khuri S (*see* Axelrod et al). 2002;35:894-901
Kieffer E, Fukui S, Chiras J, Koskas F, Bahnini A, Cormier E. Spinal cord arteriography: a safe adjunct before descending thoracic or thoracoabdominal aortic aneurysmectomy. 2002; 35:262-8
Kimura M (*see* Takagi et al). 2002;35:801-4 (Case rep.)
Kinney EV (*see* Bergamini et al). 2002;35:120-4
Kinney TB (*see* Rose et al). 2002;35:828-9 (Letter)
Kirkpatrick AF (*see* Bandyk et al). 2002;35:269-77
Kirksey L (*see* Brener et al). 2002;35:114-19
Kistner RL (*see* Lurie et al). 2002;35:522-6, 713-17
Kistner RL (*see* Ogawa et al). 2002;35:527-31
Knipp BS, Peterson DA, Rajagopalan S, Kehrer C, Ford JW, D'Alecy LG, Whitesall SE, Eagleton MJ, Wakefield TW, Henke PK, Jacobs LA, Greenfield LJ, Stanley JC, Upchurch GR Jr. Impaired vasoreactivity despite an increase in plasma nitrite in patients with abdominal aortic aneurysms. 2002;35: 363-7
Knop J (*see* Proebstle et al). 2002;35:729-36
Köksoy C (*see* Coselli et al). 2002;35:631-9
Korn P, Patel ST, Heller JA, Deitch JS, Krishnasastry KV, Bush HL, Kent KC. Why insurers should reimburse for compression stockings in patients with chronic venous stasis. 2002;35: 950-7
Koshiko S, Sasajima T, Muraki S, Azuma N, Yamazaki K, Chiba K, Tachibana M, Inaba M. Limitations in the use of rifampicin-gelatin grafts against virulent organisms. 2002;35: 779-85
Koskas F (*see* Kieffer et al). 2002;35:262-8
Kovacs M (*see* Becker et al). 2002;35:611-15
Koyama H (*see* Inoue et al). 2002;35:672-8
Kraiss LW (*see* Sarfati et al). 2002;35:589-91 (Case rep.)

Krajewski LP (*see* Hertzer et al). 2002;35:1145-54
Krajewski LP (*see* O'Hara et al). 2002;35:324-32
Krajewski LP (*see* Sarac et al). 2002;35:748-53
Kreienberg PB, Darling RC III, Chang BB, Champagne BJ, Paty PSK, Roddy SP, Lloyd WE, Ozsvath KJ, Shah DM. Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia. 2002;35:299-306
Kreienberg PB (*see* Darling et al). 2002;35:773-8
Kreitner KF (*see* Dorweiler et al). 2002;35:766-72
Krishnasastry KV (*see* Korn et al). 2002;35:950-7
Kritpracha B, Pigott JP, Russell TE, Corbey MJ, Whalen RC, DiSalle RS, Price CI, Sproat IA, Beebe HG. Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow. 2002;35:874-81
Kron IL (*see* Cassada et al). 2002;35:994-8
Krum D (*see* Chekanov et al). 2002;35:554-62
Krupski WC (*see* Santilli et al). 2002;35:666-71
Kubicka R (*see* Hobson et al). 2002;35:435-8
Kubicka R (*see* Lal et al). 2002;35:1210-17
Kurbanov A (*see* Benedetto et al). 2002;35:1013-15 (Tech. note)
Kushkowski MA (*see* Santilli et al). 2002;35:666-71
Kwoun M (*see* Estes et al). 2002;35:180 (Letter reply)

L

Lachat M (*see* Vogt et al). 2002;35:80-6
Laganà A (*see* Cinà et al). 2002;35:422-9
LaGraize C (*see* Halpern et al). 2002;35:792-7
Laheij RJF (*see* Buth et al). 2002;35:211-21
Laird J (*see* Comerota et al). 2002;35:930-6
Lal BK, Hobson RW II, Pappas PJ, Kubicka R, Hameed M, Chakhtura EY, Jamil Z, Padberg FT Jr, Haser PB, Durán WN. Pixel distribution analysis of B-mode ultrasound scan images predicts histologic features of atherosclerotic carotid plaques. 2002;35:1210-17
Lal BK (*see* Hobson et al). 2002;35:435-8
LaMorte WW (*see* Raffetto et al). 2002;35:1093-9
Lamparello P (*see* Bernhard et al). 2002;35:1155-62
LaMuraglia G (*see* Marone et al). 2002;35:1277-9 (Case rep.)
LaMuraglia GM (*see* Dattilo et al). 2002;35:1137-44
Landry GJ, Moneta GL, Taylor LM Jr, Edwards JM, Yeager RA, Porter JM. Long-term outcome of revised lower-extremity bypass grafts. 2002;35:56-63
Landry GJ (*see* Nicoloff et al). 2002;35:38-47
Lane SJ (*see* Pross et al). 2002;35:1253-9
Langbein WE, Collins EG, Orebaugh C, Maloney C, Williams KJ, Littooy FN, Edwards LC. Increasing exercise tolerance of persons limited by claudication pain using polestriding. 2002;35:887-93
Lange KL (*see* Ro et al). 2002;35:382-6
Langen HV (*see* Haenen et al). 2002;35:1184-9
Larson RA (*see* Fairman et al). 2002;35:679-85
Laubach VE (*see* Cassada et al). 2002;35:994-8
Lauterbach SR (*see* Cambria et al). 2002;35:1129-36
Lauterbach SR (*see* Dattilo et al). 2002;35:1137-44
Law RE (*see* Pross et al). 2002;35:1253-9
Lawrence-Brown M (*see* Veith et al). 2002;35:1029-35
Ledesma DF (*see* Criado et al). 2002;35:430-4
Lee AJ (*see* MacKenzie et al) 2002;35:1197-203
Lee ES (*see* Tretinyak et al). 2002;35:982-7
Lee JK (*see* Hance et al). 2002;35:254-61
Lee S (*see* Buckley et al). 2002;35:316-23
Lee TC (*see* Yang et al). 2002;35:707-12
Lee TH (*see* Yang et al). 2002;35:707-12
Lee TYJ, Gotlieb AI. Rho and basic fibroblast growth factor involvement in centrosome redistribution and actin microfilament remodeling during early endothelial wound repair. 2002;35:1242-52
Lee WA, Berceli SA, Huber TS, Seeger JM. A technique for combined hypogastric artery bypass and endovascular repair of complex aortoiliac aneurysms. 2002;35:1289-91 (Tech. note)
Lee WA (*see* Jimenez et al). 2002;35:1078-84
Leeds FH. Regarding "The 50th anniversary of abdominal aortic reconstruction." 2002;35:406-7 (Letter)
Leflon-Guibout V (*see* Goëau-Brissonnière et al). 2002;35:1260-3
Legemate DA (*see* Ubbink et al). 2002;35:392-6
Lehr HA (*see* Proebstle et al). 2002;35:729-36
Leichter R (*see* Cowan et al). 2002;35:805-7 (Case rep.)
LeMaire SA, Rice DC, Schmittling ZC, Coselli JS. Emergency surgery for thoracoabdominal aortic aneurysms with acute presentation. 2002;35:1171-8
LeMaire SA (*see* Coselli et al). 2002;35:631-9
LeSar CJ (*see* Parent et al). 2002;35:474-81
Letourneur D (*see* Deux et al). 2002;35:973-81
Levy PJ (*see* Cherr et al). 2002;35:94-9, 236-45
Lifeline Registry of Endovascular Aneurysm Repair Steering Committee. Lifeline Registry of Endovascular Aneurysm Repair: registry data reporting. 2002;35:616-20
Ligush J Jr (*see* Cherr et al). 2002;35:94-9, 236-45
Lin CR (*see* Yang et al). 2002;35:707-12
Lin FC (*see* Yang et al). 2002;35:707-12
Lin PH, Bush RL, Conklin BS, Chaikof EL, Lumsden AB. Percutaneous bedside femorofemoral bypass grafting for acute limb ischemia caused by intra-aortic balloon pump. 2002;35:592-4 (Tech. note)
Linden J (*see* Cassada et al). 2002;35:994-8
Lingelbach JM (*see* Criado et al). 2002;35:430-4
Lipkowitz GS (*see* Benedetto et al). 2002;35:1013-15 (Tech. note)
Lipkowitz GS (*see* Tashjian et al). 2002;35:691-3
Little D (*see* Buckley et al). 2002;35:316-23
Littooy FN (*see* Langbein et al). 2002;35:887-93
Littooy FN (*see* Santilli et al). 2002;35:666-71
Lloyd WE (*see* Kreienberg et al). 2002;35:299-306
Llull JB (*see* Ubbink et al). 2002;35:392-6
Logeart-Avramoglou D (*see* Deux et al). 2002;35:973-81
LoGerfo FW. A "four plus" future for general surgery and vascular surgery: maintaining the union. 2002;35:1073-7
LoGerfo FW (*see* Arora et al). 2002;35:501-5
LoGerfo FW (*see* Sivamurthy et al). 2002;35:1233-41
Long SM (*see* Cassada et al). 2002;35:994-8
Longo GM (*see* Prall et al). 2002;35:923-9
Lord RSA (*see* Bobryshev and Lord). 2002;35:368-75
Lorelli DR, Jean-Claude JM, Fox CJ, Clyne J, Cambria RA, Seabrook Gr, Towne JB. Response of plasma matrix metalloproteinase-9 to conventional abdominal aortic aneurysm repair or endovascular exclusion: implications for endoleak. 2002;35:916-22
Lowdell MW (*see* Tiwari et al). 2002;35:827-8 (Letter)
Lucas PR (*see* Criado et al). 2002;35:430-4
Ludlam CA, (*see* Adam et al). 2002;35:661-5
Ludlam CA (*see* MacKenzie et al). 2002;35:718-22
Lumsden AB (*see* Lin et al). 2002;35:592-4 (Tech. note)
Lupattelli L (*see* Cao et al). 2002;35:229-35

Lurie F, Kistner RL, Eklof B. The mechanism of venous valve closure in normal physiologic conditions. 2002;35:713-17
Lurie F, Ogawa T, Kistner RL, Eklof B. Changes in venous lumen size and shape do not affect the accuracy of volume flow measurements in health volunteers and patients with primary chronic venous insufficiency. 2002;35:522-6
Lurie F (*see* Ogawa et al). 2002;35:527-31
Lyden SP (*see* Sternbach et al). 2002;35:333-9

M

Macdonald S, Venables GS, Cleveland TJ, Gaines PA. Protected carotid stenting: safety and efficacy of the MedNove Neuro-Shield filter. 2002;35:966-72
MacKenzie RK, Ludlam CA, Ruckley CV, Allan PL, Burns P, Bradbury AW. The prevalence of thrombophilia in patients with chronic venous leg ulceration. 2002;35:718-22
MacKenzie RK, Paisley A, Allan PL, Lee AJ, Ruckley CV, Bradbury AW. The effect of long saphenous vein stripping on quality of life. 2002;35:1197-203
Mackey WC (*see* Estes et al). 2002;35:180 (Letter reply)
Madden RL (*see* Tashjian et al). 2002;35:691-3
Madden RLS (*see* Benedetto et al). 2002;35:1013-15 (Tech. note)
Maharaj D (*see* Darling et al). 2002;35:773-8
Makaroum MS (*see* Veith et al). 2002;35:1029-35
Makaroun MS, Chaikof E, Naslund T, Matsumura JS. Efficacy of a bifurcated endograft versus open repair of abdominal aortic aneurysms: a reappraisal. 2002;35:203-10
Malina M (*see* Veith et al). 2002;35:1029-35
Malinow MR (*see* Cook et al). 2002;35:158-65
Maloney C (*see* Langbein et al). 2002;35:887-93
Mannick JA (*see* Chew et al). 2002;35:1085-92
Mannick JA (*see* Reed et al). 2002;35:48-55
Manning LG (*see* Buckley et al). 2002;35:316-23
Marcinczyk MJ (*see* Parent et al). 2002;35:474-81
Marin ML (*see* Brener et al). 2002;35:114-19
Marin ML (*see* Burks et al). 2002;35:109-13
Marin ML (*see* Faries et al). 2002;35:868-73, 1123-8
Markevich N (*see* Ascher et al). 2002;35:340-5, 439-44
Markey B (*see* Keith et al). 2002;35:166-7 (Case rep.)
Marone L, Nigri G, LaMuraglia G. A novel technique of upper extremity revascularization: the retrohumeral approach. 2002;35:1277-9 (Case rep.)
Marrewijk CJV (*see* Buth et al). 2002;35:211-21
Marrewijk CV, Buth J, Harris PL, Norgren L, Nevelsteen A, Wyatt MG. Significance of endoleaks after endovascular repair of abdominal aortic aneurysms: the EUROSTAR experience. 2002;35:461-73
Marrugat J (*see* Planas et al). 2002;35:506-9
Marston WA (*see* McDaniel et al). 2002;35:723-8
Martelli E, Cho JS, Mozes G, Gloviczki P. Epidural cooling for the prevention of ischemic injury to the spinal cord during aortic occlusion in a rabbit model: determination of the optimal temperature. 2002;35:547-53
Martin TD (*see* Rectenwald et al). 2002;35:640-7
Marty B, Wicky S, Ris HB, Mueller X, Fischer A, Hayoz D, Segesser LKV. Success of thrombolysis as a predictor of outcome in acute thrombosis of popliteal aneurysms. 2002;35:487-93
Marty B (*see* Segesser et al). 2002;35:623 (Letter)
Mascha EJ (*see* Hertzer et al). 2002;35:1145-54
Mascha EJ (*see* O'Hara et al). 2002;35:324-32
Mascha EJ (*see* Sarac et al). 2002;35:748-53
Maselli A (*see* Cao et al). 2002;35:229-35
Matamoros R (*see* Claeys and Matamoros). 2002;35:1287-8 (Case rep.)
Maternowski MA (*see* Chekanov et al). 2002;35:554-62
Mathison MN (*see* Becker et al). 2002;35:611-15
Mathrumbutham M (*see* Halpern et al). 2002;35:792-7
Matsumoto M, Hata T, Tsushima Y, Hamanaka S, Yoshitaka H, Shinoura S, Sakakibara N. Minimally invasive vascular surgery for repair of infrarenal abdominal aortic aneurysm with iliac involvement. 2002;35:654-60
Matsumura JS (*see* Bernhard et al). 2002;35:1155-62
Matsumura JS (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Matsumura JS (*see* Ebaugh et al). 2002;35:828-9 (Letter reply), 1068-9 (Letter reply)
Matsumura JS (*see* Makaroun et al). 2002;35:203-10
Matsuoka Y (*see* Sueyoshi et al). 2002;35:1179-83
Mattos MA (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
May J, White G, Harris J. Regarding "The carotid artery as alterntive access for endoluminal aortic aneurysm repair." 2002;35:180 (Letter)
May J (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Mayhan WG (*see* Prall et al). 2002;35:923-9
McCall J (*see* Tashjian et al). 2002;35:691-3
McCallion K (*see* Harkin et al). 2002;35:1264-73
McCollum C (*see* Devine and McCollum). 2002;35:623 (Letter reply)
McCullough LB (*see* Jones and McCullough). 2002;35:192, 409-10, 825-6, 1067, 1305
McDaniel HB, Marston WA, Farber MA, Mendes RR, Owens LV, Young ML, Daniel PF, Keagy BA. Recurrence of chronic venous ulcers on the basis of clinical, etiologic, anatomic, and pathophysiologic criteria and air plethysmography. 2002;35:723-8
McDowell HA Jr (*see* Jordan et al). 2002;35:16-22
McIntyre KE (*see* Rosen et al). 2002;35:376-81
McLafferty RB (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
McLaughlin PJ (*see* Blebea et al). 2002;35:532-8
Mehta M, Dietzek A, Ohki T, Veith F. Regarding "Eversion technique increases the risk for post-carotid endarterectomy hypertension." 2002;35:1069-70 (Letter reply)
Mehta M, Rahmani O, Dietzek AM, Ohki T, Veith FJ. Regarding "Eversion technique increases the risk for post-carotid endarterectomy hypertension." 2002;35:1070 (Letter reply)
Meier GH III (*see* Parent et al). 2002;35:686-90
Meier GH (*see* Parent et al). 2002;35:474-81
Meier GH (*see* Veith et al). 2002;35:1029-35
Meissner MH, Zierler BK, Bergelin RO, Chandler WL, Strandness DE Jr. Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis. 2002;35:278-85
Members of the United States Cryopreserved Aortic Allograft Registry (*see* Noel et al). 2002;35:847-52
Mendes RR (*see* McDaniel et al). 2002;35:723-8
Menzoian JO (*see* Raffetto et al). 2002;35:1093-9
Merchant RF, DePalma RG, Kabnick LS. Endovascular obliteration of saphenous reflux: a multicenter study. 2002;35:1190-6
Mess WH (*see* Jacobs et al). 2002;35:30-7
Messina LM (*see* Pak et al). 2002;35:808-10 (Case rep.)
Mettauer M (*see* Buckley et al). 2002;35:316-23
Michel JB (*see* Deux et al). 2002;35:973-81
Mikhailidis DP, Jagroop IA. Regarding "Heparin modulated integrin function in human platelets." 2002;35:405-6 (Letter)

Miller A (*see* Sidawy et al). 2002;35:603-10
Miller CC III (*see* Huynh et al). 2002;35:648-53
Miller KA (*see* Comerota et al). 2002;35:930-6
Miller VM (*see* Rasmussen et al). 2002;35:988-93
Mishima T (*see* Anagnostopoulos et al). 2002;35:100-8
Mitchell ME (*see* Carpenter et al). 2002;35:222-8
Mitchell ME (*see* Fairman et al). 2002;35:679-85
Mitchell RA (*see* Bergamini et al). 2002;35:120-4
Mitchell RS (*see* Bernhard et al). 2002;35:1155-62
Miyata T (*see* Inoue et al). 2002;35:672-8
Mochtar B (*see* Jacobs et al). 2002;35:30-7
Modi KH (*see* Schindler et al). 2002;35:569-72 (Case rep.)
Modrall JG (*see* Rosen et al). 2002;35:376-81
Mol BAD (*see* Jacobs et al). 2002;35:30-7
Monaghan K, Cogbill TH. Primary aortoappendiceal fistula: case report and review of the literature. 2002;35:1284-6 (Case rep.)
Moner AD (*see* Planas et al). 2002;35:506-9
Moneta GL (*see* Cook et al). 2002;35:158-65
Moneta GL (*see* Landry et al). 2002;35:56-63
Moneta GL (*see* Nicoloff et al). 2002;35:38-47
Moneta GL (*see* Pavcnik et al). 2002;35:598-602
Money SR (*see* Sternbergh et al). 2002;35:482-6
Morasch MD (*see* Ebaugh et al). 2002;35:828-9 (Letter reply), 1068-9 (Letter reply)
Morasch MD (*see* Noel et al). 2002;35:847-52
Mori Y (*see* Takagi et al). 2002;35:801-4 (Case rep.)
Morita H (*see* Anagnostopoulos et al). 2002;35:100-8
Morrissey NJ (*see* Faries et al). 2002;35:868-73, 1123-8
Mortada ME (*see* Chekanov et al). 2002;35:554-62
Morton MC (*see* Abel et al). 2002;35:1022-8
Mosquera D (*see* Caldwell et al). 2002;35:408 (Letter)
Moudjian R (*see* Annabi et al). 2002;35:539-46
Moynahan M (*see* Abel et al). 2002;35:1022-8
Mozes G (*see* Martelli et al). 2002;35:547-53
Mueller X (*see* Marty et al). 2002;35:487-93
Mukhopadhyay US (*see* Karkos et al). 2002;35:943-9
Mully TW (*see* Pak et al). 2002;35:808-10 (Case rep.)
Muraki S (*see* Koshiko et al). 2002;35:779-85

N

Nagano T (*see* Harada et al). 2002;35:786-91
Najarian K (*see* Ricci et al). 2002;35:1274-6 (Case rep.)
Naslund T (*see* Makaroun et al). 2002;35:203-10
Naslund TC (*see* Conners et al). 2002;35:286-91
Nassif E (*see* Annabi et al). 2002;35:539-46
Naylor AR. Regarding "Limitations in the use of rifampicin-gelatin grafts against virulent organisms." 2002;35:823-4 (Invited comment)
Naylor AR (*see* Payne et al). 2002;35:1204-9
Neglén P, Raju S. Intravascular ultrasound scan evaluation of the obstructed vein. 2002;35:694-700
Neglen P (*see* Raju et al). 2002;35:8-15
Nelson PR, Powell RJ, Schermerhorn ML, Fillinger MF, Zwolak RM, Walsh DB, Cronenwett JL. Early results of external iliac artery stenting combined with common femoral artery endarterectomy. 2002;35:1107-13
Neri A (*see* Rulli et al). 2002;35:168-71 (Case rep.)
Neschis DG, Heyman MR, Cheanvechai V, Benjamin ME, Flinn WR. Coagulopathy as a result of factor V inhibitor after exposure to bovine topical thrombin. 2002;35:400-2 (Case rep.)
Neufang A (*see* Dorweiler et al). 2002;35:766-72
Nevelsteen A (*see* Marrewijk et al). 2002;35:461-73
Nguyen BN (*see* Cassada et al). 2002;35:994-8
Nicolaides AN (*see* Kakkos and Nicolaides). 2002;35:1307 (Letter)
Nicolas-Chanoine MH (*see* Goëau-Brissonnière et al). 2002;35:1260-3
Nicoloff AD, Taylor LM Jr, Sexton GJ, Schuff RA, Edwards JM, Yeager RA, Landry GJ, Moneta GL, Porter JM, Homocysteine and Progression of Atherosclerosis Study Investigators. Relationship between site of initial symptoms and subsequent progression of disease in a prospective study of atherosclerosis progression in patients receiving long-term treatment for symptomatic peripheral arterial disease. 2002;35:38-47
Nigri G (*see* Marone et al). 2002;35:1277-9 (Case rep.)
Noel AA, Gloviczki P, Cherry KJ Jr, Safi H, Goldstone J, Morasch MD, Johansen KH, and Members of the United States Cryopreserved Aortic Allograft Registry. Abdominal aortic reconstruction in infected fields: early results of the United States Cryopreserved Aortic Allograft Registry. 2002;35:847-52
Noel AA (*see* Park et al). 2002;35:445-52, 853-9
Noel AA (*see* Rasmussen et al). 2002;35:246-53
Noguchi H (*see* Harada et al). 2002;35:786-91
Nordestgaard BG (*see* Grønholdt et al). 2002;35:137-45
Norgren L (*see* Marrewijk et al). 2002;35:461-73
Norgren L (*see* Thörne et al). 2002;35:759-65
Norris M (*see* Tashjian et al). 2002;35:691-3
Novotney ML (*see* Bandyk et al). 2002;35:269-77
Nypaver TJ (*see* Cho et al). 2002;35:453-60

O

Obitsu Y (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Oelert H (*see* Dorweiler et al). 2002;35:766-72
O'Fallon WM (*see* Rasmussen et al). 2002;35:988-93
Ogawa T, Lurie F, Kistner RL, Eklof B, Tabrah FL. Reproducibility of ultrasound scan in the assessment of volume flow in the veins of the lower extremities. 2002;35:527-31
Ogawa T (*see* Lurie et al). 2002;35:522-6
O'Hara M (*see* Pavcnik et al). 2002;35:598-602
O'Hara PJ, Hertzer NR, Mascha EJ, Krajewski LP, Clair DG, Ouriel K. A prospective, randomized study of saphenous vein patching versus synthetic patching during carotid endarterectomy. 2002;35:316-23
O'Hara PJ. Presidential address: "Gentlemen, this is no humbug"— The role of natural selection in vascular surgery. 2002;35:841-6
O'Hara PJ (*see* Hertzer et al). 2002;35:1145-54
O'Hara PJ (*see* Sarac et al). 2002;35:748-53
Ohinmaa A (*see* Rautio et al). 2002;35:958-65
Ohki T (*see* Mehta et al). 2002;35:1069-70 (Letter reply), 1070 (Letter reply)
Ohki T (*see* Veith et al). 2002;35:1029-35
Ohtonen P (*see* Rautio et al). 2002;35:958-65
Olcott C IV (*see* Wolf et al). 2002;35:882-6
Olofsson P (*see* Hultgren et al). 2002;35:510-16
Olsen D (*see* Thompson et al). 2002;35:387-91, 1163-70
Olson ET (*see* Gahtan et al). 2002;35:563-8
Omura MC (*see* Wieslander et al). 2002;35:1218-25
O'Neill E (*see* Tiwari et al). 2002;35:827-8 (Letter)
Orebaugh C (*see* Langbein et al). 2002;35:887-93
Orloff SL (*see* Cook et al). 2002;35:158-65
Ouriel K, Bhandari G. Regarding "Preprocedural risk stratifica-

tion: identifying an appropriate population for carotid stenting." 2002;35:181-2 (Letter reply)
Ouriel K. Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting." 2002;35: 407-8 (Letter reply)
Ouriel K (*see* O'Hara et al). 2002;35:324-32
Ouriel K (*see* Sarac et al). 2002;35:748-53
Owen S Jr (*see* Raju et al). 2002;35:8-15
Owens CD (*see* Chew et al). 2002;35:1085-92
Owens LV (*see* McDaniel et al). 2002;35:723-8
Ozaki CK (*see* Jimenez et al). 2002;35:1078-84
Ozaki CK (*see* Rectenwald et al). 2002;35:640-7
Ozsvath KJ (*see* Kreienberg et al). 2002;35:299-306

P

Padberg FT Jr (*see* Hobson et al). 2002;35:435-8
Padberg FT Jr (*see* Lal et al). 2002;35:1210-17
Paisley A (*see* MacKenzie et al). 2002;35:1197-203
Pak LK, Kerlan RK, Mully TW, Messina LM. Successful bilateral transaortic renal endarterectomy after failed renal artery angioplasty and stenting: a case report. 2002;35:808-10 (Case rep.)
Pan XM (*see* Troyer et al). 2002;35:741-7
Pangilinan A (*see* Dardik et al). 2002;35:64-71
Panico S (*see* Ciardullo et al). 2002;35:829-30 (Letter reply)
Panneton JM (*see* Park et al). 2002;35:445-52, 853-9
Panneton JM (*see* Rasmussen et al). 2002;35:246-53
Pappas PJ (*see* Hobson et al). 2002;35:435-8
Pappas PJ (*see* Lal et al). 2002;35:1210-17
Parent FN, Meier GH, Godziachvili V, LeSar CJ, Parker FM, Carter KA, Gayle RG, DeMasi RJ, Marcinczyk MJ, Gregory RT. The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan. 2002;35:474-81
Parent FN III, Godziachvili V, Meier GH III, Parker FM, Carter KA, Gayle RG, DeMasi RJ, Gregory RT. Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair. 2002;35:686-90
Park WM, Cherry KJ Jr, Chua HK, Clark RC, Jenkins G, Harmsen WS, Noel AA, Panneton JM, Bower TC, Hallett JW Jr, Gloviczki P. Current results of open revascularization for chronic mesenteric ischemia: a standard for comparison. 2002;35: 853-9
Park WM, Gloviczki P, Cherry KJ Jr, Hallett JW Jr, Bower TC, Panneton JM, Schleck C, Ilstrup D, Harmsen WS, Noel AA. Contemporary management of acute mesenteric ischemia: factors associated with survival. 2002;35:445-52
Parker FM (*see* Parent et al). 2002;35:474-81, 686-90
Parlani G (*see* Cao et al). 2002;35:229-35
Parodi JC (*see* Veith et al). 2002;35:1029-35
Parra JR (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
Passman MA (*see* Conners et al). 2002;35:286-91
Patel ST (*see* Korn et al). 2002;35:950-7
Patra P (*see* Gouëffic et al). 2002;35:1003-5 (Case rep.)
Patterson DE (*see* Buckley et al). 2002;35:316-23
Paty PSK (*see* Darling et al). 2002;35:773-8
Paty PSK (*see* Kreienberg et al). 2002;35:299-306
Pavcnik D, Uchida BT, Timmermans HA, Corless CL, O'Hara M, Toyota N, Moneta GL, Keller FS, Rösch J. Percutaneous bioprosthetic venous valve: a long-term study in sheep. 2002; 35:598-602
Payne DA, Hayes PD, Jones CI, Belham P, Naylor AR, Goodall AH. Combined therapy with clopidogrel and aspirin significantly increases the bleeding time through a synergistic antiplatelet action. 2002;35:1204-9
Pearce WH (*see* Ebaugh et al). 2002;35:828-9 (Letter reply), 1068-9 (Letter reply)
Pellé A (*see* Deux et al). 2002;35:973-81
Pello N (*see* Chekanov et al). 2002;35:554-62
Perälä J (*see* Rautio et al). 2002;35:958-65
Peterson DA (*see* Knipp et al). 2002;35:363-7
Pfeifer JR, Stanley JC. The Midwestern Vascular Surgical Society: the formative years, 1976-1981. 2002;35:837-40
Pierce R (*see* Conners et al). 2002;35:286-91
Pigott JP (*see* Kritpracha et al). 2002;35:874-81
Pilsudski R (*see* Comerota et al). 2002;35:930-6
Pipinos II (*see* Anagnostopoulos et al). 2002;35:100-8
Planas A, Clará A, Marrugat J, Pou JM, Gasol A, Moner AD, Contreras C, Vidal-Barraquer F. Age at onset of smoking is an independent risk factor in peripheral artery disease development. 2002;35:506-9
Plonk GW Jr (*see* Cherr et al). 2002;35:94-9
Podbielski FJ (*see* Rodriguez et al). 2002;35:573-5 (Case rep.)
Pomposelli F (*see* Arora et al). 2002;35:501-5
Porter JM (*see* Landry et al). 2002;35:56-63
Porter JM (*see* Nicoloff et al). 2002;35:38-47
Pou JM (*see* Planas et al). 2002;35:506-9
Powell RJ (*see* Nelson et al). 2002;35:1107-13
Prall AK, Longo GM, Mayhan WG, Waltke EA, Fleckten B, Thompson RW, Baxter BT. Doxycycline in patients with abdominal aortic aneurysms and in mice: comparison of serum levels and effect on aneurysm growth in mice. 2002; 35:923-9
Price CI (*see* Kritpracha et al). 2002;35:874-81
Price RM (*see* Castronuovo and Price). 2002;35:146-51
Price RM (*see* Castronuovo et al). 2002;35:152-7
Prigent-Richard S (*see* Deux et al). 2002;35:973-81
Proctor MC (*see* Henke et al). 2002;35:902-9
Proebstle TM, Lehr HA, Kargl A, Espinola-Klein C, Rother W, Bethge S, Knop J. Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles. 2002;35:729-36
Propranolol Aneurysm Trial Investigators. Propranolol for small abdominal aortic aneurysms: result of a randomized trial. 2002; 35:72-9
Pross C, Farooq MM, Lane SJ, Angle N, Tomono CK, Xavier AE, Freischlag JA, Collins AE, Law RE, Gelabert HA. Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone. 2002;35:1253-9
Puvion E (*see* Deux et al). 2002;35:973-81

Q

Qin F (*see* Dardik et al). 2002;35:64-71
Quist WC (*see* Sivamurthy et al). 2002;35:1233-41

R

Rachel ES (*see* Bergamini et al). 2002;35:120-4
Raffetto JD, Chen MN, LaMorte WW, Seidman CS, Eberhardt RT, Woodson J, Gibbons GW, Menzoian JO. Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization. 2002;35:1093-9
Rahmani O (*see* Mehta et al). 2002;35:1070 (Letter reply)
Raithel D (*see* Bernhard et al). 2002;35:1155-62
Rajagopalan S (*see* Knipp et al). 2002;35:363-7

Raju S, Owen S Jr, Neglen P. The clinical impact of iliac venous stents in the management of chronic venous insufficiency. 2002;35:8-15
Raju S. Regarding "The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis." 2002;35:1297-8 (Invited comment)
Raju S (*see* Neglén and Raju). 2002;35:694-700
Rama K (*see* Khoury et al). 2002;35:517-21
Ramaiah VG (*see* Thompson et al). 2002;35:181-2 (Letter), 387-91, 1163-70
Raman SBK (*see* Anagnostopoulos et al). 2002;35:100-8
Ramsey DE (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
Rango PD (*see* Cao et al). 2002;35:229-35
Rao SK (*see* Halpern et al). 2002;35:792-7
Rapp JH (*see* Santilli et al). 2002;35:666-71
Rapp JH (*see* Troyer et al). 2002;35:741-7
Rasmussen TE, Hallett JW Jr, Noel AA, Jenkins G, Bower TC, Cherry KJ Jr, Panneton JM, Gloviczki P. Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: guidelines from a 10-year case-control study. 2002;35:246-53
Rasmussen TE, Hallett JW Jr, Tazelaar HD, Miller VM, Schulte S, O'Fallon WM, Weyand CM. Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms. 2002;35:988-93
Rautio T, Ohinmaa A, Perälä J, Ohtonen P, Heikkinen T, Wiik H, Karjalainen P, Haukipuro K, Juvonen T. Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs. 2002;35:958-65
Ravi R (*see* Thompson et al). 2002;35:387-91, 1163-70
Rebecca A (*see* Khoury et al). 2002;35:517-21
Rectenwald JE, Huber TS, Martin TD, Ozaki CK, Devidas M, Welborn MB, Seeger JM. Functional outcome after thoracoabdominal aortic aneurysm repair. 2002;35:640-7
Reddy DJ (*see* Cho et al). 2002;35:453-60
Reed AB, Conte MS, Belkin M, Mannick JA, Whittemore AD, Donaldson MC. Usefulness of autogenous bypass grafts originating distal to the groin. 2002;35:48-55
Reed AB (*see* Gangadharan et al). 2002;35:1100-6
Rehm SJ (*see* Culver et al). 2002;35:576-9 (Case rep.)
Reitz-Vick D (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Rhee JY (*see* Faries et al). 2002;35:868-73
Rhee SW (*see* Tashjian et al). 2002;35:691-3
Rhodes JM (*see* Sternbach et al). 2002;35:333-9
Riambau V (*see* Buth et al). 2002;35:211-21
Ribbe E (*see* Thörne et al). 2002;35:759-65
Ricci MA, Najarian K, Healey CT. Successful endovascular treatment of a ruptured internal iliac aneurysm. 2002;35:1274-6 (Case rep.)
Rice DC (*see* LeMaire et al). 2002;35:1171-8
Rich NM. Charles Granville Rob, 1913-2001. 2002;35:178-9 (Obituary)
Richter GM (*see* Veith et al). 2002;35:1029-35
Rieger JM (*see* Cassada et al). 2002;35:994-8
Ris HB (*see* Marty et al). 2002;35:487-93
Rizzo L (*see* Speziale et al). 2002;35:1306-7 (Letter)
Ro KM, Kantor RM, Lange KL, Ahn SS. Palmar hyperhidrosis: evidence of genetic transmission. 2002;35:382-6
Robinson PA (*see* AbuRahma et al). 2002;35:125-30
Roddy SP (*see* Darling et al). 2002;35:773-8
Roddy SP (*see* Kreienberg et al). 2002;35:299-306
Rodriguez HE, Ziauddin MF, Podbielski FJ, Durham JR, Clark ET. Congenital absence of the external carotid artery: atherosclerosis without bifurcation. 2002;35:573-5 (Case rep.)
Rodriguez JA (*see* Thompson et al). 2002;35:181-2 (Letter), 1163-70
Rodriquez-Lopez JA (*see* Thompson et al). 2002;35:387-91
Roethle ST (*see* Santilli et al). 2002;35:666-71
Romsi P (*see* Biancari et al). 2002;35:87-93
Rooij JMJD (*see* Haenen et al). 2002;35:1184-9
Rösch J (*see* Pavcnik et al). 2002;35:598-602
Rose SC, Kinney TB, Valji K. Regarding "Bedside vena cava filter placement guided with intravascular ultrasound." 2002;35:828-9 (Letter)
Rosen SF, Clagett GP, Valentine J, Jackson MR, Modrall JG, McIntyre KE. Transient advanced mental impairment: an underappreciated morbidity after aortic surgery. 2002;35:376-81
Rosenberg RS (*see* Schneider et al). 2002;35:1114-22
Rother W (*see* Proebstle et al). 2002;35:729-36
Roumen-Klappe EM, Heijer MD, Uum SHMV, Ven-Jongekrijg JVD, Graaf FVD, Wollersheim H. Inflammatory response in the acute phase of deep vein thrombosis. 2002;35:701-6
Rubba P (*see* Ciardullo et al). 2002;35:829-30 (Letter reply)
Rubin GD (*see* Veith et al). 2002;35:1029-35
Ruckley CV (*see* MacKenzie et al). 2002;35:718-22, 1197-203
Ruef C (*see* Vogt et al). 2002;35:80-6
Rulli F, Neri A, Bigotti G, Tartaglione R, Cefaro GA, Farinon AM. Primary malignant lymphoma of the saphenous vein. 2002;35:168-71 (Case rep.)
Russell TE (*see* Kritpracha et al). 2002;35:874-81
Rutherford RB, Johnston KW. Protecting the rights of investigators in industry-supported clinical research. 2002;35:1036-40 (Editorial)
Rutherford RB (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Rutherford RB (*see* Johnston and Rutherford). 2002;35:197
Rutherford RB (*see* Sidawy et al). 2002;35:603-10

S

Safar HA, Doobay B, Evans G, Kazemi K, Jahromi A, Cinà CS. Retrojugular approach for carotid endarterectomy: a prospective cohort study. 2002;35:737-40
Safar HA (*see* Cinà et al). 2002;35:422-9
Safi H (*see* Noel et al). 2002;35:847-52
Safi HJ (*see* Huynh et al). 2002;35:648-53
Sakakibara N (*see* Matsumoto et al). 2002;35:654-60
Sakamoto I (*see* Sueyoshi et al). 2002;35:1179-83
Salenius JP (*see* Comerota et al). 2002;35:930-6
Saloner D (*see* Troyer et al). 2002;35:741-7
Samuels S (*see* Fann et al). 2002;35:811-14 (Case rep.)
Santilli SM, Littooy FN, Cambria RA, Rapp JH, Tretinyak AS, d'Audiffret AC, Kushkowski MA, Roethle ST, Tomczak CM, Krupski WC. Expansion rates and outcomes for the 3.0-cm to the 3.9-cm infrarenal abdominal aortic aneurysm. 2002;35:666-71
Santilli SM (*see* Tretinyak et al). 2002;35:982-7
Sarac TP, Hertzer NR, Mascha EJ, O'Hara PJ, Krajewski LP, Clair DG, Karafa MT, Ouriel K. Gender as a primary predictor of outcome after carotid endarterectomy. 2002;35:748-53

Sarfati MR, Galt SW, Treiman GS, Kraiss LW. Common femoral artery injury secondary to bicycle handlebar trauma. 2002;35: 589-91 (Case rep.)
Sasajima T, Inaba M, Azuma N, Akasaka N, Asada H, Uchida H, Sasajima Y, Goh K. Novel anastomotic method enables aorto-femoral bypass for patients with porcelain aorta. 2002;35: 1016-19 (Tech. note)
Sasajima T (*see* Koshiko et al). 2002;35:779-85
Sasajima Y (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)
Satta J (*see* Biancari et al). 2002;35:87-93
Schell SR (*see* Feezor et al). 2002;35:1010-12 (Case rep.)
Schenk WG III. Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access." 2002;35:181 (Letter reply)
Scher L (*see* Sidawy et al). 2002;35:603-10
Schermerhorn ML (*see* Nelson et al). 2002;35:1107-13
Schiedler M (*see* Keith et al). 2002;35:166-7 (Case rep.)
Schindler N, Calligaro KD, Dougherty MJ, Diehl J, Modi KH, Braffman MN. Melioidosis presenting as an infected intrathoracic subclavian artery pseudoaneurysm treated with femoral vein interposition graft. 2002;35:569-72 (Case rep.)
Schindler N (*see* Schneider et al). 2002;35:1114-22
Schleck C (*see* Park et al). 2002;35:445-52
Schmacht DC (*see* Bandyk et al). 2002;35:269-77
Schmieder FA (*see* Comerota et al). 2002;35:930-6
Schmiedt W (*see* Dorweiler et al). 2002;35:766-72
Schmittling ZC (*see* Coselli et al). 2002;35:631-9
Schmittling ZC (*see* LeMaire et al). 2002;35:1171-8
Schneider JR, Droste JS, Schindler N, Golan JF, Bernstein LP, Rosenberg RS. Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal carotid artery occlusion and utility in prevention of perioperative strokes. 2002;35:1114-22
Schoolfield J (*see* Toursarkissian et al). 2002;35:494-500
Schuff RA (*see* Nicoloff et al). 2002;35:38-47
Schulte S (*see* Rasmussen et al). 2002;35:988-93
Schurink GW (*see* Jacobs et al). 2002;35:30-7
Seabrook GR (*see* Lorelli et al). 2002;35:916-22
Seeger JM (*see* Jimenez et al). 2002;35:1078-84
Seeger JM (*see* Lee et al). 2002;35:1289-91 (Tech. note)
Seeger JM (*see* Rectenwald et al). 2002;35:640-7
Sefranek V (*see* Brener et al). 2002;35:114-19
Segesser LKV, Marty B, Hurni M. Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial." 2002;35:623 (Letter)
Segesser LKV (*see* Marty et al). 2002;35:487-93
Seidman CS (*see* Raffetto et al). 2002;35:1093-9
Seifalian AM (*see* Baguneid et al). 2002;35:626-7 (Letter reply)
Seifalian AM (*see* Tiwari et al). 2002;35:827-8 (Letter)
Sequeira R (*see* Comerota et al). 2002;35:930-6
Sexton GJ (*see* Nicoloff et al). 2002;35:38-47
Shafique S (*see* Thompson et al). 2002;35:387-91, 1163-70
Shah DM (*see* Darling et al). 2002;35:773-8
Shah DM (*see* Kreienberg et al). 2002;35:299-306
Shédid D (*see* Annabi et al). 2002;35:539-46
Sheinbaum R (*see* Huynh et al). 2002;35:648-53
Shepard AD (*see* Anagnostopoulos et al). 2002;35:100-8
Shepard AD (*see* Cho et al). 2002;35:453-60
Shermak MA (*see* Wong et al). 2002;35:1006-9 (Case rep.)
Shigematsu H (*see* Inoue et al). 2002;35:672-8
Shimazaki T (*see* Watanabe et al). 2002;35:397-9 (Case rep.)
Shimokawa K (*see* Takagi et al). 2002;35:801-4 (Case rep.)
Shinoura S (*see* Matsumoto et al). 2002;35:654-60
Shireman PK (*see* Toursarkissian et al). 2002;35:494-500
Shortell CK (*see* Sternbach et al). 2002;35:333-9
Sidawy AN, Gray R, Besarab A, Henry M, Ascher E, Silva M Jr, Miller A, Scher L, Trerotola S, Gregory RT, Rutherford RB, Kent KC. Recommended standards for reports dealing with arteriovenous hemodialysis accesses. 2002;35:603-10
Sidawy AN, Weiswasser JM, Waksman R. Peripheral vascular brachytherapy. 2002;35:1041-7
Sillesen H (*see* Gronholdt et al). 2002;35:137-45
Silva M Jr (*see* Sidawy et al). 2002;35:603-10
Silvestri F (*see* Dardik et al). 2002;35:64-71
Sing RF, Harold K, Jacobs DG, Heniford BT. Regarding "Bedside vena cava filter placement guided with intravascular ultrasound." 2002;35:1068-9 (Letter)
Sivamurthy N, Stone DH, LoGerfo FW, Quist WC. Attenuated retinoblastoma gene product and associated E2F/retinoblastoma imbalance in anastomotic intimal hyperplasia. 2002;35: 1233-41
Skotnicki SH (*see* Haenen et al). 2002;35:1184-9
Slonim S (*see* Fann et al). 2002;35:811-14 (Case rep.)
Smith LJ (*see* Abel et al). 2002;35:1022-8
Smith TJ (*see* Castronuovo et al). 2002;35:152-7
Solis MM (*see* Bohannon et al). 2002;35:584-8 (Case rep.)
Souza DSR (*see* Tsui et al). 2002;35:356-62
Sparacino S (*see* Faries et al). 2002;35:1123-8
Speziale F, Calisti A, Zaccagnini D, Rizzo L, Fiorani P. The value of technetium-99m HMPAO leukocyte scintigraphy in infectious abdominal aortic aneurysm stent graft complications. 2002;35:1306-7 (Letter)
Spira RM (*see* Beglaibter et al). 2002;35:815-17
Sproat IA (*see* Kritpracha et al). 2002;35:874-81
Stanley JC (*see* Axelrod et al). 2002;35:754-8, 894-901
Stanley JC (*see* Henke et al). 2002;35:902-9
Stanley JC (*see* Knipp et al). 2002;35:363-7
Stanley JC (*see* Pfeifer and Stanley). 2002;35:837-40
Stanley JC (*see* Upchurch et al). 2002;35:860-7
Stavropoulous SW (*see* Baum et al). 2002;35:23-9. Correction 2002;35:852
Stefanidis D (*see* Toursarkissian et al). 2002;35:494-500
Stelter WJ (*see* Veith et al). 2002;35:1029-35
Sternbach Y, Illig KA, Zhang R, Shortell CK, Rhodes JM, Davies MG, Lyden SP, Green RM. Hemodynamic benefits of regional anesthesia for carotid endarterectomy. 2002;35: 333-9
Sternbergh WC III, Carter G, York JW, Yoselevitz M, Money SR. Aortic neck angulation predicts adverse outcome with endovascular abdominal aortic aneurysm repair. 2002;35:482-6
Stone DH (*see* Sivamurthy et al). 2002;35:1233-41
Strandness DE Jr (*see* Meissner et al). 2002;35:278-85
Sueyoshi E, Imada T, Sakamoto I, Matsuoka Y, Hayashi K. Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography. 2002;35: 1179-83
Sullivan VV (*see* Upchurch et al). 2002;35:860-7
Sumpio BE (*see* Araim et al). 2002;35:1226-32
Sumpio BE (*see* Gahtan et al). 2002;35:563-8
Sunar H, Duran E. Regarding "Bypass graft to the midpopliteal artery with a combined anterior and posterior approach." 2002;35:1068 (Letter)
Sussman B (*see* Dardik et al). 2002;35:64-71
Suzuki G (*see* Anagnostopoulos et al). 2002;35:100-8

Sykes MT (*see* Toursarkissian et al). 2002;35:494-500
Sykes T (*see* Caldwell et al). 2002;35:408 (Letter)
Szaky T. Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women." 2002;35:829-30 (Letter)

T

Tabrah FL (*see* Ogawa et al). 2002;35:527-31
Tachibana M (*see* Koshiko et al). 2002;35:779-85
Taiji M (*see* Harada et al). 2002;35:786-91
Takagi H, Mori Y, Iwata H, Kimura M, Itokazu M, Shimokawa K, Hirose H. Nondissecting aneurysm of the thoracic aorta with arteritis in systemic lupus erythematosus. 2002;35:801-4 (Case rep.)
Takenaka H (*see* Harada et al). 2002;35:786-91
Tartaglione R (*see* Rulli et al). 2002;35:168-71 (Case rep.)
Tashjian DB, Lipkowitz GS, Madden RL, Kaufman JL, Rhee SW, Berman J, Norris M, McCall J. Safety and efficacy of femoral-based hemodialysis access grafts. 2002;35:691-3
Tataria M (*see* Hance et al). 2002;35:254-61
Tatou E (*see* Jazayeri et al). 2002;35:999-1002 (Case rep.)
Taylor LM Jr (*see* Landry et al). 2002;35:56-63
Taylor LM Jr (*see* Nicoloff et al). 2002;35:38-47
Taylor LM (*see* Cook et al). 2002;35:158-65
Tazelaar HD (*see* Rasmussen et al). 2002;35:988-93
Tchekanov GV (*see* Chekanov et al). 2002;35:554-62
Teodorescu V (*see* Faries et al). 2002;35:868-73, 1123-8
Thien T (*see* Haenen et al). 2002;35:1184-9
Thompson CS, Gaxotte VD, Rodriguez JA, Ramaiah VG, Vranic M, Ravi R, DiMugno L, Shafique S, Olsen D, Diethrich EB. Endoluminal stent grafting of the thoracic aorta: initial experience with the Gore Excluder. 2002;35:1163-70
Thompson CS, Ramaiah VG, Rodriguez JA, Diethrich EB. Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting." 2002;35:181-2 (Letter)
Thompson CS, Ramaiah VG, Rodriquez-Lopez JA, Vranic M, Ravi R, DiMugno L, Shafique S, Olsen D, Diethrich EB. Endoluminal stent graft repair of aortobronchial fistulas. 2002;35:387-91
Thompson MM (*see* Goodall et al). 2002;35:937-42
Thompson RW, Absi T, Tung WS. Gene expression profiling of abdominal aortic aneurysms. 2002;35:403-4 (Invited comment)
Thompson RW (*see* Hance et al). 2002;35:254-61
Thompson RW (*see* Prall et al). 2002;35:923-9
Thomson GJL (*see* Karkos et al). 2002;35:943-9
Thörne J, Danielsson G, Danielsson P, Jonung T, Norgren L, Ribbe E, Zdanowski Z. Intraoperative angioscopy may improve the outcome of in situ saphenous vein bypass grafting: a prospective study. 2002;35:759-65
Throm RC (*see* Comerota et al). 2002;35:930-6
Tihan T (*see* Wong et al). 2002;35:1006-9 (Case rep.)
Timmermans HA (*see* Pavcnik et al). 2002;35:598-602
Tiwari A, Hamilton G, Scifalian AM, Lowdell MW, O'Neill E. Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood." 2002;35:827-8 (Letter)
Tiwari A, Jenkins M, Amin A, Cheng KS, Hamilton G. Regarding "Abdominal compartment syndrome after mesenteric revascularization." 2002;35:831 (Letter)
Tomczak CM (*see* Santilli et al). 2002;35:666-71
Tomono CK (*see* Pross et al). 2002;35:1253-9
Toniato A (*see* Ballotta et al). 2002;35:1069-70 (Letter)
Toursarkissian B, D'Ayala M, Stefanidis D, Shireman PK, Harrison A, Schoolfield J, Sykes MT. Angiographic scoring of vascular occlusive disease in the diabetic foot: relevance to bypass graft patency and limb salvage. 2002;35:494-500
Towne JB (*see* Lorelli et al). 2002;35:916-22
Townsend LE, Boyer M, Vogel M, Falk J, Reitz-Vick D, Trevor KT, Villalba M, Bendick PJ, Glover JL. Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood." 2002;35:827-8 (Letter reply)
Toyota N (*see* Pavcnik et al). 2002;35:598-602
Treiman GS (*see* Sarfati et al). 2002;35:589-91 (Case rep.)
Trerotola S (*see* Sidawy et al). 2002;35:603-10
Tretinyak AS, Lee ES, Uema KM, d'Audiffret AC, Caldwell MP, Santilli SM. Supplemental oxygen reduces intimal hyperplasia after intraarterial stenting in the rabbit. 2002;35:982-7
Tretinyak AS (*see* Santilli et al). 2002;35:666-71
Trevor KT (*see* Townsend et al). 2002;35:827-8 (Letter reply)
Tribble CG (*see* Cassada et al). 2002;35:994-8
Troyer A, Saloner D, Pan XM, Velez P, Rapp JH, Assessment of Carotid Stenosis by Comparison with Endarterectomy Plaque Trial (ACSCEPT) Investigators. Major carotid plaque surface irregularities correlate with neurologic symptoms. 2002;35:741-7
Tsui JCS, Souza DSR, Filbey D, Karlsson MG, Dashwood MR. Localization of nitric oxide synthase in saphenous vein grafts harvested with a novel "no-touch" technique: potential role of nitric oxide contribution to improved early graft patency rates. 2002;35:356-62
Tsushima Y (*see* Matsumoto et al). 2002;35:654-60
Tu JV, Austin P, Johnson KW. Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery." 2002;35:624-5 (Letter reply)
Tuma MAV, Hans SSH. Rupture of abdominal aortic aneurysm with tear of inferior vena cava in a patient with prior endograft. 2002;35:798-800 (Case rep.)
Tung WS (*see* Thompson et al). 2002;35:403-4 (Invited comment)
Turina MI (*see* Vogt et al). 2002;35:80-6
Turnipseed WD. Popliteal entrapment syndrome. 2002;35:910-15

U

Ubbink DT, Legemate DA, Llull JB. Color-flow duplex scanning of the leg arteries by use of a new echo-enhancing agent. 2002;35:392-6
Uchida BT (*see* Pavcnik et al). 2002;35:598-602
Uchida H (*see* Sasajima et al). 2002;35:1016-19 (Tech. note)
Uema KM (*see* Tretinyak et al). 2002;35:982-7
Upchurch GR Jr, Henke PK, Eagleton MJ, Grigoryants V, Sullivan VV, Wakefield TW, Jacobs LA, Greenfield LJ, Stanley JC. Pediatric splanchnic arterial occlusive disease: clinical relevance and operative treatment. 2002;35:860-7
Upchurch GR Jr (*see* Axelrod et al). 2002;35:754-8, 894-901
Upchurch GR Jr (*see* Henke et al). 2002;35:902-9
Upchurch GR Jr (*see* Knipp et al). 2002;35:363-7
Uum SHMV (*see* Roumen-Klappe et al). 2002;35:701-6

V

Valentine J (*see* Rosen et al). 2002;35:376-81
Valentine RJ (*see* Jackson et al). 2002;35:292-8
Valji K (*see* Rose et a;). 2002;35:828-9 (Letter)
Veith F (*see* Mehta et al). 2002;35:1069-70 (Letter reply)
Veith FJ, Baum RA, Ohki T, Amor M, Adiseshiah M, Blanken-

steijn JD, Buth J, Chuter TAM, Fairman RM, Gilling-Smith G, Harris PL, Hodgson KJ, Hopkinson BR, Ivancev K, Katzen BT, Lawrence-Brown M, Meier GH, Malina M, Makaroum MS, Parodi JC, Richter GM, Rubin GD, Stelter WJ, White GH, White RA, Wisselink W, Zarins CK. Nature and significance of endoleaks and endotension: summary of opinions expressed at an international conference. 2002;35:1029-35

Veith FJ, Johnston KW. Endovascular treatment of abdominal aortic aneurysms: an innovation in evolution and under evaluation. 2002;35:183 (Editorial)

Veith FJ (*see* Chaikof et al). 2002;35:1048-59, 1060-6

Veith FJ (*see* Mehta et al). 2002;35:1070 (Letter reply)

Velazquez OC (*see* Baum et al). 2002;35:23-9. Correction 2002; 35:852

Velazquez OC (*see* Carpenter et al). 2002;35:222-8

Velazquez OC (*see* Fairman et al). 2002;35:679-85

Velez P (*see* Troyer et al). 2002;35:741-7

Ven-Jongekrijg JVD (*see* Roumen-Klappe et al). 2002;35:701-6

Venables GS (*see* Macdonald et al). 2002;35:966-72

Verzini F (*see* Cao et al). 2002;35:229-35

Veves A (*see* Arora et al). 2002;35:501-5

Vidal-Barraquer F (*see* Planas et al). 2002;35:506-9

Villalba M (*see* Townsend et al). 2002;35:827-8 (Letter reply)

Vogel M (*see* Townsend et al). 2002;35:827-8 (Letter reply)

Vogt PR, Brunner-LaRocca HP, Lachat M, Ruef C, Turina MI. Technical details with the use of cryopreserved arterial allografts for aortic infection: influence on early and midterm mortality. 2002;35:80-6

Vranic M (*see* Thompson et al). 2002;35:387-91, 1163-70

Vu JH (*see* Blebea et al). 2002;35.532-8

W

Wahlberg E (*see* Hultgren et al). 2002;35:510-16

Wakefield TW (*see* Axelrod et al). 2002;35:754-8

Wakefield TW (*see* Henke et al). 2002;35:902-9

Wakefield TW (*see* Knipp et al). 2002;35:363-7

Wakefield TW (*see* Upchurch et al). 2002;35:860-7

Waksman R (*see* Sidawy et al). 2002;35:1041-7

Walker MG (*see* Baguneid et al). 2002;35:626-7 (Letter reply)

Walsh DB. Regarding "Early results of infragenicular revascularization based solely on duplex arteriography." 2002;35:830 (Letter reply)

Walsh DB (*see* Nelson et al). 2002;35:1107-13

Waltke EA (*see* Prall et al). 2002;35:923-9

Wang CJ (*see* Yang et al). 2002;35:707-12

Warren JA (*see* Jordan et al). 2002;35:16-22

Watanabe Y, Ishimaru S, Kawaguchi S, Shimazaki T, Yokoi Y, Ito M, Obitsu Y, Ishikawa M. Successful endografting with simultaneous visceral artery bypass grafting for severely calcified thoracoabdominal aortic aneurysm. 2002;35:397-9 (Case rep.)

Waterhouse AL (*see* Araim et al). 2002;35:1226-32

Weinberg SL (*see* Abel et al). 2002;35:1022-8

Weiswasser JM (*see* Sidawy et al). 2002;35:1041-7

Welborn MB III (*see* Feezor et al). 2002;35:1010-12 (Case rep.)

Welborn MB (*see* Rectenwald et al). 2002;35:640-7

Wengerter K (*see* Dardik et al). 2002;35:64-71

Weyand CM (*see* Rasmussen et al). 2002;35:988-93

Whalen RC (*see* Kritpracha et al). 2002;35:874-81

White G (*see* May et al). 2002;35:180 (Letter)

White GH (*see* Chaikof et al). 2002;35:1048-59, 1060-6

White GH (*see* Veith et al). 2002;35:1029-35

White RA (*see* Veith et al). 2002;35:1029-35

Whitesall SE (*see* Knipp et al). 2002;35:363-7

Whitley WD (*see* Jordan et al). 2002;35:16-22

Whitlow P (*see* Culver et al). 2002;35:576-9 (Case rep.)

Whittemore AD. A proposal for revitalization: an international society for vascular intervention. 2002;35:818-19

Whittemore AD (*see* Chew et al). 2002;35:1085-92

Whittemore AD (*see* Gangadharan et al). 2002;35:1100-6

Whittemore AD (*see* Reed et al). 2002;35:48-55

Wicky S (*see* Marty et al). 2002;35:487-93

Wiebe BM (*see* Grønholdt et al). 2002;35:137-45

Wieslander CK, Huang CC, Omura MC, Ahn SS. Endovascular workforce for peripheral vascular disease: current and future needs. 2002;35:1218-25

Wiik H (*see* Rautio et al). 2002;35:958-65

Williams KJ (*see* Langbein et al). 2002;35:887-93

Williford WO (*see* Jackson et al). 2002;35:292-8

Williford WO (*see* Johnson and Williford). 2002;35:413-21

Wirthlin DJ (*see* Jordan et al). 2002;35:16-22

Wisselink W (*see* Veith et al). 2002;35:1029-35

Wolf YG, Arko FR, Hill BB, Olcott C IV, Harris EJ Jr, Fogarty TJ, Zarins CK. Gender differences in endovascular abdominal aortic aneurysm repair with the AneuRx stent graft. 2002;35: 882-6

Wolf YG, Hill BB, Fogarty TJ, Cipriano PR, Zarins CK. Late endoleak after endovascular repair of an abdominal aortic aneurysm with multiple proximal extender cuffs. 2002;35:580-3 (Case rep.)

Wollersheim H (*see* Haenen et al). 2002;35:1184-9

Wollersheim H (*see* Roumen-Klappe et al). 2002;35:701-6

Wolodiger F (*see* Dardik et al). 2002;35:64-71

Won J (*see* Faries et al). 2002;35:1123-8

Wong JM, Shermak MA, Tihan T, Jones CE. A subclavian artery aneurysm in a patient with HIV infection: a case report. 2002; 35:1006-9 (Case rep.)

Woodson J (*see* Raffetto et al). 2002;35:1093-9

Workshop Steering Committee (*see* Abel et al). 2002;35:1022-8

Wulu JT Jr (*see* AbuRahma et al). 2002;35:307-15

Wyatt MG (*see* Marrewijk et al). 2002;35:461-73

X

Xavier AE (*see* Pross et al). 2002;35:1253-9

Y

Yamazaki K (*see* Koshiko et al). 2002;35:779-85

Yang BY (*see* Yang et al). 2002;35:707-12

Yang LC, Wang CJ, Lee TH, Lin FC, Yang BY, Lin CR, Lee TC. Early diagnosis of deep vein thrombosis in female patients who undergo total knee arthroplasty with measurement of P-selectin activation. 2002;35:707-12

Yeager RA (*see* Landry et al). 2002;35:56-63

Yeager RA (*see* Nicoloff et al). 2002;35:38-47

Ylönen K (*see* Biancari et al). 2002;35:87-93

Yokoi Y (*see* Watanabe et al). 2002;35:397-9 (Case rep.)

York JW (*see* Sternbergh et al). 2002;35:482-6

Yoselevitz M (*see* Sternbergh et al). 2002;35:482-6

Yoshitaka H (*see* Matsumoto et al). 2002;35:654-60

Young ML (*see* McDaniel et al). 2002;35:723-8

Z

Zaccagnini D (*see* Speziale et al). 2002;35:1306-7 (Letter)

Zagon IS (*see* Blebea et al). 2002;35:532-8

Zajkowski PJ (*see* Henke et al). 2002;35:902-9

Zamir O (*see* Beglaibter et al). 2002;35:815-17

Zannetti S (*see* Cao et al). 2002;35:229-35
Zarins CK (*see* Chaikof et al). 2002;35:1048-59, 1060-6
Zarins CK (*see* Veith et al). 2002;35:1029-35
Zarins CK (*see* Wolf et al). 2002;35:580-3 (Case rep.), 882-6
Zdanowski Z (*see* Thörne et al). 2002;35:759-65
Zeebregts CJAM. Regarding "A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures." 2002;35:626-7 (Letter)
Zempo N (*see* Harada et al). 2002;35:786-91
Zhang H (*see* Harada et al). 2002;35:786-91
Zhang R (*see* Sternbach et al). 2002;35:333-9
Zhou J (*see* Gronholdt et al). 2002;35:137-45
Ziauddin MF (*see* Rodriguez et al). 2002;35:573-5 (Case rep.)
Zierler BK (*see* Meissner et al). 2002;35:278-85
Zierler RE. D. Eugene Strandness, Jr., MD, 1928-2002. 2002;35:835-6 (Obituary)
Ziporin SJ (*see* Hance et al). 2002;35:254-61
Zwolak RM (*see* Nelson et al). 2002;35:1107-13

*Subject index**

A

Acute lung injury; *see* Respiratory distress syndrome, adult

Adenosine

Adenosine A_{2A} analogue ATL-146e reduces systemic tumor necrosing factor-α and spinal cord capillary platelet-endothelial cell adhesion molecule-1 expression after spinal cord ischemia (Cassada et al). 2002;35:994-8

Age factors

Survival of young patients after abdominal aortic aneurysm repair (Cherr et al). 2002;35:94-9

Allograft; *see* Transplantation, homologous

American Association for Vascular Surgery

The American Association for Vascular Surgery: advocate for independence (Hobson). 2002;35:1-7

Amputation

Sex-related differences in outcome after vascular interventions for lower limb ischemia (Hultgren et al). 2002;35:510-16

Anastomosis, surgical

Novel anastomotic method enables aortofemoral bypass for patients with porcelain aorta (Sasajima et al). 2002;35:1016-19 (Tech. note)

Regarding "A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures" (Zeebregts) (Letter); (Baguneid et al) (Reply). 2002;35:626-7

Usefulness of autogenous bypass grafts originating distal to the groin (Reed et al). 2002;35:48-55

Anatomy

The saphenous vein: derivation of its name and its relevant anatomy (Caggiati and Bergan). 2002;35:172-5

Anesthesia

Hemodynamic benefits of regional anesthesia for carotid endarterectomy (Sternbach et al). 2002;35:333-9

Aneurysm

A subclavian artery aneurysm in a patient with HIV infection: a case report (Wong et al). 2002;35:1006-9

Success of thrombolysis as a predictor of outcome in acute thrombosis of popliteal aneurysms (Marty et al). 2002;35:487-93

Aneurysm, dissecting

Superior mesenteric artery dissection: case report (Gouëffic et al). 2002;35:1003-5 (Case rep.)

Aneurysm, false

Duplex scanning-guided thrombin injection for the treatment of iatrogenic pseudoaneurysms (Khoury et al). 2002;35:517-21

Ipsilateral femoral vein compression: a contraindication to thrombin injection of femoral pseudoaneurysms (Hung et al). 2002;35:1280-3 (Case rep.)

Melioidosis presenting as an infected intrathoracic subclavian artery pseudoaneurysm treated with femoral vein interposition graft (Schindler et al). 2002;35:569-72 (Case rep.)

A subclavian artery aneurysm in a patient with HIV infection: a case report (Wong et al). 2002;35:1006-9

Superior mesenteric artery pseudoaneurysm successfully treated with polytetrafluoroethylene covered stent (Cowan et al). 2002;35:805-7 (Case rep.)

Treatment of abdominal aortic anastomotic pseudoaneurysm with percutaneous coil embolization (Fann et al). 2002;35:811-14 (Case rep.)

Aneurysm, infected

Abdominal aortic reconstruction in infected fields: early results of the United States Cryopreserved Aortic Allograft Registry (Noel et al). 2002;35:847-52

Melioidosis presenting as an infected intrathoracic subclavian artery pseudoaneurysm treated with femoral vein interposition graft (Schindler et al). 2002;35:569-72 (Case rep.)

Regarding "Limitations in the use of rifampicin-gelatin grafts against virulent organisms" (Naylor). 2002;35:823-4 (Invited comment)

Technical details with the use of cryopreserved arterial allografts for aortic infection: influence on early and midterm mortality (Vogt et al). 2002;35:80-6

Aneurysm, ruptured

Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: guidelines from a 10-year case-control study (Rasmussen et al). 2002;35:246-53

Endovascular treatment of abdominal aortic aneurysms: an innovation in evolution and under evaluation (Veith and Johnston). 2002;35:183 (Editorial)

Hemostatic markers before operation in patients with acutely symptomatic nonruptured and ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2002;35:661-5

Ruptured abdominal aortic aneurysm after endovascular repair (Bernhard et al). 2002;35:1155-62

Successful endovascular treatment of a ruptured internal iliac aneurysm (Ricci et al). 2002;35:1274-6 (Case rep.)

Angiogenesis; *see* Neovascularization

Angiogenesis inhibitors

Differential effects of vascular growth factors on arterial and venous angiogenesis (Blebea et al). 2002;35:532-8

Angiography

Angiographic scoring of vascular occlusive disease in the diabetic foot: relevance to bypass graft patency and limb salvage (Toursarkissian et al). 2002;35:494-500

Regarding "Early results of infragenicular revascularization based solely on duplex arteriography" (Friedman) (Letter); (Walsh) (Reply). 2002;35:830

Spinal cord arteriography: a safe adjunct before descending thoracic or thoracoabdominal aortic aneurysmectomy (Kieffer et al). 2002;35:262-8

Angioplasty

Device migration after endoluminal abdominal aortic aneurysm repair: analysis of 113 cases with a minimum follow-up period of 2 years (Cao et al). 2002;35:229-35

Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair (Carpenter et al). 2002;35:222-8

Durability of open repair of infrarenal abdominal aortic aneurysm: a 15-year follow-up study (Biancari et al). 2002;35:87-93

Endoluminal stent graft repair of aortobronchial fistulas (Thompson et al). 2002;35:387-91

Evolving experience with thoracic aortic stent graft repair (Cambria et al). 2002;35:1129-36

Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts (AbuRahma et al). 2002;35:307-15

Open infrarenal abdominal aortic aneurysm repair: the Cleve-

*January, pp. 1-198; February, pp. 199-412; March, pp. 413-630; April, pp. 631-836; May, pp. 837-1072; June, pp. 1073-1350.

land Clinic experience from 1989 to 1998 (Hertzer et al). 2002;35:1145-54
A prospective, randomized study of saphenous vein patching versus synthetic patching during carotid endarterectomy (O'Hara et al). 2002;35:324-32
Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results (AbuRahma et al). 2002;35:125-30
Regarding "The carotid artery as alternative access for endoluminal aortic aneurysm repair" (May et al) (Letter); (Estes et al) (Reply). 2002;35:180
Regarding "Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (Edwards). 2002;35:176-7 (Invited comment)
Regarding "Prospective randomized study of carotid endarterectomy with PTFE versus collagen impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (AbuRahma). 2002;35:405 (Letter)
Significance of endoleaks after endovascular repair of abdominal aortic aneurysms: the EUROSTAR experience (Marrewijk et al). 2002;35:461-73
Successful long-term stenting of an atypical descending aortic coarctation (Keith et al). 2002;35:166-7 (Case rep.)

Angioplasty, balloon
Arterial infection and *Staphylococcus aureus* bacteremia after transfemoral cannulation for percutaneous carotid angioplasty and stenting (Culver et al). 2002;35:576-9 (Case rep.)
Carotid artery closure for endarterectomy does not influence results of angioplasty-stenting for restenosis (Hobson et al). 2002;35:435-8
Carotid artery stenting in a vascular surgery practice (Criado et al). 2002;35:430-4
Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair (Parent et al). 2002;35:686-90
Endoluminal stent grafting of the thoracic aorta: initial experience with the Gore Excluder (Thompson et al). 2002;35:1163-70
High-risk carotid endarterectomy: challenges for carotid stent protocols (Jordan et al). 2002;35:16-22
Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting (Buckley et al). 2002;35:316-23
Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia (Cook et al). 2002;35:158-65
Protected carotid stenting: safety and efficacy of the MedNove NeuroShield filter (Macdonald et al). 2002;35:966-72
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Kasirajan) (Letter); (Ouriel) (Reply). 2002;35:407-8
Transluminal repair of abdominal aortic aneurysm: a call for selective use, careful surveillance, new device design, and systematic study of transrenal fixation (Becker et al). 2002;35:611-15

Angioplasty, laser
Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles (Proebstle et al). 2002;35:729-36

Angioscopy
Intraoperative angioscopy may improve the outcome of in situ saphenous vein bypass grafting: a prospective study (Thörne et al). 2002;35:759-65

Anticoagulants
Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study (Johnson and Williford). 2002;35:413-21
The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial (Jackson et al). 2002;35:292-8

Aorta
Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography (Sueyoshi et al). 2002;35:1179-83
Hemostatic alterations associated with supraceliac aortic cross-clamping (Anagnostopoulos et al). 2002;35:94-9
Novel anastomotic method enables aortofemoral bypass for patients with porcelain aorta (Sasajima et al). 2002;35:1016-19 (Tech. note)
Regarding "Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography" (Cambria). 2002;35:1295-6 (Invited comment)
Technical details with the use of cryopreserved arterial allografts for aortic infection: influence on early and midterm mortality (Vogt et al). 2002;35:80-6
Transient advanced mental impairment: an underappreciated morbidity after aortic surgery (Rosen et al). 2002;35:376-81

Aorta, abdominal
Abdominal aortic reconstruction in infected fields: early results of the United States Cryopreserved Aortic Allograft Registry (Noel et al). 2002;35:847-52
Prediction of cardiac risk before abdominal aortic reconstruction: comparison of a revised Goldman Cardiac Risk Index and radioisotope ejection fraction (Karkos et al). 2002;35:943-9

Aorta, thoracic
Endoluminal stent grafting of the thoracic aorta: initial experience with the Gore Excluder (Thompson et al). 2002;35:1163-70
Evolving experience with thoracic aortic stent graft repair (Cambria et al). 2002;35:1129-36

Aortic aneurysm
Identifying and grading factors that modify the outcome of endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1060-6
Regarding "The 50th anniversary of abdominal aortic reconstruction" (Kaufman). 2002;35:623-4 (Letter)
Reporting standards for endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1048-59

Aortic aneurysm, abdominal
Abdominal aortic aneurysm in death row inmate (Jones). 2002;35:621-2
Aortic neck angulation predicts adverse outcome with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;35:482-6
The association between venous structural alterations and bio-

mechanical weakness in patients with abdominal aortic aneurysms (Goodall et al). 2002;35:937-42

Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow (Kritpracha et al). 2002;35:874-81

Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial (Coselli et al). 2002;35:631-9

Clinical failures of endovascular abdominal aortic aneurysm repair; incidence, causes, and management (Dattilo et al). 2002;35:1137-44

Cost of routine screening for carotid and lower extremity occlusive disease in patients with abdominal aortic aneurysms (Axelrod et al). 2002;35:754-8

Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair (Huynh et al). 2002;35:648-53

Device migration after endoluminal abdominal aortic aneurysm repair: analysis of 113 cases with a minimum follow-up period of 2 years (Cao et al). 2002;35:229-35

Differential gene expression in human abdominal aorta: aneurysmal versus occlusive disease (Armstrong et al). 2002;35:346-55

Differential regulation of matrix metalloproteinase activities in abdominal aortic aneurysms (Annabi et al). 2002;35:539-46

Doxycycline in patients with abdominal aortic aneurysms and in mice: comparison of serum levels and effect on aneurysm growth in mice (Prall et al). 2002;35:923-9

Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair (Carpenter et al). 2002;35:211-21

Durability of open repair of infrarenal abdominal aortic aneurysm: a 15-year follow-up study (Biancari et al). 2002;35:87-93

Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: guidelines from a 10-year case-control study (Rasmussen et al). 2002;35:246-53

Efficacy of a bifurcated endograft versus open repair of abdominal aortic aneurysms: a reappraisal (Makaroun et al). 2002;35:203-10

Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair (Parent et al). 2002;35:686-90

Endovascular management of iliac limb occlusion of bifurcated aortic endografts (Bohannon et al). 2002;35:584-8 (Case rep.)

Endovascular repair of abdominal aortic aneurysms: stent-graft fixation across the visceral arteries (Burks et al). 2002;35:109-13

Endovascular treatment of abdominal aortic aneurysms: an innovation in evolution and under evaluation (Veith and Johnston). 2002;35:183 (Editorial)

Expansion rates and outcomes for the 3.0-cm to the 3.9-cm infrarenal abdominal aortic aneurysm (Santilli et al). 2002;35:666-71

External iliac artery-to-internal iliac artery endograft: a novel approach to preserve pelvic inflow in aortoiliac stent grafting (Bergamini et al). 2002;35:120-4

Failure of endovascular aortoaortic tube grafts: a plea for preferential use of bifurcated grafts (Faries et al). 2002;35:868-73

Functional outcome after thoracoabdominal aortic aneurysm repair (Rectenwald et al). 2002;35:640-7

Gender differences in endovascular abdominal aortic aneurysm repair with the AneuRx stent graft (Wolf et al). 2002;35:882-6

Gene expression profiling of abdominal aortic aneurysms (Thompson et al). 2002;35:403-4 (Invited comment)

Hemostatic markers before operation in patients with acutely symptomatic nonruptured and ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2002;35:661-5

Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms (Rasmussen et al). 2002;35:988-93

Impaired vasoreactivity despite an increase in plasma nitrite in patients with abdominal aortic aneurysms (Knipp et al). 2002;35:363-7

An in situ adjustable endovascular graft for the treatment of abdominal aortic aneurysms (Brener et al). 2002;35:114-19

The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan (Parent et al). 2002;35:474-81

Late endoleak after endovascular repair of an abdominal aortic aneurysm with multiple proximal extender cuffs (Wolf et al). 2002;35:580-3 (Case rep.)

Minimally invasive vascular surgery for repair of infrarenal abdominal aortic aneurysm with iliac involvement (Matsumoto et al). 2002;35:654-60

Monocyte chemotactic activity in human abdominal aortic aneurysms: role of elastin degradation peptides and the 67-kD cell surface elastin receptor (Hance et al). 2002;35:254-61

A multicenter experience with the Talent endovascular graft for the treatment of abdominal aortic aneurysms (Faries et al). 2002;35:1123-8

Nature and significance of endoleaks and endotension: summary of opinions expressed at an international conference (Veith et al). 2002;35:1029-35

Open infrarenal abdominal aortic aneurysm repair: the Cleveland Clinic experience from 1989 to 1998 (Hertzer et al). 2002;35:1145-54

Outcome of endovascular abdominal aortic aneurysm repair in patients with conditions considered unfit for an open procedure: a report on the EUROSTAR experience (Buth et al). 2002;35:211-21

Potential impact of therapeutic warfarin treatment on type II endoleaks and sac shrinkage rates on midterm follow-up examination (Fairman et al). 2002;35:679-85

Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop (Abel et al). 2002;35:1022-8

Propranolol for small abdominal aortic aneurysms: result of a randomized trial (Propranolol Aneurysm Trial Investigators). 2002;35:72-9

Reduced protease inhibitory capacity in patients with abdominal aortic aneurysms is reversed with surgical repair (Halpern et al). 2002;35:792-7

Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Hinchliffe). 2002;35:625-6 (Letter)

Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Caldwell et al). 2002;35:408 (Letter)

Regarding "The incidence and natural history of type I and II

endoleak: a 5-year follow-up assessment with color duplex ultrasound scan" (Carpenter). 2002;35:595-7 (Invited comment)
Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery" (Berger) (Letter); (Tu et al) (Reply); (Cronenwett) (Reply). 2002;35:624-5
Regarding "The 50th anniversary of abdominal aortic reconstruction" (Leeds). 2002;35:406-7 (Letter)
Registry of Endovascular Aneurysm Repair: registry data reporting (Steering Committee). 2002;35:616-20
Response of plasma matrix metalloproteinase-9 to conventional abdominal aortic aneurysm repair or endovascular exclusion: implications for endoleak (Lorelli et al). 2002;35:916-22
Rupture of abdominal aortic aneurysm with tear of inferior vena cava in a patient with prior endograft (Tuma and Hans). 2002;35:798-800 (Case rep.)
Ruptured abdominal aortic aneurysm after endovascular repair (Bernhard et al). 2002;35:1155-62
Significance of endoleaks after endovascular repair of abdominal aortic aneurysms: the EUROSTAR experience (Marewijk et al). 2002;35:461-73
Survival of young patients after abdominal aortic aneurysm repair (Cherr et al). 2002;35:94-9
A technique for combined hypogastric artery bypass and endovascular repair of complex aortoiliac aneurysms (Lee et al). 2002;35:1289-91 (Tech. note)
Transluminal repair of abdominal aortic aneurysm: a call for selective use, careful surveillance, new device design, and systematic study of transrenal fixation (Becker et al). 2002;35:611-15
Treatment of abdominal aortic anastomotic pseudoaneurysm with percutaneous coil embolization (Fann et al). 2002;35:811-14 (Case rep.)
Treatment of type 2 endoleaks after endovascular repair of abdominal aortic aneurysms: comparison of transarterial and translumbar techniques (Baum et al) 2002;35:23-9. Correction: 2002;35:835
The value of technetium-99m HMPAO leukocyte scintigraphy in infectious abdominal aortic aneurysm stent graft complications (Speziale et al). 2002;35:1306-7 (Letter)

Aortic aneurysm, thoracic
Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial (Coselli et al). 2002;35:631-9
Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair (Huynh et al). 2002;35:648-53
Emergency surgery for thoracoabdominal aortic aneurysms with acute presentation (LeMaire et al). 2002;35:1171-8
Epidural cooling for the prevention of ischemic injury to the spinal cord during aortic occlusion in a rabbit model: determination of the optimal temperature (Martelli et al). 2002;35:547-53
Functional outcome after thoracoabdominal aortic aneurysm repair (Rectenwald et al). 2002;35:640-7
Nondissecting aneurysm of the thoracic aorta with arteritis in systemic lupus erythematosus (Takagi et al). 2002;35:801-4 (Case rep.)
Regarding "The carotid artery as alternative access for endoluminal aortic aneurysm repair" (May et al) (Letter); (Estes et al) (Reply). 2002;35:180
Spinal cord arteriography: a safe adjunct before descending thoracic or thoracoabdominal aortic aneurysmectomy (Kieffer et al). 2002;35:262-8
Spinal cord blood supply in patients with thoracoabdominal aortic aneurysms (Jacobs et al). 2002;35:30-7
Successful endografting with simultaneous visceral artery bypass grafting for severely calcified thoracoabdominal aortic aneurysm (Watanabe et al). 2002;35:397-9 (Case rep.)

Aortic coarctation
Successful long-term stenting of an atypical descending aortic coarctation (Keith et al). 2002;35:166-7 (Case rep.)

Aortic diseases
Primary aortoappendiceal fistula: case report and review of the literature (Monaghan and Cogbill). 2002;35:1284-6 (Case rep.)

Aortic rupture
Rupture of abdominal aortic aneurysm with tear of inferior vena cava in a patient with prior endograft (Tuma and Hans). 2002;35:798-800 (Case rep.)

Appendix
Primary aortoappendiceal fistula: case report and review of the literature (Monaghan and Cogbill). 2002;35:1284-6 (Case rep.)

Arm
A novel technique of upper extremity revascularization: the retrohumeral approach (Marone et al). 2002;35:1277-9 (Case rep.)

Arterial occlusive diseases
Age at onset of smoking is an independent risk factor in peripheral artery disease development (Planas et al). 2002;35:506-9
Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow (Kritpracha et al). 2002;35:874-81
Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal carotid artery occlusion and utility in prevention of perioperative strokes (Schneider et al). 2002;35:1114-22
Differential gene expression in human abdominal aorta: aneurysmal versus occlusive disease (Armstrong et al). 2002;35:346-55
Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting (Buckley et al). 2002;35:316-23
Long-term outcome after mesenteric artery reconstruction: a 37-year experience (Cho et al). 2002;35:453-60
Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus (Dorweiler et al). 2002;35:766-72
Naked plasmid DNA encoding fibroblast growth factor type 1 for the treatment of end-stage unreconstructible lower extremity ischemia: preliminary results of a phase I trial (Comerota et al). 2002;35:930-6
Novel anastomotic method enables aortofemoral bypass for patients with porcelain aorta (Sasajima et al). 2002;35:1016-19 (Tech. note)
A novel technique of upper extremity revascularization: the retrohumeral approach (Marone et al). 2002;35:1277-9 (Case rep.)
Pediatric splanchnic arterial occlusive disease: clinical relevance and operative treatment (Upchurch et al). 2002;35:860-7
Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review (Cinà et al). 2002;35:422-9
Successful endografting with simultaneous visceral artery by-

pass grafting for severely calcified thoracoabdominal aortic aneurysm (Watanabe et al). 2002;35:397-9 (Case rep.)

Arteriography; *see* Angiography

Arteriovenous anastomosis

Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization (Raffetto et al). 2002;35:1093-9

Arteriovenous fistula

A novel technique designed to minimize the morbidity of failure of arteriovenous access in hemodialysis patients (Benedetto et al). 2002;35:1013-15 (Tech. note)

Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access" (Gooding) (Letter); (Schenk) (Reply). 2002;35:181

Safety and efficacy of femoral-based hemodialysis access grafts (Tashjian et al). 2002;35:601-93

Arteriovenous malformations

Congenital absence of the external carotid artery: atherosclerosis without bifurcation (Rodriguez et al). 2002;35:573-5 (Case rep.)

Arteriovenous shunt, surgical

Anaerobic cellulitis as the result of Clostridium perfringens: a rare cause of vascular access graft infection (Claeys and Matamoros). 2002;35:1287-8 (Case rep.)

Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal carotid artery occlusion and utility in prevention of perioperative strokes (Schneider et al). 2002;35:1114-22

Arteritis

Nondissecting aneurysm of the thoracic aorta with arteritis in systemic lupus erythematosus (Takagi et al). 2002;35:801-4 (Case rep.)

Arthroplasty, replacement, knee

Early diagnosis of deep vein thrombosis in female patients who undergo total knee arthroplasty with measurement of P-selectin activation (Yang et al). 2002;35:707-12

Aspirin

Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study (Johnson and Williford). 2002;35:413-21

Combined therapy with clopidogrel and aspirin significantly increases the bleeding time through a synergistic antiplatelet action (Payne et al). 2002;35:1204-9

Atherosclerosis

Congenital absence of the external carotid artery: atherosclerosis without bifurcation (Rodriguez et al). 2002;35:573-5 (Case rep.)

Expression of heat shock protein-70 by dendritic cells in the arterial intima and its potential significance in atherogenesis (Bobryshev and Lord). 2002;35:368-75

Macrophages are associated with lipid-rich carotid artery plaques, echolucency on B-mode imaging, and elevated plasma lipid levels (Gronholdt et al). 2002;35:137-45

Major carotid plaque surface irregularities correlate with neurologic symptoms (Troyer et al). 2002;35:741-7

Pathologic and histologic results of electrical impulses in a rabbit model of atherosclerosis: 24-hour versus 8-hour regimen (Chekanov et al). 2002;35:554-62

Pixel distribution analysis of B-mode ultrasound scan images predicts histologic features of atherosclerotic carotid plaques (Lal et al). 2002;35:1210-17

Relationship between site of initial symptoms and subsequent progression of disease in a prospective study of atherosclerosis progression in patients receiving long-term treatment for symptomatic peripheral arterial disease (Nicoloff et al). 2002;35:38-47

Surgical management of atherosclerotic renovascular disease (Cherr et al). 2002;35:236-45

Athletic injuries

Common femoral artery injury secondary to bicycle handlebar trauma (Sarfati et al). 2002;35:589-91 (Case rep.)

B

Bacteremia

Arterial infection and *Staphylococcus aureus* bacteremia after transfemoral cannulation for percutaneous carotid angioplasty and stenting (Culver et al). 2002;35:576-9 (Case rep.)

Bandages

Why insurers should reimburse for compression stockings in patients with chronic venous stasis (Korn et al). 2002;35:950-7

Basic reviews

Basic reviews. 2002;35:563-8

Bicycling

Common femoral artery injury secondary to bicycle handlebar trauma (Sarfati et al). 2002;35:589-91 (Case rep.)

Biological markers

Hemostatic markers before operation in patients with acutely symptomatic nonruptured and ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2002;35:661-5

Bioprosthesis

Comparative decades of experience with glutaraldehyde-tanned human umbilical cord vein graft for lower limb revascularization: an analysis of 1275 cases (Dardik et al). 2002;35:64-71

Bleeding time

Combined therapy with clopidogrel and aspirin significantly increases the bleeding time through a synergistic antiplatelet action (Payne et al). 2002;35:1204-9

Blood cells

Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood" (Tiwari et al) (Letter); (Townsend et al) (Reply). 2002;35:827-8

Blood coagulation disorders

Coagulopathy as a result of factor V inhibitor after exposure to bovine topical thrombin (Neschis et al). 2002;35:400-2 (Case rep.)

Blood flow velocity

Changes in venous lumen size and shape do not affect the accuracy of volume flow measurements in health volunteers and patients with primary chronic venous insufficiency (Lurie et al). 2002;35:522-6

Reproducibility of ultrasound scan in the assessment of volume flow in the veins of the lower extremities (Ogawa et al). 2002;35:527-31

Blood vessel prosthesis

Aortic neck angulation predicts adverse outcome with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;35:482-6

Comparison of the resistance to infection of rifampin-bonded

gelatin-sealed and silver/collagen-coated polyester prostheses (Goëau-Brissonnière et al). 2002;35:1260-3
Device migration after endoluminal abdominal aortic aneurysm repair: analysis of 113 cases with a minimum follow-up period of 2 years (Cao et al). 2002;35:229-35
Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair (Carpenter et al). 2002;35:222-8
Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306
Efficacy of a bifurcated endograft versus open repair of abdominal aortic aneurysms: a reappraisal (Makaroun et al). 2002;35:203-10
Endovascular management of iliac limb occlusion of bifurcated aortic endografts (Bohannon et al). 2002;35:584-8 (Case rep.)
Failure of endovascular aortoaortic tube grafts: a plea for preferential use of bifurcated grafts (Faries et al). 2002;35:868-73
Hear no evil, see no evil, speak no evil: postmarket monitoring, underreporting, and estimating the prevalence of endograft-related adverse events (Chaikof). 2002;35:1299-300 (Invited comment)
An in situ adjustable endovascular graft for the treatment of abdominal aortic aneurysms (Brener et al). 2002;35:114-19
Late endoleak after endovascular repair of an abdominal aortic aneurysm with multiple proximal extender cuffs (Wolf et al). 2002;35:580-3 (Case rep.)
A multicenter experience with the Talent endovascular graft for the treatment of abdominal aortic aneurysms (Faries et al). 2002;35:1123-8
Outcome of endovascular abdominal aortic aneurysm repair in patients with conditions considered unfit for an open procedure: a report on the EUROSTAR experience (Buth et al). 2002;35:211-21
Percutaneous bedside femorofemoral bypass grafting for acute limb ischemia caused by intra-aortic balloon pump (Lin et al). 2002;35:592-4 (Tech. note)
Percutaneous bioprosthetic venous valve: a long-term study in sheep (Pavcnik et al). 2002;35:598-602
Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop (Abel et al). 2002;35:1022-8
A prospective, randomized study of saphenous vein patching versus synthetic patching during carotid endarterectomy (O'Hara et al). 2002;35:324-32
Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Hinchliffe). 2002;35:625-6 (Letter)
Regarding "The carotid artery as alternative access for endoluminal aortic aneurysm repair" (May et al) (Letter); (Estes et al) (Reply). 2002;35:180
Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial" (Segesser et al) (Letter); (Devine and McCollum) (Reply). 2002;35:623
Regarding "Limitations in the use of rifampicin-gelatin grafts against virulent organisms" (Naylor). 2002;35:823-4 (Invited comment)
Registry of Endovascular Aneurysm Repair: registry data reporting (Steering Committee). 2002;35:616-20
Ruptured abdominal aortic aneurysm after endovascular repair (Bernhard et al). 2002;35:1155-62
Significance of endoleaks after endovascular repair of abdominal aortic aneurysms: the EUROSTAR experience (Marrewijk et al). 2002;35:461-73
Successful endografting with simultaneous visceral artery bypass grafting for severely calcified thoracoabdominal aortic aneurysm (Watanabe et al). 2002;35:397-9 (Case rep.)

Book reviews
Book reviews. 2002;35:198, 411-12, 628-30, 832-4, 1071-2, 1308

Brachiocephalic veins
Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access" (Gooding) (Letter); (Schenk) (Reply). 2002;35:181

Brachytherapy
Peripheral vascular brachytherapy (Sidawy et al). 2002;35:1041-7

Brain ischemia
Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal carotid artery occlusion and utility in prevention of perioperative strokes (Schneider et al). 2002;35:1114-22

Bronchial fistula
Endoluminal stent graft repair of aortobronchial fistulas (Thompson et al). 2002;35:387-91

C

C-reactive protein
Inflammatory response in the acute phase of deep vein thrombosis (Roumen-Klappe et al). 2002;35:701-6

Carbon dioxide
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Sing et al) (Letter); (Ebaugh et al) (Reply). 2002;35:1068-9

Carotid arteries
Congenital absence of the external carotid artery: atherosclerosis without bifurcation (Rodriguez et al). 2002;35:573-5 (Case rep.)
Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia (Cook et al). 2002;35:158-65
Regarding "The carotid artery as alternative access for endoluminal aortic aneurysm repair" (May et al) (Letter); (Estes et al) (Reply). 2002;35:180

Carotid artery diseases
Pixel distribution analysis of B-mode ultrasound scan images predicts histologic features of atherosclerotic carotid plaques (Lal et al). 2002;35:1210-17
Pseudo-occlusions of the internal carotid artery: a rationale for treatment on the basis of a modified carotid duplex scan protocol (Ascher et al). 2002;35:340-5

Carotid stenosis
Carotid artery stenting in a vascular surgery practice (Criado et al). 2002;35:430-4
Congenital absence of the external carotid artery: atherosclerosis without bifurcation (Rodriguez et al). 2002;35:573-5 (Case rep.)
Cost of routine screening for carotid and lower extremity

occlusive disease in patients with abdominal aortic aneurysms (Axelrod et al). 2002;35:754-8
Macrophages are associated with lipid-rich carotid artery plaques, echolucency on B-mode imaging, and elevated plasma lipid levels (Grønholdt et al). 2002;35:137-45
Major carotid plaque surface irregularities correlate with neurologic symptoms (Troyer et al). 2002;35:741-7
Protected carotid stenting: safety and efficacy of the MedNove NeuroShield filter (Macdonald et al). 2002;35:966-72

Case reports
Case reports. 2002;35:166-71, 397-402, 569-91, 798-814, 999-1012, 1274-88

Catheters, indwelling
A novel technique designed to minimize the morbidity of failure of arteriovenous access in hemodialysis patients (Benedetto et al). 2002;35:1013-15 (Tech. note)
Recommended standards for reports dealing with arteriovenous hemodialysis accesses (Sidawy et al). 2002;35:603-10
Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access" (Gooding) (Letter); (Schenk) (Reply). 2002;35:181
Safety and efficacy of femoral-based hemodialysis access grafts (Tashjian et al). 2002;35:691-3

Cell adhesion molecules
Adenosine A_{2A} analogue ATL-146e reduces systemic tumor necrosing factor-α and spinal cord capillary platelet-endothelial cell adhesion molecule-1 expression after spinal cord ischemia (Cassada et al). 2002;35:994-8

Cell division
Attenuated retinoblastoma gene product and associated E2F/retinoblastoma imbalance in anastomotic intimal hyperplasia (Sivamurthy et al). 2002;35:1233-41
Inhibition of vascular smooth muscle cell proliferation with red wine and red wine polyphenols (Araim et al). 2002;35:1226-32

Cell movement
Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone (Pross et al). 2002;35:1253-9

Cell separation
Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood" (Tiwari et al) (Letter); (Townsend et al) (Reply). 2002;35:827-8

Cellulitis
Anaerobic cellulitis as the result of Clostridium perfringens: a rare cause of vascular access graft infection (Claeys and Matamoros). 2002;35:1287-8 (Case rep.)

Cerebral ischemia; *see* Brain ischemia

Cerebrospinal fluid
Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial (Coselli et al). 2002;35:631-9

Cerebrovascular accident
Internal carotid artery flow volume measurement and other intraoperative duplex scanning parameters as predictors of stroke after carotid endarterectomy (Ascher et al). 2002;35:439-44
Major carotid plaque surface irregularities correlate with neurologic symptoms (Troyer et al). 2002;35:741-7

Certification
A "four plus" future for general surgery and vascular surgery: maintaining the union (LoGerfo). 2002;35:1073-7

Child
Pediatric splanchnic arterial occlusive disease: clinical relevance and operative treatment (Upchurch et al). 2002;35:860-7

Clamping; *see* Constriction

Claudication; *see* Intermittent claudication

Clinical reviews
Peripheral vascular brachytherapy (Sidawy et al). 2002;35:1041-7

Clinical trials; *see also* Randomized controlled trials
Protecting the rights of investigators in industry-supported clinical research (Rutherford and Johnston). 2002;35:1036-40 (Editorial)
Scientific data from clinical trials: investigators' responsibilities and rights. 2002;35:1303-4

Clostridium perfringens
Anaerobic cellulitis as the result of Clostridium perfringens: a rare cause of vascular access graft infection (Claeys and Matamoros). 2002;35:1287-8 (Case rep.)

Compartment syndromes
Popliteal entrapment syndrome (Turnipseed). 2002;35:910-15
Regarding 'Abdominal compartment syndrome after mesenteric revascularization' (Tiwari et al). 2002;35:831 (Letter)

Conflict of interest
Surgeon-industry relationships: ethically responsible management of conflicts of interest (Jones and McCullough). 2002;35:825-6

Constriction
Hemostatic alterations associated with supraceliac aortic cross-clamping (Anagnostopoulos et al). 2002;35:100-8

Consumptive coagulopathy; *see* Disseminated intravascular coagulation

Contrast media
Color-flow duplex scanning of the leg arteries by use of a new echo-enhancing agent (Ubbink et al). 2002;35:392-6

Corrections
A clinical comparison of pneumatic compression devices: the basis for selection (Proctor et al) (2001;34:459-64). 2002;35:678
MMP9 production by human monocyte-derived macrophages is decreased on polymerized type I collagen (Lepidi et al) (2001;34:1111-8). 2002;35:261
Treatment of type 2 endoleaks after endovascular repair of abdominal aortic aneurysms: comparison of transarterial and translumbar techniques (Baum et al) (2002;35:23-29). 2002;35:835

Correspondence; *see* Letters to the Editor

Cost-benefit analysis
Cost of routine screening for carotid and lower extremity occlusive disease in patients with abdominal aortic aneurysms (Axelrod et al). 2002;35:754-8
Regarding "Early results of infragenicular revascularization based solely on duplex arteriography" (Friedman) (Letter); (Walsh) (Reply). 2002;35:830
Why insurers should reimburse for compression stockings in patients with chronic venous stasis (Korn et al). 2002;35:950-7

Cryopreservation
Abdominal aortic reconstruction in infected fields: early results

of the United States Cryopreserved Aortic Allograft Registry (Noel et al). 2002;35:847-52
Technical details with the use of cryopreserved arterial allografts for aortic infection: influence on early and midterm mortality (Vogt et al). 2002;35:80-6

D

Delirium
Transient advanced mental impairment: an underappreciated morbidity after aortic surgery (Rosen et al). 2002;35:376-81
Dexamethasone
Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone (Pross et al). 2002;35:1253-9
Dextran sulfate
A chemically modified dextran inhibits smooth muscle growth in vitro and intimal in stent hyperplasia in vitro (Deux et al). 2002;35:973-81
Diabetes mellitus
Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus (Dorweiler et al). 2002;35:766-72
Perioperative cardiovascular risk stratification of patients with diabetes who undergo elective major vascular surgery (Axelrod et al). 2002;35:894-901
Usefulness of autogenous bypass grafts originating distal to the groin (Reed et al). 2002;35:48-55
Diabetic foot
Angiographic scoring of vascular occlusive disease in the diabetic foot: relevance to bypass graft patency and limb salvage (Toursarkissian et al). 2002;35:494-500
Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization (Arora et al). 2002;35:501-5
Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus (Dorweiler et al). 2002;35:766-72
Disease models, animal
Doxycycline in patients with abdominal aortic aneurysms and in mice: comparison of serum levels and effect on aneurysm growth in mice (Prall et al). 2002;35:923-9
Epidural cooling for the prevention of ischemic injury to the spinal cord during aortic occlusion in a rabbit model: determination of the optimal temperature (Martelli et al). 2002;35:547-53
Pathologic and histologic results of electrical impulses in a rabbit model of atherosclerosis: 24-hour versus 8-hour regimen (Chekanov et al). 2002;35:554-62
Disease progression
Relationship between site of initial symptoms and subsequent progression of disease in a prospective study of atherosclerosis progression in patients receiving long-term treatment for symptomatic peripheral arterial disease (Nicoloff et al). 2002;35:38-47
Disseminated intravascular coagulation
Hemostatic alterations associated with supraceliac aortic cross-clamping (Anagnostopoulos et al). 2002;35:100-8
DNA
Molecular biology: a brief overview (Gahtan et al). 2002;35:563-8
Doxycycline
Doxycycline in patients with abdominal aortic aneurysms and in mice: comparison of serum levels and effect on aneurysm growth in mice (Prall et al). 2002;35:923-9
Drainage
Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial (Coselli et al). 2002;35:631-9

E

Economics, medical
Reductio ad absurdum: financing vascular care in the millennium (O'Donnell). 2002;35:184-91
Editorials
Endovascular treatment of abdominal aortic aneurysms: an innovation in evolution and under evaluation (Veith and Johnston). 2002;35:183
Protecting the rights of investigators in industry-supported clinical research (Rutherford and Johnston). 2002;35:1036-40
Elastin
The association between venous structural alterations and biomechanical weakness in patients with abdominal aortic aneurysms (Goodall et al). 2002;35:937-42
Monocyte chemotactic activity in human abdominal aortic aneurysms: role of elastin degradation peptides and the 67-kD cell surface elastin receptor (Hance et al). 2002;35:254-61
Electric stimulation
Pathologic and histologic results of electrical impulses in a rabbit model of atherosclerosis: 24-hour versus 8-hour regimen (Chekanov et al). 2002;35:554-62
The use of a nerve stimulator in difficult carotid surgery (Driscoll and Chalmer). 2002;35:627 (Letter)
Electroencephalography
Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal carotid artery occlusion and utility in prevention of perioperative strokes (Schneider et al). 2002;35:1114-22
Embolization, therapeutic
External iliac artery-to-internal iliac artery endograft: a novel approach to preserve pelvic inflow in aortoiliac stent grafting (Bergamini et al). 2002;35:120-4
Treatment of abdominal aortic anastomotic pseudoaneurysm with percutaneous coil embolization (Fann et al). 2002;35:811-14 (Case rep.)
Treatment of type 2 endoleaks after endovascular repair of abdominal aortic aneurysms: comparison of transarterial and translumbar techniques (Baum et al) 2002;35:23-9. Correction 2002;35:835
Endarterectomy
Early results of external iliac artery stenting combined with common femoral artery endarterectomy (Nelson et al). 2002;35:1107-13
Successful bilateral transaortic renal endarterectomy after failed renal artery angioplasty and stenting: a case report (Pak et al). 2002;35:808-10 (Case rep.)
Endarterectomy, carotid
Carotid artery closure for endarterectomy does not influence results of angioplasty-stenting for restenosis (Hobson et al). 2002;35:435-8
Carotid endarterectomy with routine electroencephalography and selective shunting: influence of contralateral internal

carotid artery occlusion and utility in prevention of perioperative strokes (Schneider et al). 2002;35:1114-22
Gender as a primary predictor of outcome after carotid endarterectomy (Sarac et al). 2002;35:748-53
Hemodynamic benefits of regional anesthesia for carotid endarterectomy (Sternbach et al). 2002;35:333-9
High-risk carotid endarterectomy: challenges for carotid stent protocols (Jordan et al). 2002;35:16-22
Internal carotid artery flow volume measurement and other intraoperative duplex scanning parameters as predictors of stroke after carotid endarterectomy (Ascher et al). 2002;35:439-44
Long-term geometric stability of saphenous vein patched carotid endarterectomy (Archie). 2002;35:131-6
Major carotid plaque surface irregularities correlate with neurologic symptoms (Troyer et al). 2002;35:741-7
A prospective, randomized study of saphenous vein patching versus synthetic patching during carotid endarterectomy (O'Hara et al). 2002;35:324-32
Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results (AbuRahma et al). 2002;35:125-30
Protected carotid stenting: safety and efficacy of the MedNove NeuroShield filter (Macdonald et al). 2002;35:966-72
Pseudo-occlusions of the internal carotid artery: a rationale for treatment on the basis of a modified carotid duplex scan protocol (Ascher et al). 2002;35:340-5
Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Ballotta et al) (Letter); (Mehta et al) (Reply). 2002;35:1069-70
Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Cooley) (Letter); (Mehta et al) (Reply). 2002;35:1070
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Thompson et al) (Letter); (Ouriel and Bhandari) (Reply). 2002;35:181-82
Regarding "Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (Edwards). 2002;35:176-7 (Invited comment)
Regarding "Prospective randomized study of carotid endarterectomy with PTFE versus collagen impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (AbuRahma). 2002;35:405 (Letter)
Retrojugular approach for carotid endarterectomy: a prospective cohort study (Safar et al). 2002;35:737-40
The use of a nerve stimulator in difficult carotid surgery (Driscoll and Chalmer). 2002;35:627 (Letter)

Endoleakage; *see* Postoperative complications

Endoluminal repair; *see* Angioplasty

Endothelial growth factors
Differential effects of vascular growth factors on arterial and venous angiogenesis (Blebea et al). 2002;35:532-8

Endothelium, vascular
Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood" (Tiwari et al) (Letter); (Townsend et al) (Reply). 2002;35:827-8

Equipment failure
Hear no evil, see no evil, speak no evil: postmarket monitoring, underreporting, and estimating the prevalence of endograft-related adverse events (Chaikof). 2002;35:1299-300 (Invited comment)

Estradiol
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women" (Szaky) (Letter); (Ciardullo et al) (Reply). 2002;35:829-30

Ethics, medical
Abdominal aortic aneurysm in death row inmate (Jones). 2002;35:621-2
Futility and surgical intervention (Jones and McCullough). 2002;35:1305
Protecting the rights of investigators in industry-supported clinical research (Rutherford and Johnston). 2002;35:1036-40 (Editorial)
Refusal of life-saving treatment in the aged (Jones and McCullough). 2002;35:1067
Surgeon-industry relationships: ethically responsible management of conflicts of interest (Jones and McCullough). 2002;35:825-6
A surgeon's obligations when performing new procedures (Jones and McCullough). 2002;35:409-10
When to refer to another surgeon (Jones and McCullough). 2002;35:192

Ethics, professional
Policy on declaring conditions of funding for research studies (Johnston and Rutherford). 2002;35:197

Evoked potentials, motor
Spinal cord blood supply in patients with thoracoabdominal aortic aneurysms (Jacobs et al). 2002;35:30-7

Exercise
Increasing exercise tolerance of persons limited by claudication pain using polestriding (Langbein et al). 2002;35:887-93

F

Factor V
Coagulopathy as a result of factor V inhibitor after exposure to bovine topical thrombin (Neschis et al). 2002;35:400-2 (Case rep.)

Fees and charges
Reductio ad absurdum: financing vascular care in the millennium (O'Donnell). 2002;35:184-91

Femoral artery
Arterial infection and *Staphylococcus aureus* bacteremia after transfemoral cannulation for percutaneous carotid angioplasty and stenting (Culver et al). 2002;35:576-9 (Case rep.)
Common femoral artery injury secondary to bicycle handlebar trauma (Sarfati et al). 2002;35:589-91 (Case rep.)
Early results of external iliac artery stenting combined with common femoral artery endarterectomy (Nelson et al). 2002;35:1107-13
The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial (Jackson et al). 2002;35:292-8
Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts (AbuRahma et al). 2002;35:307-15
Percutaneous bedside femorofemoral bypass grafting for acute limb ischemia caused by intra-aortic balloon pump (Lin et al). 2002;35:592-4 (Tech. note)

Safety and efficacy of femoral-based hemodialysis access grafts (Tashjian et al). 2002;35:691-3
Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction (Henke et al). 2002;35:902-9

Femoral vein
Changes in venous lumen size and shape do not affect the accuracy of volume flow measurements in health volunteers and patients with primary chronic venous insufficiency (Lurie et al). 2002;35:522-6
Ipsilateral femoral vein compression: a contraindication to thrombin injection of femoral pseudoaneurysms (Hung et al). 2002;35:1280-3 (Case rep.)
The mechanism of venous valve closure in normal physiologic conditions (Lurie et al). 2002;35:713-17

Fibrinolysis
Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis (Meissner et al). 2002;35:278-85
Hemostatic alterations associated with supraceliac aortic cross-clamping (Anagnostopoulos et al). 2002;35:100-8
Hemostatic markers before operation in patients with acutely symptomatic nonruptured and ruptured infrarenal abdominal aortic aneurysm (Adam et al). 2002;35:661-5

Fibroblast growth factor, acidic
Naked plasmid DNA encoding fibroblast growth factor type 1 for the treatment of end-stage unreconstructible lower extremity ischemia: preliminary results of a phase I trial (Comerota et al). 2002;35:930-6

Fibroblast growth factor, basic
Rho and basic fibroblast growth factor involvement in centrosome redistribution and actin microfilament remodeling during early endothelial wound repair (Lee and Gotlieb). 2002;35:1242-52

Fistula
Primary aortoappendiceal fistula: case report and review of the literature (Monaghan and Cogbill). 2002;35:1284-6 (Case rep.)

Foot, diabetic; *see* Diabetic foot

Forecasting
Cardiovascular workforce in the 21st century (Goldstone). 2002;35:1301-2 (Invited comment)
Endovascular workforce for peripheral vascular disease: current and future needs (Wieslander et al). 2002;35:1218-25

G

Gender; *see* Sex factors

Gene expression
Differential gene expression in human abdominal aorta: aneurysmal versus occlusive disease (Armstrong et al). 2002;35:346-55
Gene expression profiling of abdominal aortic aneurysms (Thompson et al). 2002;35:403-4 (Invited comment)
The sequence of gene expression in cultured human saphenous vein after injury (Castronuovo and Price). 2002;35:146-51

Genes, retinoblastoma
Attenuated retinoblastoma gene product and associated E2F/retinoblastoma imbalance in anastomotic intimal hyperplasia (Sivamurthy et al). 2002;35:1233-41

Glutaraldehyde-stabilized grafts; *see* Bioprosthesis

Graft occlusion, vascular
Carotid artery closure for endarterectomy does not influence results of angioplasty-stenting for restenosis (Hobson et al). 2002;35:435-8
The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial (Jackson et al). 2002;35:292-8
Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair (Parent et al). 2002;35:686-90
Endovascular management of iliac limb occlusion of bifurcated aortic endografts (Bohannon et al). 2002;35:584-8 (Case rep.)
Long-term results of revised infrainguinal arterial reconstructions (Darling et al). 2002;35:773-8
Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease (Inoue et al). 2002;35:672-8
Regarding "Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease" (Butany). 2002;35:820-2 (Invited comment)
Secondary infrainguinal bypass surgery: a continuing challenge (Belkin). 2002;35:1020-1 (Invited comment)
Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction (Henke et al). 2002;35:902-9

Graft patency
Angiographic scoring of vascular occlusive disease in the diabetic foot: relevance to bypass graft patency and limb salvage (Toursarkissian et al). 2002;35:494-500
Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study (Johnson and Williford). 2002;35:413-21
Bypass in the absence of ipsilateral greater saphenous vein: safety and superiority of the contralateral greater saphenous vein (Chew et al). 2002;35:1085-92
Durability of antegrade synthetic aortomesenteric bypass for chronic mesenteric ischemia (Jimenez et al). 2002;35:1078-84
Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306
Intraoperative angioscopy may improve the outcome of in situ saphenous vein bypass grafting: a prospective study (Thörne et al). 2002;35:759-65
Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting (Buckley et al). 2002;35:316-23
Localization of nitric oxide synthase in saphenous vein grafts harvested with a novel "no-touch" technique: potential role of nitric oxide contribution to improved early graft patency rates (Tsui et al). 2002;35:356-62
Long-term outcome of revised lower-extremity bypass grafts (Landry et al). 2002;35:56-63
Long-term results of revised infrainguinal arterial reconstructions (Darling et al). 2002;35:773-8
Usefulness of autogenous bypass grafts originating distal to the groin (Reed et al). 2002;35:48-55

H

Health manpower
Cardiovascular workforce in the 21st century (Goldstone). 2002;35:1301-2 (Invited comment)

Endovascular workforce for peripheral vascular disease: current and future needs (Wieslander et al). 2002;35:1218-25

Heart function tests

Prediction of cardiac risk before abdominal aortic reconstruction: comparison of a revised Goldman Cardiac Risk Index and radioisotope ejection fraction (Karkos et al). 2002;35:943-9

Heat-shock proteins 70

Expression of heat shock protein-70 by dendritic cells in the arterial intima and its potential significance in atherogenesis (Bobryshev and Lord). 2002;35:368-75

Hematoma

Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography (Sueyoshi et al). 2002;35:1179-83

Regarding "Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography" (Cambria). 2002;35:1295-6 (Invited comment)

Hemodialysis

A novel technique designed to minimize the morbidity of failure of arteriovenous access in hemodialysis patients (Benedetto et al). 2002;35:1013-15 (Tech. note)

Recommended standards for reports dealing with arteriovenous hemodialysis accesses (Sidawy et al). 2002;35:603-10

Safety and efficacy of femoral-based hemodialysis access grafts (Tashjian et al). 2002;35:691-3

Hemodynamics

Hemodynamic benefits of regional anesthesia for carotid endarterectomy (Sternbach et al). 2002;35:333-9

Heparin

Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial" (Segesser et al) (Letter); (Devine and McCollum) (Reply). 2002;35:623

Regarding "Heparin modulated integrin function in human platelets" (Mikhailidis and Jagroop). 2002;35:405-6 (Letter)

Hepatocyte growth factor

Hepatocyte growth factor prevents intimal hyperplasia in rabbit carotid expanded polytetrafluoroethylene grafting (Harada et al). 2002;35:786-91

Hereditary diseases

Palmar hyperhidrosis: evidence of genetic transmission (Ro et al). 2002;35:382-6

History of medicine

The Midwestern Vascular Surgical Society: the formative years, 1976-1981 (Pfeifer and Stanley). 2002;35:837-40

Presidential address: "Gentlemen, this is no humbug"— The role of natural selection in vascular surgery (O'Hara). 2002;35:841-6

Regarding "The 50th anniversary of abdominal aortic reconstruction" (Kaufman). 2002;35:623-4 (Letter)

Regarding "The 50th anniversary of abdominal aortic reconstruction" (Leeds). 2002;35:406-7 (Letter)

The saphenous vein: derivation of its name and its relevant anatomy (Caggiati and Bergan). 2002;35:172-5

HIV infections

A subclavian artery aneurysm in a patient with HIV infection: a case report (Wong et al). 2002;35:1006-9

HLA-C antigens

Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms (Rasmussen et al). 2002;35:988-93

Homocysteine

Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Caldwell et al). 2002;35:408 (Letter)

Hyperhidrosis

Palmar hyperhidrosis: evidence of genetic transmission (Ro et al). 2002;35:382-6

Hyperplasia

A chemically modified dextran inhibits smooth muscle growth in vitro and intimal in stent hyperplasia in vitro (Deux et al). 2002;35:973-81

Hepatocyte growth factor prevents intimal hyperplasia in rabbit carotid expanded polytetrafluoroethylene grafting (Harada et al). 2002;35:786-91

Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia (Cook et al). 2002;35:158-65

Supplemental oxygen reduces intimal hyperplasia after intraarterial stenting in the rabbit (Tretinyak et al). 2002;35:982-7

Validation of an in vitro model of human saphenous vein hyperplasia (Castronuovo et al). 2002;35:152-7

Hypertension

Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Ballotta et al) (Letter); (Mehta et al) (Reply). 2002;35:1069-70

Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Cooley) (Letter); (Mehta et al) (Reply). 2002;35:1070

Hypertension, renovascular

Surgical management of atherosclerotic renovascular disease (Cherr et al). 2002;35:236-45

Hypothermia, induced

Epidural cooling for the prevention of ischemic injury to the spinal cord during aortic occlusion in a rabbit model: determination of the optimal temperature (Martelli et al). 2002;35:547-53

I

Iliac aneurysm

External iliac artery-to-internal iliac artery endograft: a novel approach to preserve pelvic inflow in aortoiliac stent grafting (Bergamini et al). 2002;35:120-4

Minimally invasive vascular surgery for repair of infrarenal abdominal aortic aneurysm with iliac involvement (Matsumoto et al). 2002;35:654-60

Successful endovascular treatment of a ruptured internal iliac aneurysm (Ricci et al). 2002;35:1274-6 (Case rep.)

A technique for combined hypogastric artery bypass and endovascular repair of complex aortoiliac aneurysms (Lee et al). 2002;35:1289-91 (Tech. note)

Iliac artery

Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow (Kritpracha et al). 2002;35:874-81

Early results of external iliac artery stenting combined with common femoral artery endarterectomy (Nelson et al). 2002;35:1107-13

Endovascular management of iliac limb occlusion of bifurcated aortic endografts (Bohannon et al). 2002;35:584-8 (Case rep.)

External iliac artery-to-internal iliac artery endograft: a novel

approach to preserve pelvic inflow in aortoiliac stent grafting (Bergamini et al). 2002;35:120-4
Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting (Buckley et al). 2002;35:316-23
Novel anastomotic method enables aortofemoral bypass for patients with porcelain aorta (Sasajima et al). 2002;35:1016-19 (Tech. note)

Iliac vein
The clinical impact of iliac venous stents in the management of chronic venous insufficiency (Raju et al). 2002;35:8-15
Intravascular ultrasound scan evaluation of the obstructed vein (Neglén and Raju). 2002;35:694-700
A spontaneous rupture of the external iliac vein revealed as a phlegmasia cerulea dolens with acute lower limb ischemia: case report and review of the literature (Jazayeri et al). 2002;35:999-1002 (Case rep.)

In Memorium; *see* Obituaries

Inflammation
Inflammatory response in the acute phase of deep vein thrombosis (Roumen-Klappe et al). 2002;35:701-6

Insurance coverage
Why insurers should reimburse for compression stockings in patients with chronic venous stasis (Korn et al). 2002;35:950-7

Integrins
Regarding "Heparin modulated integrin function in human platelets" (Mikhailidis and Jagroop). 2002;35:405-6 (Letter)

Interleukins
Inflammatory response in the acute phase of deep vein thrombosis (Roumen-Klappe et al). 2002;35:701-6

Intermittent claudication
Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization (Raffetto et al). 2002;35:1093-9
Increasing exercise tolerance of persons limited by claudication pain using polestriding (Langbein et al). 2002;35:887-93
Popliteal entrapment syndrome (Turnipseed). 2002;35:910-15
Secondary infrainguinal bypass surgery: a continuing challenge (Belkin). 2002;35:1020-1 (Invited comment)

Internal fixators
Endovascular repair of abdominal aortic aneurysms: stent-graft fixation across the visceral arteries (Burks et al). 2002;35:109-13

International Society for Cardiovascular Surgery, North American Chapter
A proposal for revitalization: an international society for vascular intervention (Whittemore). 2002;35:815-17 (Tech. note)

Internship and residency
A "four plus" future for general surgery and vascular surgery: maintaining the union (LoGerfo). 2002;35:1073-7

Intestinal perforation
Duodenal perforation with an inferior vena cava filter: an unusual cause of abdominal pain (Feezor et al). 2002;35:1010-12 (Case rep.)

Intra-aortic balloon pumping
Percutaneous bedside femorofemoral bypass grafting for acute limb ischemia caused by intra-aortic balloon pump (Lin et al). 2002;35:592-4 (Tech. note)

Ischemia
Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306
Long-term outcome after mesenteric artery reconstruction: a 37-year experience (Cho et al). 2002;35:453-60
Sex-related differences in outcome after vascular interventions for lower limb ischemia (Hultgren et al). 2002;35:510-16
A spontaneous rupture of the external iliac vein revealed as a phlegmasia cerulea dolens with acute lower limb ischemia: case report and review of the literature (Jazayeri et al). 2002;35:999-1002 (Case rep.)

Ischemia-reperfusion injury; *see* Reperfusion injury

Ischemic attack, transient
Major carotid plaque surface irregularities correlate with neurologic symptoms (Troyer et al). 2002;35:741-7

Ischemic preconditioning
Ischemic preconditioning before lower limb ischemia—reperfusion protects against acute lung injury (Harkin et al). 2002;35:1264-73

Journal of Vascular Surgery
Policy on declaring conditions of funding for research studies (Johnston and Rutherford). 2002;35:197

J

Jugular veins
Percutaneous bioprosthetic venous valve: a long-term study in sheep (Pavcnik et al). 2002;35:598-602

L

Laparotomy
Minimally invasive vascular surgery for repair of infrarenal abdominal aortic aneurysm with iliac involvement (Matsumoto et al). 2002;35:654-60

Leg
Color-flow duplex scanning of the leg arteries by use of a new echo-enhancing agent (Ubbink et al). 2002;35:392-6
Comparative decades of experience with glutaraldehyde-tanned human umbilical cord vein graft for lower limb revascularization: an analysis of 1275 cases (Dardik et al). 2002;35:64-71
Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization (Raffetto et al). 2002;35:1093-9
Long-term outcome of revised lower-extremity bypass grafts (Landry et al). 2002;35:56-63
Reproducibility of ultrasound scan in the assessment of volume flow in the veins of the lower extremities (Ogawa et al). 2002;35:527-31
Sex-related differences in outcome after vascular interventions for lower limb ischemia (Hultgren et al). 2002;35:510-16
A spontaneous rupture of the external iliac vein revealed as a phlegmasia cerulea dolens with acute lower limb ischemia: case report and review of the literature (Jazayeri et al). 2002;35:999-1002 (Case rep.)

Leg ulcer
The prevalence of thrombophilia in patients with chronic venous leg ulceration (MacKenzie et al). 2002;35:718-22

Length of stay
Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair (Huynh et al). 2002;35:648-53

Letters to the Editor
Regarding "Abdominal compartment syndrome after mesenteric revascularization" (Tiwari et al). 2002;35:831
Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Hinchliffe). 2002;35:625-6
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Rose et al) (Letter); (Ebaugh et al) (Reply). 2002;35:828-9
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Sing et al) (Letter); (Ebaugh et al) (Reply). 2002;35:1068-9
Regarding "Bypass graft to the midpopliteal artery with a combined anterior and posterior approach" (Sunar and Duran) (Letter); (Gradman) (Reply). 2002;35:1068
Regarding "The carotid artery as alternative access for endoluminal aortic aneurysm repair" (May et al) (Letter); (Estes et al) (Reply). 2002;35:180
Regarding "A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures" (Zeebregts) (Letter); (Baguneid et al) (Reply). 2002;35:626-7
Regarding "Early results of infragenicular revascularization based solely on duplex arteriography" (Friedman) (Letter); (Walsh) (Reply). 2002;35:830
Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Ballotta et al) (Letter); (Mehta et al) (Reply). 2002;35:1069-70
Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Cooley) (Letter); (Mehta et al) (Reply). 2002;35:1070
Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial" (Segesser et al) (Letter); (Devine and McCollum) (Reply). 2002;35:623
Regarding "Heparin modulated integrin function in human platelets" (Mikhailidis and Jagroop). 2002;35:405-6
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women" (Szaky) (Letter); (Ciardullo et al) (Reply). 2002;35:829-30
Regarding "High prevalence of mild hyperhomocysteinemia in patients with abdominal aortic aneurysm" (Caldwell et al). 2002;35:408
Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery" (Berger) (Letter); (Tu et al) (Reply); (Cronenwett) (Reply). 2002;35:624-5
Regarding "Isolation of endothelial cells and their progenitor cells from human peripheral blood" (Tiwari et al) (Letter); (Townsend et al) (Reply). 2002;35:827-8
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Kasirajan) (Letter); (Ouriel) (Reply). 2002;35:407-8
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Thompson et al) (Letter); (Ouriel and Bhandari) (Reply). 2002;35:181-82
Regarding "Prospective randomized study of carotid endarterectomy with PTFE versus collagen impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (AbuRahma). 2002;35:405
Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access" (Gooding) (Letter); (Schenk) (Reply). 2002;35:181
Regarding "The 50th anniversary of abdominal aortic reconstruction" (Kaufman). 2002;35:623-4
Regarding "The 50th anniversary of abdominal aortic reconstruction" (Leeds). 2002;35:406-7
Regarding "The saphenous vein: derivation of its name and its relevant anatomy" (Kakkos and Nicolaides). 2002;35:1307
The use of a nerve stimulator in difficult carotid surgery (Driscoll and Chalmer). 2002;35:627
The value of technetium-99m HMPAO leukocyte scintigraphy in infectious abdominal aortic aneurysm stent graft complications (Speziale et al). 2002;35:1306-7
Longitudinal studies
Long-term results of revised infrainguinal arterial reconstructions (Darling et al). 2002;35:773-8
Lower extremity; *see* Leg
Lung injury, acute; *see* Respiratory distress syndrome, adult
Lupus erythematosus, systemic
Nondissecting aneurysm of the thoracic aorta with arteritis in systemic lupus erythematosus (Takagi et al). 2002;35:801-4 (Case rep.)
Lymphoma
Primary malignant lymphoma of the saphenous vein (Rulli et al). 2002;35:168-71 (Case rep.)

M

Macrophages
Macrophages are associated with lipid-rich carotid artery plaques, echolucency on B-mode imaging, and elevated plasma lipid levels (Grønholdt et al). 2002;35:137-45
Magnetic resonance angiography
Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus (Dorweiler et al). 2002;35:766-72
Materials testing
Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop (Abel et al). 2002;35:1022-8
Matrix metalloproteinases
Differential regulation of matrix metalloproteinase activities in abdominal aortic aneurysms (Annabi et al). 2002;35:539-46
Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone (Pross et al). 2002;35:1253-9
Response of plasma matrix metalloproteinase-9 to conventional abdominal aortic aneurysm repair or endovascular exclusion: implications for endoleak (Lorelli et al). 2002;35:916-22
Melioidosis
Melioidosis presenting as an infected intrathoracic subclavian artery pseudoaneurysm treated with femoral vein interposition graft (Schindler et al). 2002;35:569-72 (Case rep.)
Menopause
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women" (Szaky) (Letter); (Ciardullo et al) (Reply). 2002;35:829-30
Mental disorders
Transient advanced mental impairment: an underappreciated

morbidity after aortic surgery (Rosen et al). 2002;35: 376-81

Mesenteric artery
Long-term outcome after mesenteric artery reconstruction: a 37-year experience (Cho et al). 2002;35:453-60
Superior mesenteric artery dissection: case report (Gouëffic et al). 2002;35:1003-5 (Case rep.)
Superior mesenteric artery pseudoaneurysm successfully treated with polytetrafluoroethylene covered stent (Cowan et al). 2002;35:805-7 (Case rep.)

Mesenteric vascular occlusion
Contemporary management of acute mesenteric ischemia: factors associated with survival (Park et al). 2002;35:445-52
Current results of open revascularization for chronic mesenteric ischemia: a standard for comparison (Park et al). 2002;35:853-9
Durability of antegrade synthetic aortomesenteric bypass for chronic mesenteric ischemia (Jimenez et al). 2002;35: 1078-84

Microcirculation
Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization (Arora et al). 2002;35: 501-5

Midwestern Vascular Surgical Society
The Midwestern Vascular Surgical Society: the formative years, 1976-1981 (Pfeifer and Stanley). 2002;35:837-40
Presidential address: "Gentlemen, this is no humbug"— The role of natural selection in vascular surgery (O'Hara). 2002; 35:841-6

Molecular biology
Molecular biology: a brief overview (Gahtan et al). 2002;35: 563-8

Mortality
Survival of young patients after abdominal aortic aneurysm repair (Cherr et al). 2002;35:94-9

Multiple organ failure
Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: guidelines from a 10-year case-control study (Rasmussen et al). 2002;35:246-53

Muscle, smooth, vascular
The association between venous structural alterations and biomechanical weakness in patients with abdominal aortic aneurysms (Goodall et al). 2002;35:937-42
Attenuated retinoblastoma gene product and associated E2F/ retinoblastoma imbalance in anastomotic intimal hyperplasia (Sivamurthy et al). 2002;35:1233-41
A chemically modified dextran inhibits smooth muscle growth in vitro and intimal in stent hyperplasia in vitro (Deux et al). 2002;35:973-81
Differential regulation of matrix metalloproteinase activities in abdominal aortic aneurysms (Annabi et al). 2002;35: 539-46
Inhibition of vascular smooth muscle cell proliferation with red wine and red wine polyphenols (Araim et al). 2002;35: 1226-32
Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia (Cook et al). 2002; 35:158-65
Rat and human aortic smooth muscle cells display differing migration and matrix metalloproteinase activities in response to dexamethasone (Pross et al). 2002;35:1253-9

N

Naltrexone
Differential effects of vascular growth factors on arterial and venous angiogenesis (Blebea et al). 2002;35:532-8

Neovascularization
Differential effects of vascular growth factors on arterial and venous angiogenesis (Blebea et al). 2002;35:532-8

Nerve compression **syndromes**
Popliteal entrapment syndrome (Turnipseed). 2002;35: 910-15

Nitric oxide
Impaired vasoreactivity despite an increase in plasma nitrite in patients with abdominal aortic aneurysms (Knipp et al). 2002;35:363-7

Nitric oxide **synthase**
Localization of nitric oxide synthase in saphenous vein grafts harvested with a novel "no-touch" technique: potential role of nitric oxide contribution to improved early graft patency rates (Tsui et al). 2002;35:356-62

O

Obituaries
Charles Granville Rob, 1913-2001 (Rich). 2002;35:178-9
D. Eugene Strandness, Jr., MD, 1928-2002 (Zierler). 2002; 35:835-6

Opinion **(column)**
A proposal for revitalization: an international society for vascular intervention (Whittemore). 2002;35:815-17 (Tech. note)

Outcome **assessment (health care)**
Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs (Rautio et al). 2002;35:958-65
Expansion rates and outcomes for the 3.0-cm to the 3.9-cm infrarenal abdominal aortic aneurysm (Santilli et al). 2002; 35:666-71
Functional outcome after thoracoabdominal aortic aneurysm repair (Rectenwald et al). 2002;35:640-7
Identifying and grading factors that modify the outcome of endovascular aortic aneurysm repair (Chaikof et al). 2002; 35:1060-6

Oxygen
Supplemental oxygen reduces intimal hyperplasia after intraarterial stenting in the rabbit (Tretinyak et al). 2002;35: 982-7

P

P-selectin
Early diagnosis of deep vein thrombosis in female patients who undergo total knee arthroplasty with measurement of P-selectin activation (Yang et al). 2002;35:707-12

Palliative care
Futility and surgical intervention (Jones and McCullough). 2002;35:1305

Paraplegia
Cerebrospinal fluid drainage reduces paraplegia after thoracoabdominal aortic aneurysm repair: results of a randomized clinical trial (Coselli et al). 2002;35:631-9

Peripheral **vascular diseases**
Age at onset of smoking is an independent risk factor in peripheral artery disease development (Planas et al). 2002; 35:506-9

Angiographic scoring of vascular occlusive disease in the diabetic foot: relevance to bypass graft patency and limb salvage (Toursarkissian et al). 2002;35:494-500

Cost of routine screening for carotid and lower extremity occlusive disease in patients with abdominal aortic aneurysms (Axelrod et al). 2002;35:754-8

Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization (Arora et al). 2002;35:501-5

Endovascular workforce for peripheral vascular disease: current and future needs (Wieslander et al). 2002;35:1218-25

Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization (Raffetto et al). 2002;35:1093-9

Impaired vasoreactivity despite an increase in plasma nitrite in patients with abdominal aortic aneurysms (Knipp et al). 2002;35:363-7

Increasing exercise tolerance of persons limited by claudication pain using polestriding (Langbein et al). 2002;35:887-93

Naked plasmid DNA encoding fibroblast growth factor type 1 for the treatment of end-stage unreconstructible lower extremity ischemia: preliminary results of a phase I trial (Comerota et al). 2002;35:930-6

Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease (Inoue et al). 2002;35:672-8

Peripheral vascular brachytherapy (Sidawy et al). 2002;35:1041-7

Regarding "Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease" (Butany). 2002;35:820-2 (Invited comment)

Relationship between site of initial symptoms and subsequent progression of disease in a prospective study of atherosclerosis progression in patients receiving long-term treatment for symptomatic peripheral arterial disease (Nicoloff et al). 2002;35:38-47

Phagocytes

Monocyte chemotactic activity in human abdominal aortic aneurysms: role of elastin degradation peptides and the 67-kD cell surface elastin receptor (Hance et al). 2002;35:254-61

Phlebography

Intravascular ultrasound scan evaluation of the obstructed vein (Neglén and Raju). 2002;35:694-700

Phlebotomy

The effect of long saphenous vein stripping on quality of life (MacKenzie et al). 2002;35:1191-203

Endovascular obliteration of saphenous reflux: a multicenter study (Merchant et al). 2002;35:1190-6

Endovascular obliteration of saphenous reflux: a perspective (Harris). 2002;35:1292-4 (Invited comment)

Plasmids

Naked plasmid DNA encoding fibroblast growth factor type 1 for the treatment of end-stage unreconstructible lower extremity ischemia: preliminary results of a phase I trial (Comerota et al). 2002;35:930-6

Platelet aggregation

Regarding "Heparin modulated integrin function in human platelets" (Mikhailidis and Jagroop). 2002;35:405-6 (Letter)

Platelet aggregation inhibitors

Combined therapy with clopidogrel and aspirin significantly increases the bleeding time through a synergistic antiplatelet action (Payne et al). 2002;35:1204-9

Plethysmography

Recurrence of chronic venous ulcers on the basis of clinical, etiologic, anatomic, and pathophysiologic criteria and air plethysmography (McDaniel et al). 2002;35:723-8

Polytetrafluoroethylene

Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306

The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial (Jackson et al). 2002;35:292-8

Hepatocyte growth factor prevents intimal hyperplasia in rabbit carotid expanded polytetrafluoroethylene grafting (Harada et al). 2002;35:786-91

Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts (AbuRahma et al). 2002;35:307-15

Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results (AbuRahma et al). 2002;35:125-30

Regarding "Heparin-bonded Dacron or polytetrafluoroethylene for femoro-popliteal bypass grafting: a multicenter trial" (Segesser et al) (Letter); (Devine and McCollum) (Reply). 2002;35:623

Regarding "Prospective randomized study of carotid endarterectomy with polytetrafluoroethylene versus collagen-impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (Edwards). 2002;35:176-7 (Invited comment)

Regarding "Prospective randomized study of carotid endarterectomy with PTFE versus collagen impregnated Dacron (Hemashield) patching: perioperative (30-day) results" (AbuRahma). 2002;35:405 (Letter)

Superior mesenteric artery pseudoaneurysm successfully treated with polytetrafluoroethylene covered stent (Cowan et al). 2002;35:805-7 (Case rep.)

Popliteal artery

The effect of anticoagulation therapy and graft selection on the ischemic consequences of femoropopliteal bypass graft occlusion: results from a multicenter randomized clinical trial (Jackson et al). 2002;35:292-8

Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts (AbuRahma et al). 2002;35:307-15

Popliteal entrapment syndrome (Turnipseed). 2002;35:910-15

Regarding "Bypass graft to the midpopliteal artery with a combined anterior and posterior approach" (Sunar and Duran) (Letter); (Gradman) (Reply). 2002;35:1068

Success of thrombolysis as a predictor of outcome in acute thrombosis of popliteal aneurysms (Marty et al). 2002;35:487-93

Postoperative complications

Arterial infection and *Staphylococcus aureus* bacteremia after transfemoral cannulation for percutaneous carotid angioplasty and stenting (Culver et al). 2002;35:576-9 (Case rep.)

Clinical failures of endovascular abdominal aortic aneurysm

repair; incidence, causes, and management (Dattilo et al). 2002;35:1137-44

Coagulopathy as a result of factor V inhibitor after exposure to bovine topical thrombin (Neschis et al). 2002;35:400-2 (Case rep.)

Comparison of the resistance to infection of rifampin-bonded gelatin-sealed and silver/collagen-coated polyester prostheses (Goëau-Brissonnière et al). 2002;35:1260-3

Determinants of hospital length of stay after thoracoabdominal aortic aneurysm repair (Huynh et al). 2002;35:648-53

Device migration after endoluminal abdominal aortic aneurysm repair: analysis of 113 cases with a minimum follow-up period of 2 years (Cao et al). 2002;35:229-35

Duodenal perforation with an inferior vena cava filter: an unusual cause of abdominal pain (Feezor et al). 2002;35:1010-12 (Case rep.)

Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair (Carpenter et al). 2002;35:222-8

Durability of open repair of infrarenal abdominal aortic aneurysm: a 15-year follow-up study (Biancari et al). 2002;35:87-93

Efficacy of a bifurcated endograft versus open repair of abdominal aortic aneurysms: a reappraisal (Makaroun et al). 2002;35:203-10

Emergency surgery for thoracoabdominal aortic aneurysms with acute presentation (LeMaire et al). 2002;35:1171-8

Endograft limb occlusion and stenosis after ANCURE endovascular abdominal aneurysm repair (Parent et al). 2002;35:686-90

Endoluminal stent graft repair of aortobronchial fistulas (Thompson et al). 2002;35:387-91

Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles (Proebstle et al). 2002;35:729-36

Failure of endovascular aortoaortic tube grafts: a plea for preferential use of bifurcated grafts (Faries et al). 2002;35:868-73

Functional outcome after thoracoabdominal aortic aneurysm repair (Rectenwald et al). 2002;35:640-7

Hear no evil, *see* no evil, speak no evil: postmarket monitoring, underreporting, and estimating the prevalence of endograft-related adverse events (Chaikof). 2002;35:1299-300 (Invited comment)

An in situ adjustable endovascular graft for the treatment of abdominal aortic aneurysms (Brener et al). 2002;35:114-19

The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan (Parent et al). 2002;35:474-81

Internal carotid artery flow volume measurement and other intraoperative duplex scanning parameters as predictors of stroke after carotid endarterectomy (Ascher et al). 2002;35:439-44

Late endoleak after endovascular repair of an abdominal aortic aneurysm with multiple proximal extender cuffs (Wolf et al). 2002;35:580-3 (Case rep.)

Nature and significance of endoleaks and endotension: summary of opinions expressed at an international conference (Veith et al). 2002;35:1029-35

Open infrarenal abdominal aortic aneurysm repair: the Cleveland Clinic experience from 1989 to 1998 (Hertzer et al). 2002;35:1145-54

Perioperative cardiovascular risk stratification of patients with diabetes who undergo elective major vascular surgery (Axelrod et al). 2002;35:894-901

Potential impact of therapeutic warfarin treatment on type II endoleaks and sac shrinkage rates on midterm follow-up examination (Fairman et al). 2002;35:679-85

Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop (Abel et al). 2002;35:1022-8

Prediction of cardiac risk before abdominal aortic reconstruction: comparison of a revised Goldman Cardiac Risk Index and radioisotope ejection fraction (Karkos et al). 2002;35:943-9

Regarding "Aneurysm sac pressure measurements after endovascular repair of abdominal aortic aneurysms" (Hinchliffe). 2002;35:625-6 (Letter)

Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Ballotta et al) (Letter); (Mehta et al) (Reply). 2002;35:1069-70

Regarding "Eversion technique increases the risk for postcarotid endarterectomy hypertension" (Cooley) (Letter); (Mehta et al) (Reply). 2002;35:1070

Regarding "The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan" (Carpenter). 2002;35:595-7 (Invited comment)

Reporting standards for endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1048-59

Response of plasma matrix metalloproteinase-9 to conventional abdominal aortic aneurysm repair or endovascular exclusion: implications for endoleak (Lorelli et al). 2002;35:916-22

Ruptured abdominal aortic aneurysm after endovascular repair (Bernhard et al). 2002;35:1155-62

Secondary infrainguinal bypass surgery: a continuing challenge (Belkin). 2002;35:1020-1 (Invited comment)

Significance of endoleaks after endovascular repair of abdominal aortic aneurysms: the EUROSTAR experience (Marrewijk et al). 2002;35:461-73

Spinal cord arteriography: a safe adjunct before descending thoracic or thoracoabdominal aortic aneurysmectomy (Kieffer et al). 2002;35:262-8

Survival of young patients after abdominal aortic aneurysm repair (Cherr et al). 2002;35:94-9

Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction (Henke et al). 2002;35:902-9

Transient advanced mental impairment: an underappreciated morbidity after aortic surgery (Rosen et al). 2002;35:376-81

Transluminal repair of abdominal aortic aneurysm: a call for selective use, careful surveillance, new device design, and systematic study of transrenal fixation (Becker et al). 2002;35:611-15

Treatment of type 2 endoleaks after endovascular repair of abdominal aortic aneurysms: comparison of transarterial and translumbar techniques (Baum et al) 2002;35:23-9. Correction 2002;35:835

The value of technetium-99m HMPAO leukocyte scintigraphy in infectious abdominal aortic aneurysm stent graft complications (Speziale et al). 2002;35:1306-7 (Letter)

Postphlebitic syndrome
The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis (Haenen et al). 2002;35:1184-9
Regarding "The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis" (Raju). 2002;35:1297-8 (Invited comment)
Propranolol
Propranolol for small abdominal aortic aneurysms: result of a randomized trial (Propranolol Aneurysm Trial Investigators). 2002;35:72-9
Prospective studies
Relationship between site of initial symptoms and subsequent progression of disease in a prospective study of atherosclerosis progression in patients receiving long-term treatment for symptomatic peripheral arterial disease (Nicoloff et al). 2002;35:38-47
Protease inhibitors
Reduced protease inhibitory capacity in patients with abdominal aortic aneurysms is reversed with surgical repair (Halpern et al). 2002;35:792-7
Prothrombin
Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis (Meissner et al). 2002;35:278-85
Pseudoaneurysm; *see* Aneurysm, false
Publishing
Scientific data from clinical trials: investigators' responsibilities and rights. 2002;35:1303-4
Pumping, intra-aortic balloon; *see* Intra-aortic balloon pumping

Q

Quality of life
The effect of long saphenous vein stripping on quality of life (MacKenzie et al). 2002;35:1191-203

R

Radionuclide imaging
The value of technetium-99m HMPAO leukocyte scintigraphy in infectious abdominal aortic aneurysm stent graft complications (Speziale et al). 2002;35:1306-7 (Letter)
Randomized controlled trials; *see also* Clinical trials
Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306
Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs (Rautio et al). 2002;35:958-65
Identifying and grading factors that modify the outcome of endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1060-6
Propranolol for small abdominal aortic aneurysms: result of a randomized trial (Propranolol Aneurysm Trial Investigators). 2002;35:72-9
Referral and consultation
When to refer to another surgeon (Jones and McCullough). 2002;35:192
Reflex sympathetic dystrophy
Surgical sympathectomy for reflex sympathetic dystrophy syndromes (Bandyk et al). 2002;35:269-77
Registries
Registry of Endovascular Aneurysm Repair: registry data reporting (Steering Committee). 2002;35:616-20
Renal artery
Endovascular repair of abdominal aortic aneurysms: stent-graft fixation across the visceral arteries (Burks et al). 2002;35:109-13
Surgical management of atherosclerotic renovascular disease (Cherr et al). 2002;35:236-45
Renal artery obstruction
Regarding "Abdominal compartment syndrome after mesenteric revascularization" (Tiwari et al). 2002;35:831 (Letter)
Successful bilateral transaortic renal endarterectomy after failed renal artery angioplasty and stenting: a case report (Pak et al). 2002;35:808-10 (Case rep.)
Reoperation
Long-term outcome of revised lower-extremity bypass grafts (Landry et al). 2002;35:56-63
Secondary infrainguinal bypass surgery: a continuing challenge (Belkin). 2002;35:1020-1 (Invited comment)
Successful bilateral transaortic renal endarterectomy after failed renal artery angioplasty and stenting: a case report (Pak et al). 2002;35:808-10 (Case rep.)
Reperfusion injury
Ischemic preconditioning before lower limb ischemia—reperfusion protects against acute lung injury (Harkin et al). 2002;35:1264-73
Reporting
Recommended standards for reports dealing with arteriovenous hemodialysis accesses (Sidawy et al). 2002;35:603-10
Reporting standards for endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1048-59
Research
Policy on declaring conditions of funding for research studies (Johnston and Rutherford). 2002;35:197
Protecting the rights of investigators in industry-supported clinical research (Rutherford and Johnston). 2002;35:1036-40 (Editorial)
Scientific data from clinical trials: investigators' responsibilities and rights. 2002;35:1303-4
Respiratory distress syndrome, adult
Ischemic preconditioning before lower limb ischemia—reperfusion protects against acute lung injury (Harkin et al). 2002;35:1264-73
Retinoblastoma
Attenuated retinoblastoma gene product and associated E2F/retinoblastoma imbalance in anastomotic intimal hyperplasia (Sivamurthy et al). 2002;35:1233-41
Revascularization
Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study (Johnson and Williford). 2002;35:413-21
Bypass in the absence of ipsilateral greater saphenous vein: safety and superiority of the contralateral greater saphenous vein (Chew et al). 2002;35:1085-92
Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis (Meissner et al). 2002;35:278-85
Comparative decades of experience with glutaraldehyde-tanned human umbilical cord vein graft for lower limb

revascularization: an analysis of 1275 cases (Dardik et al). 2002;35:64-71
Contemporary management of acute mesenteric ischemia: factors associated with survival (Park et al). 2002;35:445-52
Current results of open revascularization for chronic mesenteric ischemia: a standard for comparison (Park et al). 2002;35:853-9
Cutaneous microcirculation in the neuropathic diabetic foot improves significantly but not completely after successful lower extremity revascularization (Arora et al). 2002;35:501-5
Durability of antegrade synthetic aortomesenteric bypass for chronic mesenteric ischemia (Jimenez et al). 2002;35:1078-84
Early results of a prospective randomized trial of spliced vein versus polytetrafluoroethylene graft with a distal vein cuff for limb-threatening ischemia (Kreienberg et al). 2002;35:299-306
Factors that predict site of outflow target artery anastomosis in infrainguinal revascularization (Raffetto et al). 2002;35:1093-9
Initial experience with minimally invasive in situ bypass procedure with blind valvulotomy (Gangadharan et al). 2002;35:1100-6
Intraoperative angioscopy may improve the outcome of in situ saphenous vein bypass grafting: a prospective study (Thörne et al). 2002;35:759-65
Long-term outcome after mesenteric artery reconstruction: a 37-year experience (Cho et al). 2002;35:453-60
Long-term results of revised infrainguinal arterial reconstructions (Darling et al). 2002;35:773-8
Lysis/balloon angioplasty versus thrombectomy/open patch angioplasty of failed femoropopliteal polytetrafluoroethylene bypass grafts (AbuRahma et al). 2002;35:307-15
Magnetic resonance angiography unmasks reliable target vessels for pedal bypass grafting in patients with diabetes mellitus (Dorweiler et al). 2002;35:766-72
A novel technique of upper extremity revascularization: the retrohumeral approach (Marone et al). 2002;35:1277-9 (Case rep.)
Pediatric splanchnic arterial occlusive disease: clinical relevance and operative treatment (Upchurch et al). 2002;35:860-7
Regarding "Abdominal compartment syndrome after mesenteric revascularization" (Tiwari et al). 2002;35:831 (Letter)
Regarding "Bypass graft to the midpopliteal artery with a combined anterior and posterior approach" (Sunar and Duran) (Letter); (Gradman) (Reply). 2002;35:1068
Regarding "Early results of infragenicular revascularization based solely on duplex arteriography" (Friedman) (Letter); (Walsh) (Reply). 2002;35:830
Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review (Cinà et al). 2002;35:422-9
Successful endografting with simultaneous visceral artery bypass grafting for severely calcified thoracoabdominal aortic aneurysm (Watanabe et al). 2002;35:397-9 (Case rep.)
Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction (Henke et al). 2002;35:902-9
Usefulness of autogenous bypass grafts originating distal to the groin (Reed et al). 2002;35:48-55

Revision, surgical; *see* Reoperation

RhoA GTP-binding protein
Rho and basic fibroblast growth factor involvement in centrosome redistribution and actin microfilament remodeling during early endothelial wound repair (Lee and Gotlieb). 2002;35:1242-52

Rifampin
Regarding "Limitations in the use of rifampicin-gelatin grafts against virulent organisms" (Naylor). 2002;35:823-4 (Invited comment)

Risk assessment
Identifying and grading factors that modify the outcome of endovascular aortic aneurysm repair (Chaikof et al). 2002;35:1060-6
Prediction of cardiac risk before abdominal aortic reconstruction: comparison of a revised Goldman Cardiac Risk Index and radioisotope ejection fraction (Karkos et al). 2002;35:943-9

Risk factors
Age at onset of smoking is an independent risk factor in peripheral artery disease development (Planas et al). 2002;35:506-9
Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms (Rasmussen et al). 2002;35:988-93
Outcome of endovascular abdominal aortic aneurysm repair in patients with conditions considered unfit for an open procedure: a report on the EUROSTAR experience (Buth et al). 2002;35:211-21
Perioperative cardiovascular risk stratification of patients with diabetes who undergo elective major vascular surgery (Axelrod et al). 2002;35:894-901
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Kasirajan) (Letter); (Ouriel) (Reply). 2002;35:407-8
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Thompson et al) (Letter); (Ouriel and Bhandari) (Reply). 2002;35:181-82

Risk management
Hear no evil, see no evil, speak no evil: postmarket monitoring, underreporting, and estimating the prevalence of endograft-related adverse events (Chaikof). 2002;35:1299-300 (Invited comment)

Rob, Charles Granville
Charles Granville Rob, 1913-2001 (Rich). 2002;35:178-9 (Obituary)

Rupture, spontaneous
A spontaneous rupture of the external iliac vein revealed as a phlegmasia cerulea dolens with acute lower limb ischemia: case report and review of the literature (Jazayeri et al). 2002;35:999-1002 (Case rep.)

S

Saphenous vein
Bypass in the absence of ipsilateral greater saphenous vein: safety and superiority of the contralateral greater saphenous vein (Chew et al). 2002;35:1085-92
The effect of long saphenous vein stripping on quality of life (MacKenzie et al). 2002;35:1191-203
Endovascular obliteration of saphenous reflux: a multicenter study (Merchant et al). 2002;35:1190-6

Endovascular obliteration of saphenous reflux: a perspective (Harris). 2002;35:1292-4 (Invited comment)
Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs (Rautio et al). 2002;35:958-65
Endovenous treatment of the greater saphenous vein with a 940-nm diode laser: thrombotic occlusion after endoluminal thermal damage by laser-generated steam bubbles (Proebstle et al). 2002;35:729-36
Initial experience with minimally invasive in situ bypass procedure with blind valvulotomy (Gangadharan et al). 2002;35:1100-6
Intraoperative angioscopy may improve the outcome of in situ saphenous vein bypass grafting: a prospective study (Thörne et al). 2002;35:759-65
Localization of nitric oxide synthase in saphenous vein grafts harvested with a novel "no-touch" technique: potential role of nitric oxide contribution to improved early graft patency rates (Tsui et al). 2002;35:356-62
Long-term geometric stability of saphenous vein patched carotid endarterectomy (Archie). 2002;35:131-6
The mechanism of venous valve closure in normal physiologic conditions (Lurie et al). 2002;35:713-17
Primary malignant lymphoma of the saphenous vein (Rulli et al). 2002;35:168-71 (Case rep.)
A prospective, randomized study of saphenous vein patching versus synthetic patching during carotid endarterectomy (O'Hara et al). 2002;35:324-32
Regarding "The saphenous vein: derivation of its name and its relevant anatomy" (Kakkos and Nicolaides). 2002;35:1307 (Letter)
The saphenous vein: derivation of its name and its relevant anatomy (Caggiati and Bergan). 2002;35:172-5
The sequence of gene expression in cultured human saphenous vein after injury (Castronuovo and Price). 2002;35:146-51
Validation of an in vitro model of human saphenous vein hyperplasia (Castronuovo et al). 2002;35:152-7

Scientific misconduct
Policy on declaring conditions of funding for research studies (Johnston and Rutherford). 2002;35:197

Scintigraphy; *see* Radionuclide imaging

Sex factors
Gender as a primary predictor of outcome after carotid endarterectomy (Sarac et al). 2002;35:748-53
Gender differences in endovascular abdominal aortic aneurysm repair with the AneuRx stent graft (Wolf et al). 2002;35:882-6
Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms (Rasmussen et al). 2002;35:988-93
Sex-related differences in outcome after vascular interventions for lower limb ischemia (Hultgren et al). 2002;35:510-16
Tissue loss, early primary graft occlusion, female gender, and a prohibitive failure rate of secondary infrainguinal artery reconstruction (Henke et al). 2002;35:902-9

Smoking
Age at onset of smoking is an independent risk factor in peripheral artery disease development (Planas et al). 2002;35:506-9
Human leukocyte antigen class II immune response genes, female gender, and cigarette smoking as risk and modulating factors in abdominal aortic aneurysms (Rasmussen et al). 2002;35:988-93

Society for Vascular Surgery
Presidential address: at the count of two (Berguer). 2002;35:199-202

Specialties, surgical
The American Association for Vascular Surgery: advocate for independence (Hobson). 2002;35:1-7
A "four plus" future for general surgery and vascular surgery: maintaining the union (LoGerfo). 2002;35:1073-7
Presidential address: at the count of two (Berguer). 2002;35:199-202
Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery" (Berger) (Letter); (Tu et al) (Reply); (Cronenwett) (Reply). 2002;35:624-5

Spinal cord
Spinal cord arteriography: a safe adjunct before descending thoracic or thoracoabdominal aortic aneurysmectomy (Kieffer et al). 2002;35:262-8

Spinal cord ischemia
Adenosine A_{2A} analogue ATL-146e reduces systemic tumor necrosing factor-α and spinal cord capillary platelet-endothelial cell adhesion molecule-1 expression after spinal cord ischemia (Cassada et al). 2002;35:994-8
Epidural cooling for the prevention of ischemic injury to the spinal cord during aortic occlusion in a rabbit model: determination of the optimal temperature (Martelli et al). 2002;35:547-53
Spinal cord blood supply in patients with thoracoabdominal aortic aneurysms (Jacobs et al). 2002;35:30-7

Splanchnic circulation
Pediatric splanchnic arterial occlusive disease: clinical relevance and operative treatment (Upchurch et al). 2002;35:860-7

Staphylococcal infections
Comparison of the resistance to infection of rifampin-bonded gelatin-sealed and silver/collagen-coated polyester prostheses (Goëau-Brissonnière et al). 2002;35:1260-3

Stents
Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow (Kritpracha et al). 2002;35:874-81
Carotid artery stenting in a vascular surgery practice (Criado et al). 2002;35:430-4
Clinical failures of endovascular abdominal aortic aneurysm repair; incidence, causes, and management (Dattilo et al). 2002;35:1137-44
The clinical impact of iliac venous stents in the management of chronic venous insufficiency (Raju et al). 2002;35:8-15
Early results of external iliac artery stenting combined with common femoral artery endarterectomy (Nelson et al). 2002;35:1107-13
Endoluminal stent graft repair of aortobronchial fistulas (Thompson et al). 2002;35:387-91
Endoluminal stent grafting of the thoracic aorta: initial experience with the Gore Excluder (Thompson et al). 2002;35:1163-70
Endovascular repair of abdominal aortic aneurysms: stent-graft fixation across the visceral arteries (Burks et al). 2002;35:109-13
Evolving experience with thoracic aortic stent graft repair (Cambria et al). 2002;35:1129-36
External iliac artery-to-internal iliac artery endograft: a novel

approach to preserve pelvic inflow in aortoiliac stent grafting (Bergamini et al). 2002;35:120-4
Gender differences in endovascular abdominal aortic aneurysm repair with the AneuRx stent graft (Wolf et al). 2002;35:882-6
High-risk carotid endarterectomy: challenges for carotid stent protocols (Jordan et al). 2002;35:16-22
An in situ adjustable endovascular graft for the treatment of abdominal aortic aneurysms (Brener et al). 2002;35:114-19
Intravascular ultrasound scanning improves long-term patency of iliac lesions treated with balloon angioplasty and primary stenting (Buckley et al). 2002;35:316-23
Late endoleak after endovascular repair of an abdominal aortic aneurysm with multiple proximal extender cuffs (Wolf et al). 2002;35:580-3 (Case rep.)
A multicenter experience with the Talent endovascular graft for the treatment of abdominal aortic aneurysms (Faries et al). 2002;35:1123-8
Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease (Inoue et al). 2002;35:672-8
Percutaneous bioprosthetic venous valve: a long-term study in sheep (Pavcnik et al). 2002;35:598-602
Protected carotid stenting: safety and efficacy of the MedNove NeuroShield filter (Macdonald et al). 2002;35:966-72
Regarding "Pathogenetic heterogeneity of in-stent lesion formation in human peripheral arterial disease" (Butany). 2002;35:820-2 (Invited comment)
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Kasirajan) (Letter); (Ouriel) (Reply). 2002;35:407-8
Regarding "Preprocedural risk stratification: identifying an appropriate population for carotid stenting" (Thompson et al) (Letter); (Ouriel and Bhandari) (Reply). 2002;35:181-82
Successful endovascular treatment of a ruptured internal iliac aneurysm (Ricci et al). 2002;35:1274-6 (Case rep.)
Successful long-term stenting of an atypical descending aortic coarctation (Keith et al). 2002;35:166-7 (Case rep.)
Superior mesenteric artery pseudoaneurysm successfully treated with polytetrafluoroethylene covered stent (Cowan et al). 2002;35:805-7 (Case rep.)
Supplemental oxygen reduces intimal hyperplasia after intraarterial stenting in the rabbit (Tretinyak et al). 2002;35:982-7

Stockings, compression; *see* Bandages

Strandness D. Eugene, Jr.
D. Eugene Strandness, Jr., MD, 1928-2002 (Zierler). 2002;35:835-6 (Obituary)

Stroke; *see* Cerebrovascular accident

Subclavian artery
Melioidosis presenting as an infected intrathoracic subclavian artery pseudoaneurysm treated with femoral vein interposition graft (Schindler et al). 2002;35:569-72 (Case rep.)
A subclavian artery aneurysm in a patient with HIV infection: a case report (Wong et al). 2002;35:1006-9
Subclavian carotid transposition and bypass grafting: consecutive cohort study and systematic review (Cinà et al). 2002;35:422-9

Subclavian steal syndrome
Regarding "Subclavian steal syndrome from high output brachiocephalic arteriovenous fistula: a previously undescribed complication of dialysis access" (Gooding) (Letter); (Schenk) (Reply). 2002;35:181

Surgical Ethical Challenges
Surgical Ethical Challenges. 2002;35:192, 409-10, 621-2, 825-6, 1305

Surgical mesh
Early abdominal closure with mesh reduces multiple organ failure after ruptured abdominal aortic aneurysm repair: guidelines from a 10-year case-control study (Rasmussen et al). 2002;35:246-53

Suture techniques
Regarding "A comparison of para-anastomotic compliance profiles after vascular anastomosis: nonpenetrating clips versus standard sutures" (Zeebregts) (Letter); (Baguneid et al) (Reply). 2002;35:626-7

Sympathectomy
Retroperitoneoscopic lumbar sympathectomy (Beglaibter et al). 2002;35:815-17 (Tech. note)
Surgical sympathectomy for reflex sympathetic dystrophy syndromes (Bandyk et al). 2002;35:269-77

T

Technical Note
Technical Note. 2002;35:592-4, 815-17, 1013-19, 1289-91

Terminology
Regarding "The saphenous vein: derivation of its name and its relevant anatomy" (Kakkos and Nicolaides). 2002;35:1307 (Letter)
The saphenous vein: derivation of its name and its relevant anatomy (Caggiati and Bergan). 2002;35:172-5

Thrombin
Coagulopathy as a result of factor V inhibitor after exposure to bovine topical thrombin (Neschis et al). 2002;35:400-2 (Case rep.)
Duplex scanning-guided thrombin injection for the treatment of iatrogenic pseudoaneurysms (Khoury et al). 2002;35:517-21
Ipsilateral femoral vein compression: a contraindication to thrombin injection of femoral pseudoaneurysms (Hung et al). 2002;35:1280-3 (Case rep.)

Thrombolytic therapy
Success of thrombolysis as a predictor of outcome in acute thrombosis of popliteal aneurysms (Marty et al). 2002;35:487-93

Thrombophilia
The prevalence of thrombophilia in patients with chronic venous leg ulceration (MacKenzie et al). 2002;35:718-22

Thrombosis
Success of thrombolysis as a predictor of outcome in acute thrombosis of popliteal aneurysms (Marty et al). 2002;35:487-93

Tissue culture
The sequence of gene expression in cultured human saphenous vein after injury (Castronuovo and Price). 2002;35:146-51
Validation of an in vitro model of human saphenous vein hyperplasia (Castronuovo et al). 2002;35:152-7

Tissue plasminogen activator
Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis (Meissner et al). 2002;35:278-85
Hemostatic alterations associated with supraceliac aortic cross-clamping (Anagnostopoulos et al). 2002;35:100-8

Tomography, x-ray computed
Analysis of predictive factors for progression of type B aortic

intramural hematoma with computed tomography (Sueyoshi et al). 2002;35:1179-83
Regarding "Analysis of predictive factors for progression of type B aortic intramural hematoma with computed tomography" (Cambria). 2002;35:1295-6 (Invited comment)

Transcription, genetic
Molecular biology: a brief overview (Gahtan et al). 2002;35:563-8

Transluminal angioplasty; *see* Angioplasty, balloon

Transplantation, homologous
Abdominal aortic reconstruction in infected fields: early results of the United States Cryopreserved Aortic Allograft Registry (Noel et al). 2002;35:847-52
Technical details with the use of cryopreserved arterial allografts for aortic infection: influence on early and midterm mortality (Vogt et al). 2002;35:80-6

Transplants
Localization of nitric oxide synthase in saphenous vein grafts harvested with a novel "no-touch" technique: potential role of nitric oxide contribution to improved early graft patency rates (Tsui et al). 2002;35:356-62

Treatment outcome
Aortic neck angulation predicts adverse outcome with endovascular abdominal aortic aneurysm repair (Sternbergh et al). 2002;35:482-6
Contemporary management of acute mesenteric ischemia: factors associated with survival (Park et al). 2002;35:445-52
Duplex scan-directed placement of inferior vena cava filters: a five-year institutional experience (Conners et al). 2002;35:286-91
Durability of benefits of endovascular versus conventional abdominal aortic aneurysm repair (Carpenter et al). 2002;35:222-8
Durability of open repair of infrarenal abdominal aortic aneurysm: a 15-year follow-up study (Biancari et al). 2002;35:87-93
Emergency surgery for thoracoabdominal aortic aneurysms with acute presentation (LeMaire et al). 2002;35:1171-8
Endovascular obliteration of saphenous reflux: a multicenter study (Merchant et al). 2002;35:1190-6
Endovascular obliteration of saphenous reflux: a perspective (Harris). 2002;35:1292-4 (Invited comment)
Gender as a primary predictor of outcome after carotid endarterectomy (Sarac et al). 2002;35:748-53
Gender differences in endovascular abdominal aortic aneurysm repair with the AneuRx stent graft (Wolf et al). 2002;35:882-6
Initial experience with minimally invasive in situ bypass procedure with blind valvulotomy (Gangadharan et al). 2002;35:1100-6
Long-term outcome after mesenteric artery reconstruction: a 37-year experience (Cho et al). 2002;35:453-60
Long-term outcome of revised lower-extremity bypass grafts (Landry et al). 2002;35:56-63
A multicenter experience with the Talent endovascular graft for the treatment of abdominal aortic aneurysms (Faries et al). 2002;35:1123-8
Open infrarenal abdominal aortic aneurysm repair: the Cleveland Clinic experience from 1989 to 1998 (Hertzer et al). 2002;35:1145-54
Outcome of endovascular abdominal aortic aneurysm repair in patients with conditions considered unfit for an open procedure: a report on the EUROSTAR experience (Buth et al). 2002;35:211-21
Regarding "The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery" (Berger) (Letter); (Tu et al) (Reply); (Cronenwett) (Reply). 2002;35:624-5
Retrojugular approach for carotid endarterectomy: a prospective cohort study (Safar et al). 2002;35:737-40
Surgical sympathectomy for reflex sympathetic dystrophy syndromes (Bandyk et al). 2002;35:269-77

Treatment refusal
Refusal of life-saving treatment in the aged (Jones and McCullough). 2002;35:1067

Tumor necrosis factor
Adenosine A_{2A} analogue ATL-146e reduces systemic tumor necrosing factor-α and spinal cord capillary platelet-endothelial cell adhesion molecule-1 expression after spinal cord ischemia (Cassada et al). 2002;35:994-8

Tunica intima
A chemically modified dextran inhibits smooth muscle growth in vitro and intimal in stent hyperplasia in vitro (Deux et al). 2002;35:973-81
Expression of heat shock protein-70 by dendritic cells in the arterial intima and its potential significance in atherogenesis (Bobryshev and Lord). 2002;35:368-75
Hepatocyte growth factor prevents intimal hyperplasia in rabbit carotid expanded polytetrafluoroethylene grafting (Harada et al). 2002;35:786-91
Neointimal hyperplasia in balloon-injured rat carotid arteries: the influence of hyperhomocysteinemia (Cook et al). 2002;35:158-65
Supplemental oxygen reduces intimal hyperplasia after intraarterial stenting in the rabbit (Tretinyak et al). 2002;35:982-7

U

Ultrasonography
Expansion rates and outcomes for the 3.0-cm to the 3.9-cm infrarenal abdominal aortic aneurysm (Santilli et al). 2002;35:666-71
Intravascular ultrasound scan evaluation of the obstructed vein (Neglén and Raju). 2002;35:694-700
Macrophages are associated with lipid-rich carotid artery plaques, echolucency on B-mode imaging, and elevated plasma lipid levels (Grønholdt et al). 2002;35:137-45
Pixel distribution analysis of B-mode ultrasound scan images predicts histologic features of atherosclerotic carotid plaques (Lal et al). 2002;35:1210-17
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Rose et al) (Letter); (Ebaugh et al) (Reply). 2002;35:828-9
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Sing et al) (Letter); (Ebaugh et al) (Reply). 2002;35:1068-9

Ultrasonography, Doppler, duplex
Color-flow duplex scanning of the leg arteries by use of a new echo-enhancing agent (Ubbink et al). 2002;35:392-6
Duplex scan-directed placement of inferior vena cava filters: a five-year institutional experience (Conners et al). 2002;35:286-91
Duplex scanning-guided thrombin injection for the treatment of iatrogenic pseudoaneurysms (Khoury et al). 2002;35:517-21

The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan (Parent et al). 2002;35:474-81
Internal carotid artery flow volume measurement and other intraoperative duplex scanning parameters as predictors of stroke after carotid endarterectomy (Ascher et al). 2002;35: 439-44
Long-term geometric stability of saphenous vein patched carotid endarterectomy (Archie). 2002;35:131-6
The mechanism of venous valve closure in normal physiologic conditions (Lurie et al). 2002;35:713-17
Pseudo-occlusions of the internal carotid artery: a rationale for treatment on the basis of a modified carotid duplex scan protocol (Ascher et al). 2002;35:340-5
Regarding "The incidence and natural history of type I and II endoleak: a 5-year follow-up assessment with color duplex ultrasound scan" (Carpenter). 2002;35:595-7 (Invited comment)
Reproducibility of ultrasound scan in the assessment of volume flow in the veins of the lower extremities (Ogawa et al). 2002;35:527-31

Umbilical veins
Comparative decades of experience with glutaraldehyde-tanned human umbilical cord vein graft for lower limb revascularization: an analysis of 1275 cases (Dardik et al). 2002;35:64-71

United States Food and Drug Administration (FDA)
Preclinical testing for aortic endovascular grafts: results of a Food and Drug Administration workshop (Abel et al). 2002;35:1022-8

Upper extremity; *see* Arm

V

Varicose ulcer
The prevalence of thrombophilia in patients with chronic venous leg ulceration (MacKenzie et al). 2002;35:718-22
Recurrence of chronic venous ulcers on the basis of clinical, etiologic, anatomic, and pathophysiologic criteria and air plethysmography (McDaniel et al). 2002;35:723-8
Why insurers should reimburse for compression stockings in patients with chronic venous stasis (Korn et al). 2002;35: 950-7

Varicose veins
The effect of long saphenous vein stripping on quality of life (MacKenzie et al). 2002;35:1191-203
Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs (Rautio et al). 2002;35:958-65
Regarding "High endogenous estradiol is associated with increased venous distensibility and clinical evidence of varicose veins in menopausal women" (Szaky) (Letter); (Ciardullo et al) (Reply). 2002;35:829-30

Vascular access ports; *see* Catheters, indwelling

Vascular disease, peripheral; *see* Peripheral vascular diseases

Vascular neoplasms
Primary malignant lymphoma of the saphenous vein (Rulli et al). 2002;35:168-71 (Case rep.)

Vascular patency
The association between venous structural alterations and biomechanical weakness in patients with abdominal aortic aneurysms (Goodall et al). 2002;35:937-42

Vascular surgery
The American Association for Vascular Surgery: advocate for independence (Hobson). 2002;35:1-7
Cardiovascular workforce in the 21st century (Goldstone). 2002;35:1301-2 (Invited comment)
A "four plus" future for general surgery and vascular surgery: maintaining the union (LoGerfo). 2002;35:1073-7
The Midwestern Vascular Surgical Society: the formative years, 1976-1981 (Pfeifer and Stanley). 2002;35:837-40
Presidential address: at the count of two (Berguer). 2002;35: 199-202
Presidential address: "Gentlemen, this is no humbug"— The role of natural selection in vascular surgery (O'Hara). 2002; 35:841-6
Reductio ad absurdum: financing vascular care in the millennium (O'Donnell). 2002;35:184-91

Vascular surgical procedures
Bell-bottom aortoiliac endografts: an alternative that preserves pelvic blood flow (Kritpracha et al). 2002;35:874-81
Endovenous obliteration versus conventional stripping operation in the treatment of primary varicose veins: a randomized controlled trial with comparison of the costs (Rautio et al). 2002;35:958-65
Minimally invasive vascular surgery for repair of infrarenal abdominal aortic aneurysm with iliac involvement (Matsumoto et al). 2002;35:654-60
Novel anastomotic method enables aortofemoral bypass for patients with porcelain aorta (Sasajima et al). 2002;35: 1016-19 (Tech. note)
A novel technique designed to minimize the morbidity of failure of arteriovenous access in hemodialysis patients (Benedetto et al). 2002;35:1013-15 (Tech. note)
A novel technique of upper extremity revascularization: the retrohumeral approach (Marone et al). 2002;35:1277-9 (Case rep.)
Retrojugular approach for carotid endarterectomy: a prospective cohort study (Safar et al). 2002;35:737-40
Retroperitoneoscopic lumbar sympathectomy (Beglaibter et al). 2002;35:815-17 (Tech. note)
A technique for combined hypogastric artery bypass and endovascular repair of complex aortoiliac aneurysms (Lee et al). 2002;35:1289-91 (Tech. note)

Vasodilation
Impaired vasoreactivity despite an increase in plasma nitrite in patients with abdominal aortic aneurysms (Knipp et al). 2002;35:363-7

Vena cava, inferior
Rupture of abdominal aortic aneurysm with tear of inferior vena cava in a patient with prior endograft (Tuma and Hans). 2002;35:798-800 (Case rep.)

Vena cava filters
Duodenal perforation with an inferior vena cava filter: an unusual cause of abdominal pain (Feezor et al). 2002;35: 1010-12 (Case rep.)
Duplex scan-directed placement of inferior vena cava filters: a five-year institutional experience (Conners et al). 2002;35: 286-91
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Rose et al) (Letter); (Ebaugh et al) (Reply). 2002;35:828-9
Regarding "Bedside vena cava filter placement guided with intravascular ultrasound" (Sing et al) (Letter); (Ebaugh et al) (Reply). 2002;35:1068-9

Venography; *see* Phlebography
Venous insufficiency
Changes in venous lumen size and shape do not affect the accuracy of volume flow measurements in health volunteers and patients with primary chronic venous insufficiency (Lurie et al). 2002;35:522-6
The clinical impact of iliac venous stents in the management of chronic venous insufficiency (Raju et al). 2002;35:8-15
The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis (Haenen et al). 2002;35:1184-9
Endovascular obliteration of saphenous reflux: a multicenter study (Merchant et al). 2002;35:1190-6
Endovascular obliteration of saphenous reflux: a perspective (Harris). 2002;35:1292-4 (Invited comment)
Intravascular ultrasound scan evaluation of the obstructed vein (Neglén and Raju). 2002;35:694-700
Ipsilateral femoral vein compression: a contraindication to thrombin injection of femoral pseudoaneurysms (Hung et al). 2002;35:1280-3 (Case rep.)
Recurrence of chronic venous ulcers on the basis of clinical, etiologic, anatomic, and pathophysiologic criteria and air plethysmography (McDaniel et al). 2002;35:723-8
Regarding "The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis" (Raju). 2002;35:1297-8 (Invited comment)
Venous pressure
Nature and significance of endoleaks and endotension: summary of opinions expressed at an international conference (Veith et al). 2002;35:1029-35
Venous thrombosis
Coagulation, fibrinolysis, and recanalization after acute deep venous thrombosis (Meissner et al). 2002;35:278-85
The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis (Haenen et al). 2002;35:1184-9
Early diagnosis of deep vein thrombosis in female patients who undergo total knee arthroplasty with measurement of P-selectin activation (Yang et al). 2002;35:707-12
Inflammatory response in the acute phase of deep vein thrombosis (Roumen-Klappe et al). 2002;35:701-6
Regarding "The development of postthrombotic syndrome in relationship to venous reflux and calf muscle pump dysfunction at 2 years after the onset of deep venous thrombosis" (Raju). 2002;35:1297-8 (Invited comment)
Venous ulcer; *see* Varicose ulcer

W

Warfarin
Benefits, morbidity, and mortality associated with long-term administration of oral anticoagulant therapy to patients with peripheral arterial bypass procedures: a prospective randomized study (Johnson and Williford). 2002;35:413-21
Potential impact of therapeutic warfarin treatment on type II endoleaks and sac shrinkage rates on midterm follow-up examination (Fairman et al). 2002;35:679-85
Wine
Inhibition of vascular smooth muscle cell proliferation with red wine and red wine polyphenols (Araim et al). 2002;35:1226-32
Wound healing
Rho and basic fibroblast growth factor involvement in centrosome redistribution and actin microfilament remodeling during early endothelial wound repair (Lee and Gotlieb). 2002;35:1242-52
Wounds and injuries
Common femoral artery injury secondary to bicycle handlebar trauma (Sarfati et al). 2002;35:589-91 (Case rep.)